

COMFORT♦BILT®





ORDERING

---

Account Name \_\_\_\_\_

Account # \_\_\_\_\_

Contact Name \_\_\_\_\_

City/State \_\_\_\_\_

Zip \_\_\_\_\_

PART NUMBER	DESCRIPTION	QUANTITY
0950955	Comfort Bilt Product Catalog	
0950604	Comfort Bilt Brochure	

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Please fax or email completed form:

**605-696-6403**

**dealerdirect@LARSONdoors.com**

Contact your LARSON Sales Representative for additional displays or sales materials.

## Terms:

Telephone Orders  
1-800-779-5833

Fax Orders  
605-696-6403

Email  
dealerdirect@  
larsondoors.com

**All items net 25 days.**

When you order by phone, the following procedure will be used:

1. Order personnel will write down model numbers, sizes, quantities and colors given.
2. They will repeat model numbers, sizes, quantities and colors of the complete order.
3. Order will be processed as given. **However, COMFORT BILT® will not be held responsible for errors on phone orders.** (In other words, you will then be responsible for this order.)
4. Please review your order confirmation carefully. Orders for custom products may not be modified or canceled once they have been placed. Other orders may be cancelled within the first 24 hours.

**NOTE:** Prices shown in this catalog are COMFORT BILT® List Prices.

## Deliveries

COMFORT BILT® products are distributed by Larson Manufacturing and follow the distribution policies set forth by LARSON. See Sales Distribution Centers Map for delivery areas. All products need to be visually inspected upon receipt.

## Returned Merchandise

No merchandise may be returned without authorization from our office. Any returned product is subject to a 15% handling charge. If the product is required to ship back on a carrier, a freight charge may also be assessed. Do not deduct any credits on returned merchandise from the invoice when remitting. If you have a credit coming, a credit memo will be issued from our office. This will enable our bookkeeping department to keep your account in balance. Merchandise can only be returned due to defects in materials or workmanship.

### DISTRIBUTION POINTS:

Brookings, SD 57006  
Lake Mills, IA 50450  
Albert Lea, MN 56007  
Janesville, WI 53545  
Fostoria, OH 44830  
North Kansas City, MO 64116  
Mocksville, NC 27028  
Grand Prairie, TX 75050  
Allentown, PA 18106

## CUSTOMER OR PRODUCT CONCERNS

*Notify our office immediately.*

**COMFORT BILT®**

**2333 Eastbrook Drive**

**Brookings, SD 57006**

**PHONE: 800-349-1346**


**FAX: 605-696-6403**

(Comfort Bilt Company reserves the right to alter or discontinue its delivery policy without notice).

# FOR ALL STORM DOORS

- 1. State model number
- 2. State color
- 3. State opening size required - width x height
- 4. All doors are Reversa-Hinge

## How to measure for your storm door.



Referring to the following diagrams below and at right, measure the **opening width** (horizontally) as shown. Take three measurements, one across the top, middle and bottom of the door. Record the narrowest dimension. Next measure the **opening height** (vertically) as shown.


Mark Measurements

A \_\_\_\_\_ (width)

B \_\_\_\_\_ (width)

C \_\_\_\_\_ (width)

D \_\_\_\_\_ (height)



## Doorway Opening Size Guide

DOOR OPENING	MIN. WIDTH	MAX. WIDTH	MIN. HEIGHT	MAX. HEIGHT
32" x 81"	31-7/8"	32-3/8"	80"	81"
36" x 81"	35-7/8"	36-3/8"		

**NOTE:** On some installations a shim may be needed behind the Hinge-Side Z-Bar.  
Standard size availability varies by model.

**CORPORATE HEADQUARTERS**

BROOKINGS, SD

**MANUFACTURING FACILITIES**

BROOKINGS, SD

LAKE MILLS, IA

MOCKSVILLE, NC

**★ SALES DISTRIBUTION CENTERS**

<b>BROOKINGS, SD</b>	222 Sunrise Ridge Rd. Brookings, SD 57006	<b>MOCKSVILLE, NC</b>	151 Enterprise Way Mocksville, NC 27028
<b>LAKE MILLS, IA</b>	500 N. Larson Ave. Lake Mills, IA 50450	<b>GRAND PRAIRIE, TX</b>	1330 Post & Paddock, Suite 700 Grand Prairie, TX 75050
<b>JANESVILLE, WI</b>	3920 Kennedy Rd., Suite 110 Janesville, WI 53545	<b>ALLENTOWN, PA</b>	7377 William Avenue Allentown, PA 18106
<b>FOSTORIA, OH</b>	616 N. Corporate Place Fostoria, OH 44830	<b>ALBERT LEA, MN</b>	1501 Betha Larson Lane Albert Lea, MN 56007
<b>N. KANSAS CITY, MO</b>	1231 Atlantic Street North Kansas City, MO 64116		

**Toll-free: 1-800-779-5833**

\*Comfort Bilt Company reserves the right to alter or discontinue its delivery policy without notice.

STORM DOORS


- Maintenance-free frame
- Weatherstrip seal
- Durable triple-hinge system
- Push button handle
- Adjustable speed closer
- Bottom expander sweep
- Reversa-hinge for right or left mounts
- 1-Year Limited Warranty



**C02-04** FULLVIEW WITH  
INTERCHANGEABLE  
SCREEN

- 1-1/4" thick aluminum frame
- Tempered safety glass window and interchangeable full screen included

<b>C02-04 (FV)</b>	White Brown
32" x 81" 36" x 81"	<b>\$148.00</b>



**C02-08** SELF-STORING FOR  
BOTTOM VENTILATION

- 1-1/4" thick aluminum frame
- Tempered safety glass window and fixed screen
- Stucco-like embossed kick panel

<b>C02-08 (SS)</b>	White Brown
32" x 81" 36" x 81"	<b>\$152.00</b>





**C01-08**

SELF-STORING FOR  
BOTTOM VENTILATION

- 1" thick aluminum frame
- Tempered safety glass window and fixed screen
- Stucco-like embossed kick panel
- Optional pre-hinged available (mill only)

C01-08 (SS)	Mill	Pre-Hinged specify L/R Mill	White Brown
32" x 81"	\$115.00	134.00	130.00
36" x 81"			



**C01-35**

FIXED SCREEN  
WITH REMOVABLE  
GLASS INSERT

- 1" thick aluminum frame
- Tempered safety glass window and fixed screen
- Crossbuck design

C01-35 (LXB)	White Brown
32" x 81"	\$142.00
36" x 81"	

House doorway opening size:  
32" x 81" fits 31-7/8" thru 32-3/8" W x 80" thru 81" H  
36" x 81" fits 35-7/8" thru 36-3/8" W x 80" thru 81" H

SCREEN DOORS

- Maintenance-free frame
- Weatherstrip seal
- Push button handle
- Adjustable speed closer
- Bottom expander sweep
- Reversa-hinge for right or left mounts
- 1-Year Limited Warranty




**C02-71**

FULL SCREEN  
FOR MAXIMUM  
VENTILATION

- 1" thick aluminum frame
- Durable triple-hinge system
- Perforated aluminum panel

<b>C02-71</b>	White Brown
32" x 81" 36" x 81"	<b>\$ 132.00</b>



**C01-71**

FULL SCREEN  
FOR MAXIMUM  
VENTILATION

- 1" thick aluminum frame
- Durable double-hinge system

<b>C01-71</b>	White Brown
32" x 81" 36" x 81"	<b>\$104.00</b>





**C01-79**

**PET BREEZE™ SCREEN  
DOOR WITH BUILT-IN FLAP**

- 1" thick aluminum frame
- 10" x 17" pet flap fits pets up to 100 lbs.
- Slide-in panel covers and secures pet flap

<b>C01-79</b>	White Brown
32" x 81" 36" x 81"	<b>\$ 210.00</b>



**PetScreen**  
PET-RESISTANT INSECT SCREENING


**7 times stronger than  
traditional screen mesh**

House doorway opening size:  
32" x 81" fits 31-7/8" thru 32-3/8" W x 80" thru 81" H  
36" x 81" fits 35-7/8" thru 36-3/8" W x 80" thru 81" H

MEASURE EXISTING FRENCH DOOR OPENING


- 1. Measure full width of opening from jamb exterior trim where storm doors will attach to the trim.
- 2. Measure full height of opening from head exterior trim to threshold where storm doors will attach.
- 3. Compare your dimensions with the standard French storm door opening size guide. If your opening does not match a standard, you need custom French doors.

**Note:** Continuous wood shims up to 1/4" thick can be installed behind both hinge mounting rails, allowing a given width of standard doors to fit an opening 1/2" wider. Extra long screws will be needed to secure.



With a French Door Installation, you will have one Left Hinge door and one Right Hinge door. The astragal included in your French Door Kit replaces the latch side mounting rail included with each door. The full width drip cap included in the French Door Kit replaces the top drip caps included with the doors.

TYPICAL COMFORT BILT  
STORM DOOR FRENCH  
DOOR INSTALLATION  
Kit parts, instructions, and  
astragal vary by model



FRAME TYPE	SIZE	WHITE	BROWN	LIST
1" Thick Frame C01-08, C01-35, C01-71, C02-71, C01-79*	64" x 80"	08003081	08004081	\$ 84.00
	72" x 80"	08003082	08004082	\$ 84.00
1-1/4" Thick Frame C02-08, C02-04	64" x 80"	08003091	08004091	\$ 84.00
	72" x 80"	08003092	08004092	\$ 84.00

\* Pet Breeze (C01-79) not available without pet door  
Mill Finish not available

# COMFORT BILT®

## STORM & SCREEN DOORS 1-YEAR LIMITED WARRANTY

Your COMFORT BILT® storm door is warranted to be free from defects in material and workmanship for a period of one year from the date of purchase by the original consumer. The COMFORT BILT® Company warrants for one year to the original purchaser of the residential storm door that it will repair or replace, at the company's option, any major component or door determined to be defective in material or workmanship under normal use provided the original component has not been altered in any way. This **1-Year Warranty** excludes failure due to wind damage, glass breakage, screen tears and does not cover misuse, improper installation or product alterations. Installation or labor charges are not covered.

To obtain performance under this Warranty, the original user must do the following: Notify THE COMPANY in writing (to the address shown below) describing the defect and providing proof-of-purchase. The obligations under this Warranty will be completed by THE COMPANY within 90 days after notice of a defect has been received by THE COMPANY. THE COMPANY will perform the obligations under this limited warranty during the normal working hours of its dealers and distributors.

**THIS WARRANTY EXCLUDES ALL INCIDENTAL AND CONSEQUENTIAL DAMAGE.**

Your exclusive remedy is limited to the repair and replacement of defective product.

For service under this warranty or for any information you may need at any time about your COMFORT BILT® storm door, write to:

COMFORT BILT® Storm Doors  
2333 Eastbrook Drive  
Brookings, SD 57006  
800-349-1346



