

WE are



Precise & Accurate

We don't settle for less than the best. Our goal is setting the industry standard for products, systems, and performance—and growing a talented team that delivers with passion and precision.

Smart & Sophisticated

We enjoy solving problems, which requires an intelligent, well-informed perspective. We're always looking for new insights, turning our understanding into quality products, and showing the world what's possible with our designs.

Attentive & Connected

Our goal is helping our customers become more successful, and we don't take that opportunity for granted. To do this, we follow up, listen to their needs, and look for ways to create even better experiences.




CONTENTS |

STEEL SIDING	P 1
SIDING & TRIM ACCESSORIES	P 55
ROOFING ACCESSORIES	P 75
SOFFIT	P 121
FASCIA	P 167
DESIGNER ACCESSORIES	P 179
TRIM COIL	P 187
UNDERDECKING	P 211
GUTTER PROTECTION	P 219
RAINWARE	P 231

THE APPENDIX	P 239
--------------	-------







“Normality is
a paved road,
it’s comfortable
to walk, but no
flowers grow.”

VINCENT VAN GOGH

get ready to get inspired

When you're choosing home siding, it's easy to go with something low-cost and readily available.


But is it worth choosing a product that negatively impacts the health of families and the environment, with all added maintenance?

At Quality Edge, we check the boxes for affordability and availability, while making far fewer compromises along the way.




	STEEL	FIBER CEMENT	WOOD COMPOSITE	VINYL
PROFILE OPTIONS Variety of siding profiles	+++	+++	+++	++++
SOLID COLORS Variety of color options	+++	++++	++++	+++
WOOD COLORS Realistic wood look product	++++	++	++	+
SUSTAINABILITY Recycled content, lifetime of use	++++	++	++	+
INITIAL COST First time initial cost	+++	+++	++	+
LIFETIME COST Cost to maintain product	+	++++	+++	++
WARRANTY Lifetime or length of time (includes chalking/fading)	++++	++++	++	+
FIRE RATING Designed to resist fire and fire damage	++++	++++	++	+
FADE RESISTANT Doesn't fade in warm or cold temperatures	++++	++	+++	++


RATING: + LOW | ++++ HIGH




TRUCEDAR®
Single 6" Siding




TRUCEDAR®
Single 6" Dutch Lap Siding




TRUCEDAR®
Double 4" Siding



TRUCEDAR®
Single 8" Siding



TruCedar®
6" Board & Batten Siding




TruCedar®
10" Board & Batten Siding


Siding that runs horizontally across your house from end to end is sometimes referred to as HORIZONTAL SIDING or LAP SIDING. Contractors generally use the words clapboard, lap siding and horizontal siding interchangeably.

DUTCH LAP SIDING has a simulated notch/bend along the top edge on the board or panel, which produces a distinct look that simulates a hand-cut notch in each board. Years ago, homeowners wanted more options than just the standard siding, so a carpenter would hand carve the notch along the top of each board. Since it was hand carved, the siding was more expensive and was used on high-end homes.


BOARD & BATTEN or vertical siding is derived from the look of alternating wide boards and narrow wooden strips, called battens, and is traditionally made from wood. TruCedar Board & Batten siding provides the crisp look of real wood, without the need for scraping and repainting.



TRUCEDAR®
Shake Sidewall



VESTA
Steel Siding® - Solid Plank



VESTA
Steel Siding® - Woodgrain Plank

TruCedar® SHAKE SIDEWALL provides the natural beauty of real wood shake without the maintenance. Used as an accent for dormers and peaks, under porches, or as a whole house application.

Vesta STEEL SIDING® inspired by the beautiful aesthetic of shiplap, with solid and truly realistic woodgrains. Vesta Steel Siding is engineered to deliver the weather-resistant performance of shiplap, with the added durability and benefit of no-maintenance steel siding.



More protection than meets the eye.

Every square inch of QE Steel Siding is protected by CarbonTech60 & 90™, metallurgically bonded zinc barriers that permanently and sacrificially seals it from the environment which prevents corrosion, galvanization and rusting.



Vesta and TruCedar profiles shown in 462 Silver Lining [SVRL]

VESTA STEEL SIDING®




Colors Featured: 480 Autumn Thistle [ATHS] & 463 Coal [COAL]



Real steel. Real deal.

Designed to challenge the status quo Vesta Steel Siding® is competitive in every way to the classic and upkeep-heavy, wood shiplap. Long and narrow panel seams create a subtle horizontal reveal for a distinctive building aesthetic, guaranteed to spark conversation.


With nine colorful solid hues and four hand-painted HD3 woodgrains to choose from, the focus of the palette is designed to provide simple, inspiring, and limitless color pairings and assembly options to suit anyone with a taste for the bold.




Each color consists of six unique grain configurations designed to resemble the natural variation of stained woods that results when several features interact, including irregular grain, rays and color deposits on the surface of wood. And like real wood, it looks great up-close and at a distance.



From Left to Right:
Row 1: 483 Sand Dollar [SNDR], 480 Autumn Thistle [ATHS]
Row 2: 481 Driftwood [DFWD], 482 Gilded Grain [GILD]






From Left to Right:
 Row 1: 463 Coal [COAL], 462 Silver Lining [SVRL], 503 Eggshell [EGG]
 Row 2: 414 Ironstone [IRNS], 464 Fiddlehead [FIDH], 465 Sea Glass [SEAG]
 Row 3: 460 Great Water [GRWT], 466 Tourmaline [TOUR], 280 White [W]

VESTA STEEL SIDING®

PATENTS

U.S. Patents: 10,508,455 & 10,760,282

Canadian Patent Pending



[FIGURE 1 & 5]



[FIGURE 2 & 6]



[FIGURE 3 & 7]



[FIGURE 4 & 8]



[FIGURE 9]

FIGURE DESCRIPTIONS:

FIGURE 1: A partial rear view of a siding panel according to one embodiment of the present invention.

FIGURE 2: A bottom view of the siding panel shown in Figure 1.

FIGURE 3: A cross-sectional view of the siding panel shown in Figure 1.

FIGURE 4: An enlarged cross-sectional view of the siding panel shown in Figure 1 taken along line IV as shown in Figure 3.

FIGURE 5: A rear view of siding panel according to another embodiment of the present invention.

FIGURE 6: A bottom view of the siding panel shown in Figure 5.

FIGURE 7: A cross-sectional view of the siding panel shown in Figure 5.

FIGURE 8: An enlarged cross-sectional view of the siding panel shown in Figure 5 taken along the line VII as shown in Figure 7.

FIGURE 9: A front perspective view of the siding panel shown in Figure 1, installed on the side of a building.


FIGURE 10: A front perspective view of the siding panel shown in Figure 1.

FIGURE 11: Shows a number of the siding panels of the embodiment shown in Figure 5 connected together.

FIGURE 12: A partial enlarged cross-sectional view of two siding panels of Figure 5.



[FIGURE 10]



[FIGURE 11]




[FIGURE 12]

The Vesta Steel Siding® patented profile supports vertical and horizontal installation to accentuate any home—from siding to porch ceiling. Staggered or structured seaming for varied texture and mix-and-match woodgrains offer limitless applications.

Vesta

Steel Siding®



AVAILABLE OPTIONS

Solid - 5PS12
Woodgrain - 5PS8HD3

MATERIAL AVAILABILITY

Steel

COATING

Kynar 500® - Woodgrain Colors
Kynar® - Solid Colors

COLOR AVAILABILITY

9 Solids
4 HD3 Woodgrains

Solid colors have a light texture to the paint finish.

HD3 Woodgrain colors use 3 paint colors (high, medium and low-key tones) to create a natural looking woodgrain pattern.

Vesta profiles have **no embossing**.

THICKNESS

0.020" (Plank), 0.016" (Accessories)

WARRANTY

Lifetime Limited Warranty

PANEL APPLICATION

Vertical or Horizontal

PATENTS

U.S. Patents: 10,508,455 & 10,760,282
Canadian Patent Pending


CERTIFICATION & RATINGS

- Class A Fire Rating: ASTM E84
- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

VESTA SOLID COLORS



VESTA HD3 COLORS



VESTA SOLID COLORS: 463 Coal [COAL], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 460 Great Water [GRWT], 414 Ironstone [IRNS], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 466 Tourmaline [TOUR], 280 White [W]

VESTA HD3 COLORS: 480 Autumn Thistle [ATHS], 481 Driftwood [DFWD], 482 Gilded Grain [GILD], 483 Sand Dollar [SNDR]

BUILDING CODES AND BEST PRACTICES

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.

COPYRIGHT (U.S.)

© Sand Dollar Woodgrain Artwork VAu1-378-183
© Driftwood Woodgrain Artwork VAu1-378-232
© Autumn Thistle Woodgrain Artwork VAu1-378-233
© Gilded Grain Woodgrain Artwork VAu1-382-425



Color Featured: 482 Gilded Grain [GILD]





1. Plank Panel
5PS12 & 5PS8HD3




2. Starter Trim
PSS & PSSHD3



3a. Outside Corner Post
OCPSP & OCPSPHD3




New!
3b. Large Outside Corner Post
OCPVS & OCPVSHD3



4. Inside Corner Post
ICBPS & ICPSPHD3



5. J-Channel
J5P & J5PHD3



1. PLANK PANEL

8ft woodgrain panels and 12ft solid panels

2. PLANK STARTER TRIM

Secures the first row of panels to the wall. Color matched starter strip for the panels to hook into.

3. OUTSIDE CORNER POST

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

4. INSIDE CORNER POST

Used to flash inside corners. Use with or without J-Channel.

5. J-CHANNEL

Installed around windows and doors, also used to cap the last row of panels.

6. L-FLASHING

Install as an alternative to J-Channel on the sides of windows or doors.

7. PLANK DRIP CAP

Installed above windows and doors to keep water away. Also used as a starter when installing panels vertical. Drip Cap is color matched.

8. TRIM COIL

Used to make custom parts and flashing on site.

9. SUPPORT TRIM

Used to support the last row of panels, must be installed inside of J-channel, the cut piece of siding is inserted in between the support trim and J-channel.

10. UTILITY TRIM

Covers or caps trimmed panels.

FASCIA

A 2-piece Fascia system that includes a mounting bracket.

BRICK LEDGE FLASHING



Installed over a brick or stone wall transition to keep water out.

H-CHANNEL



Used as a transition/seam from solid or woodgrain finish on the wall.



6. L-Flashing
L58S & L58SHD3




7. Plank Drip Cap
DCP & DCPHD3





8. Trim Coil - 14.77" x 30 ft
T1430SM & T1430SMHD3





9. Support Trim
PST




10. Utility Trim
UTS & UTSHD3




New!
Vented Plank Soffit
5PS8HD3V (HD3 Woodgrain only)




New!
Fascia: 6" & 8" & Mounting Bracket
6FSSP & 6FSSPHD3
8FSSP & 8FSSPHD3




Brick Ledge Flashing
BLFP & BLFPHD3



H-Channel
5HCP & 5HCPHD3



Touch Up Paint
BRUSH & BRUSHHD3



Saw Blade
7.25SSB

TRUCEDAR®

STEEL SIDING



Colors Featured: M16 Cider Mill [CID] & 401 Bennington Beige [BENB]



A tru difference maker.

Quality Edge believes in manufacturing innovation that endures from materials that last. TruCedar Steel Siding utilizes one of the strongest, most versatile and recyclable materials on our planet, reducing your carbon footprint and safeguarding against costly repairs.


From pencil sketch to finished profile, our entire siding collection was expertly engineered to blend the best of both durability and aesthetic. TruCedar Siding's steel core provides unmatched impact resistance that doesn't crack, melt or wick water like other siding materials and perfectly mimics the look of real wood siding in a range of curated color options.



TRUCEDAR SOLID COLORS



TRUCEDAR HD2 COLORS



From Left to Right:

Row 1: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 460 Great Water [GRWT], 411 Cottage Red [CRED], 410 Thatch [THA], 409 Sycamore [SYC]


Row 2: 307 Ripe Olive [RO], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 461 Harbor Mist [HMST], 805 Pewter [P805]

Row 3: 509 Norwood [NOR], 401 Bennington Beige [BENB], 819 Herringbone [HER], 503 Eggshell [EGG], 280 White [W]

Row 4: 463 Coal [COAL], 464 Fiddlehead [FIDH], 466 Tourmaline [TOUR], 465 Sea Glass [SEAG]. NEW FOR 2021!

Row 5: M17 English Saddle [ENG], 416 Spruce [SPR], M16 Cider Mill [CID], 106 Timber Ash [TASH], M18 Mountain Laurel [MOU], 108 Weathered Wood [WWD]

Row 6: M15 Napa Vine [NAP], 109 Cedar [CDR], M12 Captiva [CAP], 417 Birch [BIR]

TruCedar®**Steel Siding - Single 6"****AVAILABLE OPTIONS**

Single 6" - S6S & S6SHD2

Single 6" Foam Backed - S6FBS & S6FBSSHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids

10 HD2 Woodgrains

Solid colors have a light texture to the paint finish.**HD2 Woodgrain** colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.**Embossing:** Lightly formed embossing is applied to all TruCedar profiles (except seamless coil) to support a natural, traditional look.**THICKNESS**

0.016"

WARRANTY



Lifetime Limited Warranty

PANEL APPLICATION

Horizontal

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E 1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating

INSTALLATION NOTESGo to QualityEdge.com/install for detailed installation information.**TRUCEDAR SOLID COLORS****TRUCEDAR HD2 COLORS**

TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 463 Coal [COAL], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSE], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]

TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]

BUILDING CODES AND BEST PRACTICES

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.








Single 6 Dutch Lap Profile in 415 Gray Dusk [GDSK]

TruCedar®

Steel Siding - Single 6" Dutch Lap

**AVAILABLE OPTIONS**

Single 6" Dutch Lap - S6DLS & S6DLSHD2

Single 6" Dutch Lap Foam Backed - S6DLFBS & S6DLFBSHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids

10 HD2 Woodgrains

Solid colors have a light texture to the paint finish.**HD2 Woodgrain** colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.**Embossing:** Lightly formed embossing is applied to all TruCedar profiles (except seamless coil) to support a natural, traditional look.**THICKNESS**

0.016"

WARRANTY



Lifetime Limited Warranty

PANEL APPLICATION

Horizontal

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E 1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating

INSTALLATION NOTESGo to QualityEdge.com/install for detailed installation information.**TRUCEDAR SOLID COLORS****TRUCEDAR HD2 COLORS**

TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 463 Coal [COAL], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSC], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]


TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]

BUILDING CODES AND BEST PRACTICES

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.



Color Featured: M18 Mountain Laurel [MOU]

TruCedar®**Steel Siding - Single 8"****AVAILABLE OPTIONS**

Single 8" - S8S & S8SHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids

10 HD2 Woodgrains

*Solid colors have a light texture to the paint finish.**HD2 Woodgrain colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.****Embossing:** Lightly formed embossing is applied to all TruCedar profiles (except seamless coil) to support a natural, traditional look.***THICKNESS**

0.016"

WARRANTY



Lifetime Limited Warranty

PANEL APPLICATION

Horizontal

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E 1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating


INSTALLATION NOTESGo to QualityEdge.com/install for detailed installation information.**TRUCEDAR SOLID COLORS****TRUCEDAR HD2 COLORS**

TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 463 Coal [COAL], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSK], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]

TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]

BUILDING CODES AND BEST PRACTICES


R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.







Double 4 Profile in 405 Foothill Blue (FHB)

TruCedar®**Steel Siding - Double 4"****AVAILABLE OPTIONS**

Double 4"- D4S & D4SHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids

10 HD2 Woodgrains

*Solid colors have a light texture to the paint finish.**HD2 Woodgrain colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.****Embossing:** Lightly formed embossing is applied to all TruCedar profiles (except seamless coil) to support a natural, traditional look.***THICKNESS**

0.016"

WARRANTY



Lifetime Limited Warranty

PANEL APPLICATION

Horizontal

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E 1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating

INSTALLATION NOTESGo to QualityEdge.com/install for detailed installation information.**TRUCEDAR SOLID COLORS****TRUCEDAR HD2 COLORS**


TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 463 Coal [COAL], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDsk], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]

TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]

BUILDING CODES AND BEST PRACTICES

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.



TruCedar®**Steel Siding - 6" & 10" Board & Batten****AVAILABLE OPTIONS**

Solid - 6BBS
Woodgrain - 6BBSHD2

Solid - 10BBS
Woodgrain - 10BBSHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids
10 HD2 Woodgrains

Solid colors have a light texture to the paint finish.

HD2 Woodgrain colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.

Embossing: Lightly formed embossing is applied to all TruCedar profiles (except seamless coil) to support a natural, traditional look.

THICKNESS

0.016"

WARRANTY

Lifetime Limited Warranty

PANEL APPLICATION

Vertical

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating



INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

BUILDING CODES AND BEST PRACTICES

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.

SOURCE: IRC 2018

TRUCEDAR SOLID COLORS**TRUCEDAR HD2 COLORS**

TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 463 Coal [COAL], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSK], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]

TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]



Color Featured: 280 White [W]
Also shown: Vesta Plank in Driftwood & Fiddlehead






10" Board & Batten Profile in 466 Tourmaline [TOUR]





TruCedar®

Steel Siding - Seamless Coil

**AVAILABLE OPTIONS**

9.075" x 500 lb roll - SSC9.075 & SSC9.075HD2

10.77" x 700 lb roll - SSC10.77 & SSC10.77HD2

13.25" x 700 lb roll - SSC13.25 & SSC13.25HD2

14.77" x 700 lb roll - SSC14.77 & SSC14.77HD2

Note: Available in 700 lb increments and subject to custom order lead times.

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

20 Solids

10 HD2 Woodgrains

Solid colors have a light texture to the paint finish.

HD2 Woodgrain colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.

Embossing: None

THICKNESS



0.016"

PANEL APPLICATION

Horizontal or Vertical

CERTIFICATION & RATINGS

- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E 1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating


INSTALLATION NOTESGo to QualityEdge.com/install for detailed installation information.**TRUCEDAR SOLID COLORS****TRUCEDAR HD2 COLORS**

TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 411 Cottage Red [CRED], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSK], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 466 Tourmaline [TOUR], 280 White [W]


TRUCEDAR HD2 COLORS: M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], 417 Birch [BIR], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]

BUILDING CODES AND BEST PRACTICES


R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.




Color Featured: M15 Napa Vine [NAP]




Single 6"




Single 6" Dutch Lap




Double 4"







Single 8"



6" Board & Batten





10" Board & Batten



Seamless Coil
Available in HD2
& Solid Colors.
Non embossed.



2. J-Channel - 3/4" & 1"
J75S & J75SHD2
J1S & J1SHD2



3. L-Channel (non embossed)
L58S & L58SHD2



1. Siding

Horizontal & Vertical Options



1. SIDING

Horizontal siding offered in Double 4", Single 6", Single 6" Dutch Lap and Single 8". Vertical siding offered in 6", 10" & 5" x 5" Board and Batten profiles.

2. J-CHANNEL

Use to cover cut edges of siding. Also used around sides and tops of windows and doors, eave line of gables, roof line of rakes, and in other areas where panel must be cut or notched.

3. L-CHANNEL

Install as an alternative to J-Channel on the sides of windows or doors.

4. UNDERSILL

Use to cover cut edge of panel.

5. 1 & 2-PIECE OUTSIDE CORNER POST

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

6. INSIDE CORNER BLOCK

Use to flash inside corners.

7. TRIM COIL

Use for custom flashing.

8. STARTER STRIP

Secures the first row of panels to the wall. Needed for both lap and Board & Batten applications.

9. BATTEN TRIM

Use at base of Board & Batten panels to close the openings of the battens. Adds an authentic look as a starter.

FASCIA

PreEngineered Fascia that saves time and looks great!

Z-FLASHING


Use with Board & Batten to connect panels longer than 10 ft high.

BRICK LEDGE FLASHING

Installed over a brick or stone wall transition to keep water out.




4. Undersill (*non embossed*)
UTS & UTSHD2




1 Piece
OCPS & OCPSHD2

5. 1-Piece
Outside Corner Post





2 Piece
CAP: OCPS2P & OCPS2PHD2
BASE: OCPB


5. 2-Piece
Outside Corner Post




6. 1-Piece Inside Corner Block
ICB & ICBHD2






7. Trim Coil: 14.77" x 30 ft, embossed
T1430S & T1430SHD2



8. Starter Strip (3" & 4" sizes)
3SSGAL & 4SSGAL





9. Batten Trim
(*used for board & batten profiles*)
BT10 & BT10HD2




Fascia: 6" & 8"
6FSS & 6FSSHD3
8FSS & 8FSSHD3




Z-Flashing
(*used for board & batten profiles*)
BBZT10 & BBZT10HD2



Brick Ledge Flashing
BLF & BLFHD2



Touch-Up Paint
BRUSH & BRUSHHD2



Saw Blade
7.25SSB




Shake Sidewall in 109 Cedar [CDR]



106




108



109

From Top to Bottom:
106 Timber Ash [TASH]
108 Weathered Wood [WWVD]
109 Cedar [CDR]

TruCedar®
Steel Siding - Shake Sidewall



AVAILABLE OPTIONS
Shake Sidewall Panel - SHK

MATERIAL AVAILABILITY
Steel

COATING
Kynar 500®, CarbonTech90™, Corrosion-Resistant Barrier

COLOR AVAILABILITY
3 HD3 Woodgrains

HD3 Woodgrain colors use 3 paint colors (high, medium and low-key tones) to create a natural looking woodgrain pattern.

Shake profiles apply a straight grain embossing to replicate natural cedar shake.

THICKNESS
0.016"


WARRANTY
Lifetime Limited Warranty

PANEL APPLICATION
Horizontal

- CERTIFICATION & RATINGS**
- Class A Fire Rating: ASTM E84
 - Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
 - Structural Performance Rating: ASTM E 1592-05
 - Impact Resistance Rating: UL2218 Class 4 Rating

INSTALLATION NOTES
Go to QualityEdge.com/install for detailed installation information.

TRUCEDAR HD3 COLORS




TRUCEDAR HD3 COLORS: 109 Cedar [CDR], 106 Timber Ash [TASH], 108 Weathered Wood [VWD]


BUILDING CODES AND BEST PRACTICES
R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer's installation instructions.




Color Featured: 108 Weathered Wood [WWD]




1. Shake Sidewall
SHK



2. 1-Piece Outside Corner Post
OCPSSHK



3. Undersill (*non embossed*)
UTSSHK



4. J-Channel (3/4")
J75SSHK



1. SHAKE SIDEWALL

Shake sidewall panel system (3 courses high).

2. OUTSIDE CORNER POST

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

3. UNDERSILL

Use to cover cut edge of panel.

4. J-CHANNEL

Use to cover cut edges of siding. Also used around sides and tops of windows and doors, eave line of gables, roof line of rakes, and in other areas where panel must be cut or notched.

5. TRIM COIL

Use for custom flashing.

6. STARTER STRIP

Secures the first row of panels to the wall.

RETENTION CLIP


Use with Shake Sidewall only. Holds vertical lap when installing panels.

(1.25") 1 1/4" MILL SCREW

Use with Shake Sidewall only. 1.25" #10 zinc coated pan head.

TOUCH-UP PAINT

Use only to touch up blemishes on a siding panel.



5. Trim Coil
T25GSHK



6. 4" Starter Strip
4SHKSSGAL




Retention Clip
MRC1.25G50 & MRC1.25BLK50



1 1/4" Mill Screw
MRS1.25MILL250



Touch-Up Paint
BRUSHHD2



Saw Blade
7.25SSB





“We shape
our homes
and then
our homes
shape us.”

WINSTON CHURCHILL

SIDING & TRIM ACCESSORIES




Board & Batten & Shake Sidewall in 108 Weathered Wood




Accessorize any exterior.

Quality Edge offers the largest selection of siding accessories on the market, to finish the home with distinctive appeal. QE siding accessories are made from exceptionally durable, corrosion- and scratch-resistant aluminum and steel materials—for a superior performance and appearance.




Brick Mold in 301 Dragonfly [DFLY]

SYSTEM COLORS



ADDITIONAL COLORS



From Left to Right:

Row 1: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR]

Row 2: 307 Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF]

Row 3: 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177]


Row 4: 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

Row 5: 656 Clove [CLV], 655 Chocolate [CHO655], 505 Green, 629 Deep Ocean [DO], 657 Midnight [MIDN], 405 Boothbay Blue [BB], 364 Mountain Lake [MTL], 411 Countrylane Red [CLR], 353 Cinnabar [CIN]


Row 6: 782 Chestnut Brown [CB], 335 Tuscan Gold [TG], 632 Rich Espresso, 331 Iron Gray [IG], 410 Timber Bark [TB], 363 Smokey Ash [SMA], 630 Gray Slate [GS], 360 Granite, 355 Pelican

Row 7: 352 Bungalow [BUN], 358 Seal [SEL], 767 Olive [OLV767], 357 Platinum [PLA], 516 Sandstone Beige [SSB], 333 Soft Green [SG], 350 Beige [BG], 359 Tan, 351 Biscuit [BIS]

Row 8: 770 Pearl Gray [PRLG770], 356 Pewter Green [PGR], 354 Clay [WLPC], 361 Light Gray [LG]



BRICK MOLD
BK10: Aluminum 0.024"



FLAT CASING
FC10: Aluminum 0.024"




ANDERSEN BRICK
AB: Aluminum 0.019"




DRIP CAP
Available in multiple size and thickness combinations available in Aluminum and Steel



Z-FLASHINGS
Available in multiple sizes
Aluminum 0.019"



ROOF-TO-WALL FLASHINGS
Available in multiple sizes
Aluminum 0.019"




H-MOLD
Available in multiple sizes in woodgrain and smooth
Aluminum 0.019"




UTILITY TRIM
UT10: Aluminum 0.019"



UTILITY MOLDING
UM10: Aluminum 0.019"




TRUWRAP WINDOW FLASHING
WF4X100: Tape Material



1 1/4" TRIM NAILS
NSS: Steel
N: Aluminum




12 oz. SPRAY PAINT
P16




NAIL LITE STARTER STRIP
NLS: Aluminum 0.019"



TRUSHAKE STARTER STRIP
TSSSGAL: Steel 0.0155"




THERMAL WALL STARTER STRIP
4GALINSSS: Steel 0.0155"




SHAKE STARTER STRIP
SSS: Steel 0.0155"




J-STARTER STRIP
SSJ: Steel 0.0155"



RIGID STACK STARTER STRIP
RSS: Steel 0.013"



PROFOAM STARTER STRIP
4GALPFISS: Steel 0.0155"



CEDARMAX STARTER STRIP
CMAXSS: Steel 0.0155"




3" STARTER STRIP
SSA: Aluminum 0.019"
3SSGAL: Steel 0.0155"



3.5" STARTER STRIP
3.5SSA: Aluminum 0.019"
3.5SSGAL: Steel 0.0155"




4" STARTER STRIP
4SSGAL: Steel 0.0155"



6" STARTER STRIP
6SSGAL: Steel 0.0155"

Window & Door Trim



FUNCTION

Trim cover used around windows and doors.

AVAILABLE OPTIONS

3" Brick Mold, 0.024": BK10
3" Flat Casing, 0.024": FC10
Anderson Brick, 0.019": AB

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

Aluminum: 0.019", 0.024"

WARRANTY

Lifetime Limited Warranty

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS

505

BUILDING CODES AND BEST PRACTICES

R703.4 Flashings. Approved corrosion-resistant flashing shall be applied shingle-fashion in a manner to prevent entry of water into the wall cavity or penetration of water in the building structural framing.


SOURCE: IRC 2018

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORE], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER], 000 Mill [M]

ADDITIONAL COLORS: 505 Green [GRE]



Drip Cap



FUNCTION

Flashing used above windows, doors or siding details like band boards/trim.

AVAILABLE OPTIONS

Aluminum Available in:
5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1 1/8", 1 1/4", 1 5/16",
1 3/8", 1 1/2", 1 5/8", 1 3/4", 2"

Steel Available in:
3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1 1/8", 1 1/4", 1 3/8", 1 1/2",
1 5/8", 1 3/4", 2", 2 1/2", 3"

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™ or Mill

THICKNESS

Aluminum: 0.011", 0.019"
Steel: 0.013"

WARRANTY

Lifetime Limited Warranty

COLOR AVAILABILITY

Varies by profile.

ALUMINUM SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280
000					

STEEL COLORS

518	502	511	807	523
000				


BUILDING CODES AND BEST PRACTICES

R703.4 Flashings. Approved corrosion-resistant flashing shall be applied shingle-fashion in a manner to prevent entry of water into the wall cavity or penetration of water in the building structural framing.


SOURCE: IRC 2018

ALUMINUM SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORE], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER], 000 Mill [M]


STEEL COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 523 Snowmist [SMT], 511 Terratone [TER] and 000 Mill [M].




5/16" DRIP CAP
ADC.3125: ALUMINUM 0.019"




3/8" DRIP CAP
ADC.375: ALUMINUM 0.019"




3/8" DRIP CAP
SDC28G.375: STEEL 0.013"




7/16" DRIP CAP
ADC.4375: ALUMINUM 0.019"




7/16" DRIP CAP
SDC28G.4375: STEEL 0.013"




1/2" DRIP CAP
ADC.5: ALUMINUM 0.016"




1/2" DRIP CAP
SDC28G.5: STEEL 0.013"




5/8" DRIP CAP
ADC.625: ALUMINUM 0.019"




5/8" DRIP CAP
ADCBLD.625: ALUMINUM 0.011"




5/8" DRIP CAP
SDC28G.625: STEEL 0.013"




3/4" DRIP CAP
ADC.75: ALUMINUM 0.019"




3/4" DRIP CAP
SDC28G.75: STEEL 0.013"




7/8" DRIP CAP
ADC.875: ALUMINUM 0.019"




7/8" DRIP CAP
ADCBLD.875: ALUMINUM 0.011"




7/8" DRIP CAP
SDC28G.875: STEEL 0.013"




1" DRIP CAP
ADC1.0: ALUMINUM 0.019"




1" DRIP CAP
SDC28G1: STEEL 0.013"




1.125" DRIP CAP
ADC1.125: ALUMINUM 0.019"




1.125" DRIP CAP
SDC28G1.125: STEEL 0.013"




1 1/4" DRIP CAP
ADC1.25: ALUMINUM 0.019"




1 1/4" DRIP CAP
ADCBLD1.25: ALUMINUM 0.011"




1 1/4" DRIP CAP
SDC28G1.25: STEEL 0.013"




1 5/16" DRIP CAP
ADC1.3125: ALUMINUM 0.019"




1 3/8" DRIP CAP
ADC1.375: ALUMINUM 0.019"




1 3/8" DRIP CAP
SDC28G1.375: STEEL 0.013"




1 1/2" DRIP CAP
ADC1.5: ALUMINUM 0.019"




1 1/2" DRIP CAP
SDC28G1.5: STEEL 0.013"




1 5/8" DRIP CAP
ADC1.625: ALUMINUM 0.019"




1 5/8" DRIP CAP
SDC28G1.625: STEEL 0.013"




1 3/4" DRIP CAP
ADC1.75: ALUMINUM 0.019"




1 3/4" DRIP CAP
SDC28G1.75: STEEL 0.013"




2" DRIP CAP
ADC2: ALUMINUM 0.019"



2" DRIP CAP
SDC28G2: STEEL 0.013"




2 1/2" DRIP CAP
SDC28G2.5: STEEL 0.013"



3" DRIP CAP
SDC28G3: STEEL 0.013"

Specialty Flashings



Z-Flashing

FUNCTION

Z-Flashing is used between installed James Hardie® panels.

Roof-to-Wall flashing spaces James Hardie siding up from high water areas, roof to sidewall.

AVAILABLE OPTIONS

- Z-Flashing
- 0.375" - JHZF.375
- 1.0625" - JHZF1.0625
- 1.375" - JHZF1.375

Roof-to-Wall Flashing
JHDRWHAR & JHSRWVHAR

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

Aluminum: 0.019"

WARRANTY

Lifetime Limited Warranty

NOTES

Recommended flashing profiles to use with James Hardie® products.


BUILDING CODES AND BEST PRACTICES

R703.4 Flashings. Approved corrosion-resistant flashing shall be applied shingle-fashion in a manner to prevent entry of water into the wall cavity or penetration of water in the building structural framing.

SOURCE: IRC 2018

Roof-to-Wall Flashing


AVAILABLE COLORS



AVAILABLE COLORS: 280 Arctic White [AW], 177 Autumn Tan [AT], 405 Boothbay Blue [BB], 782 Chestnut Brown [CB], 819 Cobble Stone [COB], 411 Countrylane Red [CLR], 629 Deep Ocean [DO], 630 Grey Slate [GS], 331 Iron Gray [IG], 509 Khaki Brown [KB], 805 Light Mist [LM], 807 Monterey Taupe [MT], 327 Navajo Beige [NB], 770 Pearl Gray [PRLG770], 632 Rich Espresso [RE], 606 Sail Cloth [SC], 516 Sandstone Beige [SSB], 333 Soft Green [SG], 410 Timber Bark [TB], 335 Tuscan Gold [TG]



H-Mold



FUNCTION

Covers the end or butt joint on LP Smartside® and engineered wood lap siding.

AVAILABLE OPTIONS

5" Smooth - 5HM3SM
5" Woodgrain - 5HM3WG

6" Smooth - 6HM3SM
6" Woodgrain - 6HM3WG

7" Smooth - 7HM3SM
7" Woodgrain - 7HM3WG

8" Smooth - 8HM3SM
8" Woodgrain - 8HM3WG

11" Smooth - 11HM3SM
11" Woodgrain - 11HM3WG

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

Aluminum: 0.019"


WARRANTY

Lifetime Limited Warranty

NOTES

Recommended to use with fiber cement and engineered wood products.

AVAILABLE COLORS



BUILDING CODES AND BEST PRACTICES


R703.4 Flashings. Approved corrosion-resistant flashing shall be applied shingle-fashion in a manner to prevent entry of water into the wall cavity or penetration of water in the building structural framing.

SOURCE: IRC 2018

AVAILABLE COLORS: 518 Black [BLK], 350 Beige [BG], 351 Biscuit [BIS], 352 Bungalow [BUN], 353 Cinnabar [CIN], 655 Chocolate [CHO655], 354 Clay [WLPC], 656 Clove [CLV], 266 Coastal Blue [CBL266], 507 Coffee [COF507], 414 Ironstone [IRNS], 361 Light Gray [LG], 657 Midnight [MIDN], 364 Mountain Lake [MTL], 508 Musket [MUS], 767 Olive [OLV767], 509 Oyster Shell [OS509], 355 Pelican [PEL], 204 Pewter [PEW204], 356 Pewter Green [PGR], 357 Platinum [PLA], 177 Sand [SAN177], 358 Seal [SEL], 805 Silverplate [SIL805], 363 Smokey Ash [SMA], 359 Tan [TAN], 511 Terra Bronze [TER511], 523 Vanilla White [VANW523], 503 White [W503], 360 Gray Primer [GP]



Utility Trim & Utility Molding



FUNCTION
Use to hold the cut end of metal.

AVAILABLE OPTIONS
Utility Trim - UT10
Utility Molding - UM10

MATERIAL AVAILABILITY
Aluminum

COATING
Q800 TuffTech™

THICKNESS
Aluminum: 0.019"

WARRANTY
Lifetime Limited Warranty


SYSTEM COLORS					
518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

UTILITY TRIM AVAILABLE IN ALL SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]


UTILITY MOLDING AVAILABLE IN SELECT COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 605 Eldridge Gray [EG], 522 Forest [FOR], 204 Granite [GRT204], 819 Herringbone [HER], 507 Mocha [MOC], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 177 Sandy Beige [SB177], 523 Snowmist [SMT], 511 Terratone [TER], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]



Starter Strip



Nail Lite Starter Strip



TruShake Starter Strip



4" Thermal Wall Starter Strip



Shake Starter Strip




J Starter Strip




Rigid Stack Starter Strip



Profoam Starter Strip



CedarMax Starter Strip



Standard Starter Strip

FUNCTION

Siding locks to this preventing siding from blowing off.

AVAILABLE OPTIONS

Nail Lite Starter Strip, 0.019" Aluminum - NLS
 TruShake Starter Strip, 0.0155" Steel - TSSSGAL
 4" Thermal Wall Starter Strip, 0.0155" Steel - 4GALINSSS
 Shake Starter Strip, 0.0155" Steel - SSS
 J Starter Strip, 0.0155" Steel - SSJ
 Rigid Stack Starter Strip, 0.013" Steel - RSS
 Profoam Starter Strip, 0.0155" Steel - 4GALPFISS
 CedarMax Starter Strip, 0.0155" Steel - CMAXSS
 3" Starter Strip, 0.019" Aluminum - SSA
 3" Starter Strip, 0.0155" Steel - 3SSGAL
 3.5" Starter Strip, 0.019" Aluminum - 3.5SSA
 3.5" Starter Strip, 0.0155" Steel - 3.5SSGAL
 4" Starter Strip, 0.0155" Steel - 4SSGAL
 6" Starter Strip, 0.0155" Steel - 6SSGAL

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Galvanized G40+

THICKNESS

Aluminum: 0.019"
 Steel: 0.013", 0.0155"

LENGTH


All Starter Strips in 10' length

COLOR AVAILABILITY

Color Varies

WARRANTY


Lifetime Limited Warranty




NAIL LITE STARTER STRIP
 NLS: ALUMINUM 0.019"




TRUSHAKE STARTER STRIP
 TSSSGAL: STEEL 0.0155"




4" THERMAL WALL STARTER STRIP
 4GALINSSS: STEEL 0.0155"




SHAKE STARTER STRIP
 SSS: STEEL 0.0155"




J STARTER STRIP
 SSJ: STEEL 0.0155"




RIGID STACK STARTER STRIP
 RSS: STEEL 0.013"




PROFOAM STARTER STRIP
 4GALPFISS: STEEL 0.0155"




CEDARMAX STARTER STRIP
 CMAXSS: STEEL 0.0155"




3" STARTER STRIP
 SSA: ALUMINUM 0.019"
 3SSGAL: STEEL 0.0155"



3.5" STARTER STRIP
 3.5SSA: ALUMINUM 0.019"
 3.5SSGAL: STEEL 0.0155"



4" STARTER STRIP
 4SSGAL: STEEL 0.0155"




6" STARTER STRIP
 6SSGAL: STEEL 0.0155"



BEST PRACTICES

Always use the starter strip/size specified by the manufacturer.
 The correct starter strip will match the lock design of the siding,
 preventing the bottom course of siding from blowing off.








1. Brick Mold
BK10



2. Flat Casing
FC10



3. Andersen Brick
AB



4. TruWrap Window Flashing
WF4X100



1. BRICK MOLD

Trim cover used around windows and doors.

2. FLAT CASING

Trim cover used around windows and doors.

3. ANDERSEN BRICK

Trim cover used around windows and doors.

4. TRUWRAP WINDOW FLASHING

Flashing tape used around windows, doors or area that needs extra flashing.

5. UTILITY & TRIM MOLDING

Use to hold the cut end of metal.

6. STARTER STRIP

Siding hooks to this at the starting point of the wall.

7. DRIP CAP

Flashing used above windows, doors or siding details like band boards/trim

ROOF-TO-WALL FLASHING

Spaces James Hardie® siding up from high water areas, roof to sidewall.

Z-FLASHING



Flashing used between installed James Hardie® panels.

H-MOLD

Covers the end or butt joint on LP Smartside® and engineered wood lap siding.



TRIM NAILS

Not for installing panels, but for installing/ coordinating with custom and trim accessories.





5. Utility Trim & Molding
UT10 & UM10

6. Starter Strip
Available in multiple size and thickness combinations,
in Aluminum and Steel



7. Drip Cap
Available in multiple size and thickness combinations,
available in Aluminum and Steel

Roof-To-Wall Flashing
Available in multiple sizes





Lengths: 5", 7", 8", 11"



Lengths: 5", 7", 8", 11"

Z-Flashing
Available in multiple sizes

H-Mold
Available in multiple sizes in woodgrain & smooth finishes.




Trim Nails
NSS & N



A dramatic landscape photograph featuring a person standing on the very edge of a dark, craggy cliff. The person is silhouetted against a cloudy sky. Below the cliff, a deep blue fjord stretches into the distance, flanked by steep, rocky mountains. The overall mood is one of vastness and contemplation.

“The power of
imagination
makes us
infinite.”

JOHN MUIR



INFINITY DRIP EDGE®
Aluminum 0.019"
Steel 0.010", 0.013"




TRUFIT™ PRE-NOTCHED DRIP EDGE
Aluminum 0.019"
Steel 0.013"



NON-NOTCHED DRIP EDGE
Aluminum 0.019"
Steel 0.013"



F8 DRIP EDGE
Aluminum 0.019"
Steel 0.013"



SIDERS EDGE
Aluminum 0.019"



C-STYLE DRIP EDGE
Aluminum 0.019"
Steel 0.013"




ASPHALT DRIP
Aluminum 0.019"
Steel 0.013"




GRAVEL STOP
Aluminum 0.016" & 0.019"
Steel 0.013"




GUTTER APRON
Aluminum 0.019"
Steel 0.013"




ROLL FLASHING
Aluminum 0.011"
Steel 0.013" & 0.016"




SEAMLESS SHINGLE STARTER
Stone & Glue Material



METAL VALLEY - SMOOTH
Aluminum 0.019"
Steel 0.013"




METAL VALLEY - RIBBED
Aluminum 0.019"
Steel 0.013"




METAL VALLEY - RIBBED, WATERLOCK
Aluminum 0.019"
Steel 0.013"




FLAT STEP FLASHING
Aluminum 0.019"
Steel 0.013"




PREBENT STEP FLASHING
Aluminum 0.019"
Steel 0.013"




ROOF FLASHING
Aluminum 0.019"
Steel 0.013"




PORCH FLASHING
Aluminum 0.019"
Steel 0.013"




DORMER FLASHING
Aluminum 0.019"
Steel 0.013"



DECK FLASHING
Aluminum 0.019"
Steel 0.013"



**REGLET:
WITH & WITHOUT RETURN**
Aluminum 0.019"
Steel 0.013"



ANGLE FLASHING
Aluminum 0.019"
Steel 0.013"



DRIP EDGE



An edge for every home.

The purpose of drip edge is to allow water to fall clear of the fascia, roof deck and rake boards. Snow-belt states require drip edge to prevent issues with ice backup caused by melting snow, which exposed the flashing point—allowing water to penetrate the rafter tails, insulation, fascia and soffits. Many building code writers across the country have adopted the drip edge requirement to help guard against mold.



Infinity Drip Edge in 460 Great Water [GRWT]




From Left to Right:

Row 1: 518 Black [BLK], 414 Ironstone [IRNS], 507 Mocha [MOC], 511 Terratone [TER], 424 Slate [SLA], 303 Morning Fog [MORF]
 Row 2: 307 Ripe Olive [RO], 522 Forest [FOR], 521 Navy [NB], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 305 Thunder Cloud [THCL]
 Row 3: 304 Pomegranate [POM], 502 Brown [B], 508 Musket [MUS], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG]
 Row 4: 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200]
 Row 5: 509 Norwood [NOR], 807 Clay [C], 809 Wicker [WIC], 177 Sandy Beige [SB177], 327 Desert Tan [DTAN], 306 Quartz [QZ],
 Row 6: 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

INFINITY DRIP EDGE

PATENTS

U.S. Patents: 10,132, 085



[FIGURE 2]

FIGURE DESCRIPTIONS:


FIGURE 2: is a top perspective view of an underlying drip edge of the present disclosure;

FIGURE 3: is a side elevational view of an underlying drip edge operably coupled with a roof during installation with an overlying drip edge;



FIGURE 4: is a side perspective view of an overlying drip edge in abutting contact with an underlying drip edge;

FIGURE 5: is a side perspective view of a drip edge assembly of the present disclosure operably coupled with a roof of a dwelling; and


FIGURE 6: is a side perspective view of another drip edge assembly of the present disclosure.




[FIGURE 3]



[FIGURE 4]



[FIGURE 5]



[FIGURE 6]

The patented hooking drip edge assembly allows for easy snap lock installation and prevents gapping and hand-notching in the field.

TRUFIT PRE-NOTCHED DRIP EDGE


PATENTS

U.S. Patents: 8,281,521

8,683,695

9,370,814

Canadian Patent: 2,768,934



[FIGURE 1]

FIGURE DESCRIPTIONS:

FIGURE 1: is a perspective view of a pre-notched drip edge assembly embodying the present invention, shown positioned adjacent a building roof edge prior to assembly.

FIGURE 16: is a fragmentary top plan view of a pair of drip edge sections show interconnected in a fully overlapped assembly condition with a portion thereof broken away to reveal internal construction.

FIGURE 17: is a front elevational view of the pair of assembled drip edge sections show in Fig 16.

FIGURE 18: is a perspective view of the pair of assembled drip edge sections shown in Figs 16 and 17.




[FIGURE 16]



[FIGURE 17]




[FIGURE 18A]



[FIGURE 18]

TruFit Pre-Notched Drip Edge. A perfect fit, easy alignment and angled overlap for a closed seam. No hand-notching needed.



A long-exposure photograph of a night sky, showing numerous curved, multi-colored light trails from stars in shades of white, blue, and purple against a black background.

drip edge options
as **infinite**
as stars
in the night sky



T-STYLE
DRIP EDGE

INFINITY DRIP EDGE®
FEATURE: SNAP LOCK
IDE: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

INFINITY DRIP EDGE®
FEATURE: SNAP LOCK
IDE28G: STEEL 0.013"

T-STYLE
DRIP EDGE

INFINITY DRIP EDGE®
FEATURE: SNAP LOCK
IDE30G: STEEL 0.010"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1T: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1TNNE: ALUMINUM 0.011"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1TTPGAL: STEEL 0.016"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
S1T28G: STEEL 0.013"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1TNNG: STEEL 0.010"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
S1.25T28G: STEEL 0.013"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5TNNG: STEEL 0.010"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5TNNE: ALUMINUM 0.011"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
S1.5T28G: STEEL 0.013"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.5TT016: ALUMINUM 0.016"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.5TTPGAL: STEEL 0.016"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5TNNG: STEEL 0.010"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5TNNE: ALUMINUM 0.011"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.5XT: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5XXTA: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.5T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
NON-NOTCHED
1.5T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.5TTPGAL: STEEL 0.016"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.75T10: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.75TTPGAL: STEEL 0.016"

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.75T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.75T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE

1\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
1.75T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE
CONTINUED

2\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
2TTPGAL: STEEL 0.016"

T-STYLE
DRIP EDGE

2\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
2T: ALUMINUM 0.019"

T-STYLE
DRIP EDGE

2\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
2T12: ALUMINUM 0.019"
12' LENGTH

T-STYLE
DRIP EDGE

2\" T-STYLE DRIP EDGE
FEATURE: TruFit™ Pre-Notched
S2T28G: STEEL 0.013"

F8 STYLE
DRIP EDGE

F8 DRIP EDGE
F8: ALUMINUM 0.019"

F8 STYLE
DRIP EDGE

F8 DRIP EDGE
SF828G: STEEL 0.013"

SIDERS
EDGE

SIDERS EDGE
SE: ALUMINUM 0.019"

C-STYLE
DRIP EDGE

1\" C-STYLE DRIP EDGE
1C: ALUMINUM 0.019"

C-STYLE
DRIP EDGE

1\" C-STYLE DRIP EDGE
1.5C: ALUMINUM 0.019"

C-STYLE
DRIP EDGE


2\" C-STYLE DRIP EDGE
2C: ALUMINUM 0.019"



All Edge Flashing available in standard 10 foot lengths unless otherwise noted.

ASPHALT DRIP EDGE					GRAVEL STOP				
	1" ASPHALT DRIP EDGE 1ADGAL_019: STEEL 0.019"	1" ASPHALT DRIP EDGE 1ADTPGAL: STEEL 0.016"	1" ASPHALT DRIP EDGE S1AD28G: STEEL 0.013"	1" ASPHALT DRIP EDGE 1AD30: STEEL 0.010"		2 1/2" GRAVEL STOP 2.5GSGALP019: STEEL 0.019"	3" GRAVEL STOP 3GS_G: STEEL 0.019"	3" GRAVEL STOP 3GSGALP019: STEEL 0.019"	3" GRAVEL STOP S3GS28G: STEEL 0.013"
1 1/2" ASPHALT DRIP EDGE 1.5AD: ALUMINUM 0.019"	1 1/2" ASPHALT DRIP EDGE S1.5AD28G: STEEL 0.013"	1 1/2" ASPHALT DRIP EDGE 1.5ADTPGAL: STEEL 0.016"	1 1/2" ASPHALT DRIP EDGE 1.5AD30_G: STEEL 0.010"	1 1/2" ASPHALT DRIP EDGE 1.5AD30WG_G: STEEL 0.010"	5" GRAVEL STOP 5GS_G: STEEL 0.019"	5" GRAVEL STOP 5GSGALP019: STEEL 0.019"	7" GRAVEL STOP 7GS: ALUMINUM 0.024"	8" GRAVEL STOP 8GS: ALUMINUM 0.024"	
					GUTTER APRON				
2" ASPHALT DRIP EDGE 2ADGAL_019: STEEL 0.019"	2" ASPHALT DRIP EDGE 2AD28G: STEEL 0.013"	2" ASPHALT DRIP EDGE 2AD30_G: STEEL 0.010"	2" ASPHALT DRIP EDGE 2AD30WG_G: STEEL 0.010"	2" ASPHALT DRIP EDGE 2AD: ALUMINUM 0.019"		1 1/2" GUTTER APRON 1.5GA: ALUMINUM 0.019"	1 1/2" GUTTER APRON 1.5GATPGAL: STEEL 0.016"	2" GUTTER APRON 2GA: STEEL 0.019"	2" GUTTER APRON 2GAE: STEEL 0.011"
2" x 3" ASPHALT DRIP EDGE 2X3ADGAL_019: STEEL 0.019"	2" x 3" ASPHALT DRIP EDGE 2X3ADTPGAL: STEEL 0.016"	2" x 4" ASPHALT DRIP EDGE 2X4ADGAL_019: STEEL 0.019"	2" x 4" ASPHALT DRIP EDGE 2X4ADTPGAL: STEEL 0.016"	2 3/4" ASPHALT DRIP EDGE S2.75AD28G: STEEL 0.013"	2" GUTTER APRON 2GA016: ALUMINUM 0.016"	2" GUTTER APRON 2GAGAL_019: STEEL 0.019"	2" GUTTER APRON 2GATPGAL: STEEL 0.016"	2" GUTTER APRON S2GA28G: STEEL 0.013"	2 1/2" GUTTER APRON 2.5GAX: ALUMINUM 0.019"
3" ASPHALT DRIP EDGE 3AD: ALUMINUM 0.024"	3" ASPHALT DRIP EDGE 3AD_G: STEEL 0.019"	3" x 3" ASPHALT DRIP EDGE 3X3ADGALP019: STEEL 0.019"	3" x 3" ASPHALT DRIP EDGE 3X3ADTPGAL: STEEL 0.016"	4" ASPHALT DRIP EDGE 4AD: ALUMINUM 0.024"	2" x 4" GUTTER APRON 2X4GA120GAL_019: STEEL 0.019"	2" x 4" GUTTER APRON 2X4GA120TPGAL: STEEL 0.016"			
4" x 3" ASPHALT DRIP EDGE 4X3ADTPGAL: STEEL 0.016"	5" x 4" ASPHALT DRIP EDGE 5X4ADGALP019: STEEL 0.019"								

Infinity Drip Edge®
with Snap Lock



FUNCTION

Provides a clean overlap with one continuous run and reduces labor with no notching needed.

AVAILABLE OPTIONS

Aluminum (0.019"): IDE
Steel (0.010"): IDE30G
Steel (0.013"): IDE28G

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™ or Mill

COLOR AVAILABILITY

Varies by profile.

THICKNESS

Aluminum: 0.019"
Steel: 0.010" & 0.013"

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patents: 10,132,085

CERTIFICATION & RATING

Meets ASTM B209 standards

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

ALUMINUM SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

STEEL COLORS

518	502	702	507	508	522
511	807	327	523		
000					

BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC


IDE available in all SYSTEM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

IDE28G available in 518 Black [BLK], 502 Brown [B], 702 Low Gloss Brown [LGB], 507 Mocha [MOC], 508 Musket [MUS], 522 Forest [FOR], 511 Terratone [TER], 807 Clay [C], 327 Desert Tan [DTAN], 523 Snowmist [SMT], 000 Mill [M]

IDE30G available in 518 Black [BLK], 502 Brown [B], 507 Mocha [MOC], 511 Terratone [TER], 807 Clay [C], 327 Desert Tan [DTAN], 523 Snowmist [SMT], 000 Mill [M]



TruFit™ Pre-Notched T-Style Drip Edge



FUNCTION

Perfect fit, easy alignment and angled overlap for a closed seam.
No hand-notching needed.

AVAILABLE OPTIONS

See pages 89-92 for size offering.

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™ or Mill

COLOR AVAILABILITY

Varies by profile.

THICKNESS

Aluminum: 0.019", 0.016"
Steel: 0.013", 0.016" & 0.019"

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patents: 8,281,521 | 8,683,695 | 9,370,814
Canadian Patent: 2,768,934

CERTIFICATION & RATING

Meets ASTM B209 standards

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

ALUMINUM SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	

STEEL COLORS

518	502	702	507	508	522
511	204	805	509	807	327
523	280				000


ALUMINUM SYSTEM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

STEEL COLORS: 518 Black [BLK], 502 Brown [B], 702 Low Gloss Brown [LGB], 507 Mocha [MOC], 508 Musket [MUS], 522 Forest [FOR], 511 Terratone [TER], 204 Granite [GRT204], 805 Pewter [P805], 509 Norwood [NOR], 807 Clay [C], 327 Desert Tan [DTAN], 523 Snowmist [SMT], 280 White [W], 000 Mill [M],

Note: 1.5T, 1.5T12, 2T & 2T12 available in all Aluminum System Colors.



Non-Notched T-Style Drip Edge



FUNCTION

Non-notched is good for run lengths shorter than 10 ft.

AVAILABLE OPTIONS

- 1" Aluminum: 1TNNE
- 1" Steel: 1TNN_G
- 1 ½" Aluminum: 1.5TNNE, 1.5TNN & 1.5XXTA
- 1 ½" Steel: 1.5TNN_G
- 1 ½" Copper: 1.5TCOP

MATERIAL AVAILABILITY

Aluminum, Steel & Copper

COATING

Q800 TuffTech™ or Mill

COLOR AVAILABILITY

Varies by profile.

THICKNESS

- Aluminum: 0.011" & 0.019"
- Steel: 0.010"
- Copper: 16 oz

WARRANTY

Lifetime Limited Warranty


CERTIFICATION & RATING

Meets ASTM B209 standards


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

ALUMINUM COLORS



STEEL COLORS



COPPER



BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018


R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

ALUMINUM COLORS: 518 Black [BLK], 502 Brown [B], 508 Musket [MUS], 511 Terratone [TER], 807 Clay [C], 809 Wicker [WIC], 805 Pewter [P805], 280 White [W]

STEEL COLORS: 518 Black [BLK], 502 Brown [B], 507 Mocha [MOC], 511 Terratone [TER], 807 Clay [C], 327 Desert Tan [DTAN], 523 Snowmist [SMT], 000 Mill [M]



F8 Drip Edge



FUNCTION

Provides an extra long nailing flange and more open than standard drip edge to provide more protection against ice, snow and mold development.

AVAILABLE OPTIONS

Aluminum: F8
Steel: SF828G

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™

THICKNESS

Aluminum: 0.019"
Steel: 0.013"

WARRANTY

Lifetime Limited Warranty

CERTIFICATION & RATING

Meets ASTM B209 standards

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

AVAILABLE COLORS




BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 523 Snowmist [SMT], 280 White [W]

Siders Edge



FUNCTION

Fits over the pre-existing drip edge eliminating the work of tearing off old and faded drip edge. Use when color change is needed.

AVAILABLE OPTIONS

Aluminum: SE

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™ or Mill

THICKNESS

Aluminum: 0.019"

WARRANTY

Lifetime Limited Warranty

CERTIFICATION & RATING

Meets ASTM B209 standards

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

AVAILABLE COLORS

518	502	507	508	511	522
604	204	805	509	807	177
809	327	819	606	827	503
523	280				


BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 522 Forest [FOR], 604 Wineberry [WBER], 204 Granite [GRT204], 805 Pewter [P805], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

C-Style Edge



FUNCTION

For re-roofing projects, an easy fit over existing drip edge and roofing materials.

AVAILABLE OPTIONS

- 1": 1C
- 1.5": 1.5C
- 2": 2C

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

Aluminum: 0.019"

WARRANTY

Lifetime Limited Warranty

CERTIFICATION & RATING

Meets ASTM B209 standards

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

AVAILABLE COLORS



BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018


R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

1" AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 606 Cozy Cottage [CC], 605 Eldridge Gray [EG], 511 Terratone [TER], 280 White [W], 604 Wineberry [WBER]

1.5" AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 508 Musket [MUS], 511 Terratone [TER], 280 White [W]

2" AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 522 Forest [FOR], 507 Mocha [MOC], 508 Musket [MUS], 805 Pewter [P805], 511 Terratone [TER], 280 White [W]

Asphalt Drip Edge



FUNCTION

Used for both commercial and residential flat roofs, asphalt drip edge seals the area between the roof and the fascia to keep water and insects out.

AVAILABLE OPTIONS

Aluminum: 1 ½", 2", 3", 4"
Steel: 1", 1 ½", 2", 2" x 3", 2" x 4", 2 ¾", 3", 3" x 3", 4" x 3", 5" x 4"

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™, Kynar or Mill

THICKNESS

Aluminum: 0.019", 0.024"
Steel: 0.010", 0.013", 0.016", 0.019"

WARRANTY

Lifetime Limited Warranty


CERTIFICATION & RATING

Meets ASTM B209 standards


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

ALUMINUM COLORS



STEEL COLORS



BUILDING CODES AND BEST PRACTICES


507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

ALUMINUM COLORS: 518 Black [BLK], 502 Brown [B], 327 Desert Tan [DTAN], 807 Clay [C], 522 Forest [FOR], 204 Granite [GRT204], 523 Snowmist [SMT], 511 Terratone [TER], 280 White [W], 000 Mill [M]

STEEL COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 511 Terratone [TER], 280 White [W], 606 Cozy Cottage [CC], 605 Eldridge Gray [EG], 508 Musket [MUS], 604 Wineberry [WBER]

Gravel Stop



FUNCTION

Typically used on low slope roofs, gravel stop is commercial metal flashing installed at the roof edge to prevent gravel from falling off the roof while offering protection from water penetration.

AVAILABLE OPTIONS

- 2 ½" Steel (0.019"): 2.5GSGALP019
- 3" Steel (0.019"): 3GS_G
- 3" Steel (0.013): 3GSGALP019 & S3GS28G
- 5" Steel (0.019"): 5GS_G & 5GSGALP019
- 7" Aluminum (0.024"): 7GS
- 8" Aluminum (0.024"): 8GS

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™ or Mill
Kynar available for 3" & 5" Profiles

THICKNESS

Aluminum: 0.024"
Steel: 0.013", 0.019"


WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

AVAILABLE COLORS



BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018


R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

3GS_G, 5GS_G & 7GS AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 280 White [W]

8GS AVAILABLE COLORS: 502 Brown [B], 280 White [W]

2.5GSGALP019, 3GSGALP019, S3GS28G & 5GSGALP019 AVAILABLE: 000 Mill [M]

Gutter Apron



FUNCTION

A specialized drip edge which protects soffits, sheathing, and siding from water damage, particularly on low slope roofs or on roofs where shingles don't extend far enough to direct water into the gutter. Gutter Apron is installed over the roof edge and hangs over the back of the gutter instead of attaching to the fascia to keep water from dripping or splashing behind the gutter.

AVAILABLE OPTIONS

- 1 ½" Aluminum (0.019"): 1.5GA
- 1 ½" Steel (0.016"): 1.5GATPGAL

- 2" Aluminum (0.019"): 2GA
- 2" Aluminum (0.016"): 2GA016
- 2" Aluminum (0.011"): 2GAE
- 2" Steel (0.019"): 2GAGAL_019
- 2" Steel (0.016"): 2GATPGAL
- 2" Steel (0.013"): S2GA28G

- 2 ½" Aluminum (0.019"): 2.5GAX

- 2" x 4" Steel (0.019"): 2X4GA I20GAL_019
- 2" x 4" Steel (0.016"): 2X4GA I20TPGAL

MATERIAL AVAILABILITY

Aluminum & Steel

COATING

Q800 TuffTech™ or Mill

THICKNESS

Aluminum: 0.011", 0.016", 0.019"
Steel: 0.013", 0.016", 0.019"

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

BUILDING CODES AND BEST PRACTICES

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

ALUMINUM COLORS (SYSTEM COLORS AVAILABLE)

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS

505	410
-----	-----

STEEL COLORS

518	502	507	508	511	204
509	807	327	523		000

* Color availability varies by profile.

ALUMINUM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

ADDITIONAL COLORS: 505 Green [GRE], 410 Thatch [THA]

STEEL COLORS: 518 Black [BLK], 502 Brown [B], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 204 Granite [GRT204], 509 Norwood [NOR], 807 Clay [C], 327 Desert Tan [DTAN], 523 Snowmist [SMT], 000 Mill [M]



flashing
engineered to
weather any storm












































FLASHING





























The unsung hero of every roof.

Essential, yet so simple. Quality Edge's wide variety of flashing solutions have been designed to minimize water back-up while maximizing the life of roofs, windows and walls.

FLAT STEP FLASHING Use with shingles and bend to the required angle.					3.5" x 3.5" x 8" PREBENT STEP FLASHING 3.5X3.5X8SF: ALUMINUM 0.011*				
	5" x 7" FLAT STEP FLASHING S28G5X7SF: STEEL 0.013"	5" x 7" FLAT STEP FLASHING 5X7SF: ALUMINUM 0.011*	6" x 8" FLAT STEP FLASHING S28G6X8SF: STEEL 0.013*	7" x 7" FLAT STEP FLASHING S28G7X7SF: STEEL 0.013"		4" x 4" x 8" PREBENT STEP FLASHING 4X4X8SF30M90: STEEL 0.010"	4" x 4" x 8" PREBENT STEP FLASHING S28G4X4X8SF: STEEL 0.013"	4" x 4" x 8" PREBENT STEP FLASHING 4X4X8SF: ALUMINUM 0.011*	4" x 4" x 12" PREBENT STEP FLASHING S28G4X4X12SF: STEEL 0.013"
					4" x 4" x 12" PREBENT STEP FLASHING 4X4X12SF: ALUMINUM 0.011*				
7" x 7" FLAT STEP FLASHING 7X7SF: ALUMINUM 0.011*	7" x 8" FLAT STEP FLASHING S28G7X8SF: STEEL 0.013"	8" x 8" FLAT STEP FLASHING S28G8X8SF: STEEL 0.013"	8" x 8" FLAT STEP FLASHING 8X8SF: ALUMINUM 0.011*	8" x 14" FLAT STEP FLASHING S28G8X14SF: STEEL 0.013"	5" x 5" x 7" PREBENT STEP FLASHING 5X5X7SF: ALUMINUM 0.011*	5" x 5" x 8" PREBENT STEP FLASHING S28G5X5X8SF: STEEL 0.013"	5" x 5" x 8" PREBENT STEP FLASHING 5X5X8SF: ALUMINUM 0.011*	6" x 6" x 10" PREBENT STEP FLASHING 6X6X10SF30M: STEEL 0.010"	
PREBENT STEP FLASHING Use with shingles.					ROOF FLASHING Use for roof to wall applications * 10' length				
	2.5" x 2.5" x 7" PREBENT STEP FLASHING S28G2.5X2.5X7SF: STEEL 0.013*	2.5" x 2.5" x 7" PREBENT STEP FLASHING 2.5X2.5X7SF: ALUMINUM 0.011*	2.5" x 2.5" x 7" PREBENT STEP FLASHING 2.5X2.5X7SFCOP: COPPER 16 OZ	2.5" x 2.5" x 7.625" PREBENT STEP FLASHING 2.5X2.5X7.625SF: ALU. 0.011*		3" x 3" ROOF FLASHING 120 DEGREE ABF3X3: ALUMINUM 0.019*	3" x 3" ROOF FLASHING 120 DEGREE BF3X3: STEEL 0.015"	4" x 2" ROOF FLASHING 120 DEGREE BF4X2: STEEL 0.015"	
					PORCH FLASHING Use for roof to sidewall applications * 10' length				
2" x 3" x 7" PREBENT STEP FLASHING S28G2X3X7SF: STEEL 0.013"	2" x 3" x 7" PREBENT STEP FLASHING 2X3X7SF: ALUMINUM 0.011*	2" x 4" x 8" PREBENT STEP FLASHING S28G2X4X8SF: STEEL 0.013"	2" x 4" x 8" PREBENT STEP FLASHING 2X4X8SF: ALUMINUM 0.011*	3" x 4" x 7" PREBENT STEP FLASHING S28G3X4X7SF: STEEL 0.013"		4" x 4" PORCH FLASHING 120 DEGREE S28GPF4X4_120: STEEL 0.013"	4" x 5" PORCH FLASHING 90 DEGREE S28GPF4X5: STEEL 0.013"	4" x 5" PORCH FLASHING 90 DEGREE PF4X526GAL: STEEL 0.016"	4" x 5" PORCH FLASHING 90 DEGREE PF4X524GAL_019: STEEL 0.019"
					4" x 5" PORCH FLASHING 120 DEGREE PF: ALUMINUM 0.019*				
3" x 4" x 7" PREBENT STEP FLASHING 3X4X7SF: ALUMINUM 0.011*	3" x 4" x 7.625" PREBENT STEP FLASHING 3X4X7.625SF: ALUMINUM 0.011*	3" x 4" x 9" PREBENT STEP FLASHING 3X4X9SF: ALUMINUM 0.011*	3" x 5" x 8" PREBENT STEP FLASHING 3X5X8SF: ALUMINUM 0.011*	3.5" x 3.5" x 7" PREBENT STEP FLASHING 3.5X3.5X7SF: ALUMINUM 0.011*	4" x 5" PORCH FLASHING 120 DEGREE S28GPF4X5M120: STEEL 0.013"	4" x 5" PORCH FLASHING 120 DEGREE PF4X526GALM120: STEEL 0.016"			

All Flashing, other than Step Flashings and Roll Flashings, available in standard 10 foot lengths.


DORMER FLASHING Use for roof to sidewall applications.  * 10' length <td> DORMER FLASHING DORMFTPGAL: STEEL 0.016" </td> <td> DECK FLASHING Use where deck meets the house wall. Deck sits on top flashing ledge.  <td> DECK FLASHING DFGALP019: STEEL 0.019" </td><td></td><td> ROLL FLASHING Use for custom flashing. </td><td>  8' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF8X25 ARF8X50 ALUMINUM 0.011" </td><td>  8' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF8X25 SRF8X50 STEEL 0.013" </td><td>  10' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF10X25 ARF10X50 ALUMINUM 0.011" </td><td>  10' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF10X25 SRF10X50 STEEL 0.013" </td></td>	DORMER FLASHING DORMFTPGAL: STEEL 0.016"	DECK FLASHING Use where deck meets the house wall. Deck sits on top flashing ledge.  <td> DECK FLASHING DFGALP019: STEEL 0.019" </td> <td></td> <td> ROLL FLASHING Use for custom flashing. </td> <td>  8' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF8X25 ARF8X50 ALUMINUM 0.011" </td> <td>  8' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF8X25 SRF8X50 STEEL 0.013" </td> <td>  10' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF10X25 ARF10X50 ALUMINUM 0.011" </td> <td>  10' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF10X25 SRF10X50 STEEL 0.013" </td>	DECK FLASHING DFGALP019: STEEL 0.019"		ROLL FLASHING Use for custom flashing.	 8' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF8X25 ARF8X50 ALUMINUM 0.011"	 8' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF8X25 SRF8X50 STEEL 0.013"	 10' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF10X25 ARF10X50 ALUMINUM 0.011"	 10' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF10X25 SRF10X50 STEEL 0.013"	
REGLET Use for brick or stone flashing  * 10' length <td>  REGLET REG4.25TPGAL: STEEL 0.016" </td> <td>  REGLET REG4.25TPGAL_019: STEEL 0.019" </td> <td>  REGLET WITH RETURN REG4.25TPGAL_/R: STEEL 0.016" </td> <td>  REGLET WITH RETURN REG4.25TPGAL_R019: STEEL 0.019" </td> <td></td> <td>  12' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF12X25 ARF12X50 ALUMINUM 0.011" </td> <td>  12' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF12X25 SRF12X50 STEEL 0.013" </td> <td>  14' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF14X25 ARF14X50 ALUMINUM 0.011" </td> <td>  14' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF14X25 SRF14X50 STEEL 0.013" </td> <td>  16' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF16X25 ARF16X50 ALUMINUM 0.011" </td>	 REGLET REG4.25TPGAL: STEEL 0.016"	 REGLET REG4.25TPGAL_019: STEEL 0.019"	 REGLET WITH RETURN REG4.25TPGAL_/R: STEEL 0.016"	 REGLET WITH RETURN REG4.25TPGAL_R019: STEEL 0.019"		 12' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF12X25 ARF12X50 ALUMINUM 0.011"	 12' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF12X25 SRF12X50 STEEL 0.013"	 14' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF14X25 ARF14X50 ALUMINUM 0.011"	 14' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF14X25 SRF14X50 STEEL 0.013"	 16' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF16X25 ARF16X50 ALUMINUM 0.011"
ANGLE FLASHING Use for roof to sidewall applications.  * 10' length <td> 3" x 3" ANGLE FLASHING AF28G3X3: STEEL 0.013" </td> <td> 3" x 5" ANGLE FLASHING 180 DEGREE HEM AF28G3X5WL180: STEEL 0.013" </td> <td> 4" x 4" ANGLE FLASHING 180 DEGREE HEM AF26G4X4WL180: STEEL 0.016" </td> <td> 4" x 4" ANGLE FLASHING NO HEM AF28G4X4: STEEL 0.013" </td> <td></td> <td>  16' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF16X25 SRF16X50 STEEL 0.013" </td> <td>  18' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF18X25 ARF18X50 ALUMINUM 0.011" </td> <td>  18' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF18X25 SRF18X50 STEEL 0.013" </td> <td>  20' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF20X25 ARF20X50 ALUMINUM 0.011" </td> <td>  20' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF20X25 SRF20X50 STEEL 0.013" </td>	3" x 3" ANGLE FLASHING AF28G3X3: STEEL 0.013"	3" x 5" ANGLE FLASHING 180 DEGREE HEM AF28G3X5WL180: STEEL 0.013"	4" x 4" ANGLE FLASHING 180 DEGREE HEM AF26G4X4WL180: STEEL 0.016"	4" x 4" ANGLE FLASHING NO HEM AF28G4X4: STEEL 0.013"		 16' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF16X25 SRF16X50 STEEL 0.013"	 18' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF18X25 ARF18X50 ALUMINUM 0.011"	 18' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF18X25 SRF18X50 STEEL 0.013"	 20' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF20X25 ARF20X50 ALUMINUM 0.011"	 20' ROLL FLASHING 25' LENGTH & 50' LENGTH SRF20X25 SRF20X50 STEEL 0.013"
 4" x 4" ANGLE FLASHING 180 DEGREE HEM AF28G4X4WL180: STEEL 0.013"	 4" x 4" ANGLE FLASHING 135 DEGREE HEM AF28G4X4WL135: STEEL 0.013"	 6" x 6" ANGLE FLASHING NO HEM AF28G6X6: STEEL 0.013"	 6" x 6" ANGLE FLASHING NO HEM AF26G6X6: STEEL 0.016"		 20' ROLL FLASHING 50' LENGTH SRF20X50M016 STEEL 0.016"	 24' ROLL FLASHING 25' LENGTH & 50' LENGTH ARF24X25 ARF24X50 ALUMINUM 0.011"	 24' ROLL FLASHING 50' LENGTH SRF24X50 STEEL 0.013"			
SEAMLESS SHINGLE STARTER Used under the shingles at the eave and rake edge.	 7.2" x 33.5" SEAMLESS SHINGLE STARTER SHS COMPOSITION: STONE & GLUE									




FLAT STEP FLASHING




PREBENT STEP FLASHING




ROOF FLASHING




PORCH FLASHING




DORMER FLASHING




DECK FLASHING



REGLET:
WITH & WITHOUT RETURN



ANGLE FLASHING



ROLL FLASHING

MATERIAL AVAILABILITY

Aluminum, Steel, Copper

COLOR AVAILABILITY

Varies by Profile

COATING

Q800 TuffTech™ or Mill


THICKNESS

Aluminum: 0.011", 0.013", 0.016", 0.019"
Steel: 0.010", 0.011", 0.013", 0.015", 0.019"
Copper: 16 oz

WARRANTY

Lifetime Limited Warranty

AVAILABLE COLORS



COPPER



BUILDING CODES AND BEST PRACTICES

R905.2.8.4 Other flashings. Flashing against a vertical front wall, as well as soil stack, vent pipe and chimney flashing, shall be applied in accordance with the asphalt shingle manufactures printed instructions.
Source: IRC 2018

Color availability varies by profile.

AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 327 Desert Tan [DTAN], 605 Eldridge Gray [EG], 523 Snowmist [SMT], 522 Forest [FOR], 204 Granite [GRT204], 507 Mocha [MOC], 508 Musket [MUS], 805 Pewter [P805], 511 Terratone [TER], 280 White [W], 000 Mill [M]



Color Featured: 523 Snowmist [SMT]

METAL VALLEY







Peak performance in the valley.

Quality Edge valleys effectively channel the rainwater to run off easily, and add strength where it's needed most—in the center area of the flashing—to provide long term peace of mind. On top of that, our pre-formed metal product provides significant savings in installation time and labor. A better roof and a faster install makes a winning combination.


Metal Valley



METAL VALLEY- SMOOTH



METAL VALLEY- RIBBED



METAL VALLEY- RIBBED WITH WATERLOCK

FUNCTION

Steel valleys not only add accent and style to your roof, they also extend the life of your roof and properly channel water and debris off your roof.

AVAILABLE OPTIONS

W-Valley: 18", 20", 24"

W-Valley, Ribbed: 18", 20", 24"

W-Valley, Ribbed, Waterlock: 18", 20", 24"

All W-Valley standard 10 foot lengths.

MATERIAL AVAILABILITY

Aluminum, Steel & Copper

COATING

Q800 TuffTech™, WeatherXL™ or Mill

THICKNESS

Aluminum: 0.011", 0.019"

Steel: 0.013", 0.016", 0.019"

Copper: 16 oz

WARRANTY

Lifetime Limited Warranty


COLOR AVAILABILITY

Varies by profile.

COLOR GUIDES

Shingle Color Match Guides available for CertainTeed®, GAF®, Owens Corning®, Atlas® and Malarkey® at: www.QualityEdge.com/Literature/#color

AVAILABLE COLORS



COPPER





















BUILDING CODES AND BEST PRACTICES

R905.2.8.1 Valleys. Valley linings shall be installed in accordance with the manufacturers instructions before applying shingles.
Source: IRC 2018

AVAILABLE COLORS: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 327 Desert Tan [DTAN], 522 Forest [FOR], 508 Musket [MUS], 523 Snowmist [SMT], 511 Terratone [TER], 280 White [W], 702 Low Gloss Brown [LGB], 000 Mill [M]


Color availability varies by profile.

METAL VALLEY	 18" W-Valley RIBBED TV18: STEEL 0.019"	 18" W-Valley RIBBED TV18COP: 16 OZ. COPPER	 18" W-Valley - 18WV28G_NR: STEEL 0.013"	 18" W-Valley RIBBED 18WV28G: STEEL 0.013"
	 20" W-Valley - 20WV28G_NR: STEEL 0.013"	 20" W-Valley - 20WV26G_NR: STEEL 0.016"	 20" W-Valley RIBBED 20WV28G: STEEL 0.013"	 20" W-Valley RIBBED 20WV26G: STEEL 0.016"
	 20" W-Valley RIBBED WITH WATERLOCK 20WV28G_WL: STEEL 0.013"	 20" W-Valley - 20AWV_NRNH: ALUMINUM 0.019"	 24" W-Valley - 24WV28G_NR: STEEL 0.013"	 24" W-Valley RIBBED 24WV28G: STEEL 0.013"
	 24" W-Valley RIBBED WITH WATERLOCK 24WV28G_WL: STEEL 0.013"	 24" W-Valley RIBBED WITH WATERLOCK TV24_WL: STEEL 0.016"	 24" W-Valley - 24AWV: ALUMINUM 0.019"	

All W-Valley available in standard 10 foot lengths.



Shingle Manufacturer Swatch



508 Musket



305 Thunder Cloud



Shingle Manufacturer Swatch



511 Terratone



424 Slate



QUALITY EDGE.

LOG ON TO [QUALITYEDGE.COM](https://www.qualityedge.com)
TO FIND METAL TRIM COLOR
IDEAS TO MATCH ALL THE MAJOR
SHINGLE BRANDS!



Color Featured: SH [1ER]

**“Live in the sunshine.
Swim in the sea.
Drink the wild air.”**


RALPH WALDO EMERSON







TRUBEAD® VENTED BEADED SOFFIT




TRUVENT® HIDDEN VENT SOFFIT




TRUJUNE® HP SOFFIT - CENTER VENT


deep
breath




TRUVENT®
Hidden Vent Soffit




TRUBEAD®
Vented Beaded Soffit




TRUBEAD®
Solid Beaded Soffit




TRULINE® HP
Double 5" Solid




TRULINE® HP & TS
12" Full Vent Soffit




TRULINE® HP & TS
12" Center Vent Soffit



TRULINE® HP & TS
12" Solid Soffit




TRULINE® HP
Double 5" Vented




VESTA
Full Vent Soffit




TRULINE® HP
Double 6" Solid




TRULINE® HP
16" Full Vent Soffit




TRULINE® HP & TS
16" Solid Soffit



TRULINE® HP
Double 6" Vented




TRULINE® HP & TS
16" Center Vent Soffit



PORCH CEILING
Solid Soffit

Ventilation
is at its best
when it's
invisible.



TRUVENT®

HIDDEN VENT SOFFIT


TruVent® Hidden Vent Soffit in 518 Black [BLK]



Can we vent for a moment?

With 150% more vents per foot, 1,290 to be exact, TruVent provides 50% more NFA than most vented vinyl or concealed ventilation options.

And TruVent, like most of our products, is formed from one of the strongest and most sustainable materials on the planet, a titanium stabilized high-performance aluminum alloy, which provides a unique reflective quality to molecularly bond and bring to life, any of our more than 60 designer trim colors.



TruVent® Hidden Vent Soffit in 460 Great Water [GRWT]



From Left to Right:


Row 1: 518 Black [BLK], 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 507 Macha [MOC], 511 Terratone [TER], 410 Thatch [THA], 424 Slate [SLA],
 Row 2: 307 Ripe Olive [RO], 522 Forest [FOR], 521 Navy [NB], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 305 Thunder Cloud [THCL], 405 Foothill Blue [FHB]
 Row 3: 304 Pomegranate [POM], 502 Brown [B], 508 Musket [MUS], 604 Wineberry [WBER], 411 Cottage Red [CRED], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG]
 Row 4: 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 415 Gray Dusk [GDSK], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST],
 Row 5: 409 Sycamore [SYC], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 809 Wicker [WIC], 401 Bennington Beige [BENB], 177 Sandy Beige [SB177]
 Row 6: 327 Desert Tan [DTAN], 306 Quartz [QZ], 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT]
 Row 7: 280 White [W]

TRUVENT HIDDEN VENT SOFFIT

PATENTS

U.S. Patent: 7,137,224

Canadian Patent: 2,496,496




[FIGURE 1]

FIGURE DESCRIPTIONS:


FIGURE 1: A perspective view of a vented soffit panel embodying the present invention.

FIGURE 2: An enlarged, fragmentary view of the soffit panel, showing airflow therethrough.

FIGURE 3: An enlarged, fragmentary, vertical cross-sectional view of the soffit panel, showing a vent channel portion thereof.



[FIGURE 2]




[FIGURE 3]

TruVent's unique I-Beam construction is engineered to optimize strength while the patented angle slot design allows for hidden vent holes creating a smooth, clean soffit look.

Its trapezoidal cross-section maximizes rigidity providing additional product stiffness and improving installation quality.

TruVent®
Hidden Vent Soffit



AVAILABLE OPTIONS

Vented - HVS

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patent: 7,137,224

Canadian Patent: 2,496,496

NFA

11.0

INSTALLATION NOTES

For installation, (0.5") ½" Mitre Divider,
F- and J-Channel are needed.

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

TRUCEDAR® SOLID COLORS

425	414	307	411	410	409
460	405	415	462	461	805
509	401	007	503	280	

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

TRUCEDAR SOLID COLORS: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 307 Ripe Olive [RO], 411 Cottage Red [CRED], 410 Thatch [THA], 460 Great Water [GRWT], 405 Foothill Blue [FHB], 409 Sycamore [SYC], 509 Norwood [NOR], 401 Bennington Beige [BENB], 819 Herringbone [HER], 503 Eggshell [EGG], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 461 Harbor Mist [HMST], 805 Pewter [P805], 280 White [W]



TRUBEAD®


JET 45 BEADED SOFFIT

TruBead® Jet 45 Soffit in 807 Clay [C]



Now take a deep breath.

Unlike typical wainscot style soffit, which only works on a certain style of home, TruBead offers a classic and traditional profile that will provide the air you need and the style you desire. TruBead enhances your home's beauty from the inside by providing enough airflow crucial to the longevity of your home. It's also available in 36 colors to complement your home's exterior style.



Trend® Jet 45, 2018



From Left to Right:


Row 1: 518 Black [BLK], 414 Ironstone [IRNS], 507 Mocha [MOC], 511 Terratone [TER], 424 Slate [SLA], 303 Morning Fog [MORF]
 Row 2: 307 Ripe Olive [RO], 522 Forest [FOR], 521 Navy [NB], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 305 Thunder Cloud [THCL]
 Row 3: 304 Pomegranate [POM], 502 Brown [B], 508 Musket [MUS], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG]
 Row 4: 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200]
 Row 5: 509 Norwood [NOR], 807 Clay [C], 809 Wicker [WIC], 177 Sandy Beige [SB177], 327 Desert Tan [DTAN], 306 Quartz [QZ],
 Row 6: 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

TRUBEAD JET45 SOFFIT

PATENTS

U.S. Patents: 8,176,691 & 8,209,864

Canadian Patent: 2,686,266



[FIGURE 1]

FIGURE DESCRIPTIONS:

FIGURE 1: A perspective view of a vented soffit panel embodying the present invention.

FIGURE 2: An enlarged, fragmentary view of the soffit panel, showing airflow therethrough.

FIGURE 3: An enlarged, fragmentary, vertical cross-sectional view of the soffit panel, showing a vent channel portion thereof.



[FIGURE 2]




[FIGURE 3]

TruBead's patented Jet 45 airflow system provides as much or more airflow than many full vent soffit systems while concealing most of the visible vents.

TruBead® Soffit's patented micro-lance design provides over 590 vent holes per foot, the smallest lance vents in the industry, while providing more continuous net free air (NFA).

TruBead®
Jet 45 Soffit



AVAILABLE OPTIONS

Vented - TBS3V
Solid - TBS3S

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patents: 8,176,691 & 8,209,864
Canadian Patent: 2,686,266

NFA

10.2 - Full Vent

INSTALLATION NOTES

For installation, (0.375") 3/8" Mitre Divider,
F- and J-Channel are needed.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS

425

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

ADDITIONAL COLORS: 425 Statuary Bronze [STB]



TRULINE®

HP & TS SOFFIT

TruLine® 12" Solid Soffit in 280 White [W]



Ventilation is on the line.

When TruLine was on the drawing board, our goal was to double the amount of airflow (NFA) that was being offered by other products available in the market. As a result, we created an amazing new soffit and almost tripled the amount of NFA. Each TruLine panel delivers over 644 carefully sculpted intake vents per foot—that's over 120,000 individual vents per house, providing more airflow than people ever had before. It's gone on to be the highest rated soffit panel in the industry.




TruLine® 12" Center Vent Soffit in 305 Thunder Cloud [THCL]



From Left to Right:

Row 1: 518 Black [BLK], 414 Ironstone [IRNS], 507 Mocha [MOC], 511 Terratone [TER], 424 Slate [SLA], 303 Morning Fog [MORF]
 Row 2: 307 Ripe Olive [RO], 522 Forest [FOR], 521 Navy [NB], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 305 Thunder Cloud [THCL]
 Row 3: 304 Pomegranate [POM], 502 Brown [B], 508 Musket [MUS], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG]
 Row 4: 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200]
 Row 5: 509 Norwood [NOR], 807 Clay [C], 809 Wicker [WIC], 177 Sandy Beige [SB177], 327 Desert Tan [DTAN], 306 Quartz [QZ],
 Row 6: 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

TruLine®
12" Soffit



AVAILABLE OPTIONS

- 0.019" HP - Solid - S
Center Vent- CV
Full Vent - SV
- 0.016" TS - Solid - S_BLDR
Center Vent - CV_BLDR
Full Vent - SV_BLDR

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019" & 0.016"

NFA

- 19.6 - 12" Full Vent
5.9 - 12" Center Vent

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

For installation, (0.375") 3/8" Mitre Divider,
F- and J-Channel are needed.

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS


425

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

ADDITIONAL COLORS: 425 Statuary Bronze [STB]



TruLine®
16" Soffit



AVAILABLE OPTIONS

- 0.019" HP - Solid - 16SS
Center Vent - 16SCV
Full Vent - 16V
- 0.016" TS - Solid - 16SS_BLDR
Center Vent - 16SCV_BLDR

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019" & 0.016"

NFA

- 19.1 - 16" Full Vent
- 9.9 - 16" Center Vent

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

For installation, (0.375") 3/8" Mitre Divider,
F- and J-Channel are needed.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS

425	505
-----	-----

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#


SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

ADDITIONAL COLORS: 425 Statuary Bronze [STB], 505 Green [GRE]



Color Featured: 280 White [W] Soffit & Trim,
414 Ironstone [IRNS] TruCedar Board & Batten Siding

TruLine®
D5 & D6 Soffit



AVAILABLE OPTIONS

Double 5" - Solid - D5SS
Full Vent - D5VS

Double 6" - Solid - D6SS
Full Vent - D6VS

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

NFA

12.0 - D5" & D6" Full Vent

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

For installation, (0.375") 3/8" Mitre Divider,
F- and J-Channel are needed.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#



Color Featured: 280 White [W] Soffit & Trim,
414 Ironstone [IRNS} TruCedar Board & Batten Siding


VESTA PLANK SOFFIT

Vented Vesta Plank Soffit in 482 Gilded Grain [GILD] and
Vesta Plank Siding in 462 Silver Lining [SVRL]







Architectural Soffits.

Vesta Plank Soffit reinvents the smooth, impervious join of shiplap using modern steel—combining performance and an award-winning architectural design in a new soffit silhouette. Vesta Plank Soffit uniquely designed woodgrain plank profile creates a naturally accurate look and not only promotes airflow efficiency but also eliminates the need for regular maintenance due to rapid deterioration of wood soffits.




Vesta Plank Soffit in 483 Sand Dollar [SNDR]



From Left to Right:
Row 1: 483 Sand Dollar [SNDR], 480 Autumn Thistle [ATHS]
Row 2: 481 Driftwood [DFWD], 482 Gilded Grain [GILD]

Vesta Plank Soffit



AVAILABLE OPTIONS

Full Vent HD3 Woodgrain Soffit - 5PS8HD3V

MATERIAL AVAILABILITY

Steel

COATING

Kynar 500® - Woodgrain Colors

THICKNESS

0.020"

NFA

11.4

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patents: 10,508,455 & 10,760,282

Canadian Patent Pending

CERTIFICATION & RATINGS

ASTM E84 Class A Fire Rating

ASTM B117 (Salt Spray)

ASTM D822-57T (Weatherometer)


ASTMD 659-44 No. 10 (Chalking)

ASTM A653 Compliant (Tensile Strength)

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

VESTA HD3 COLORS



VESTA HD3 COLORS: 480 Autumn Thistle [ATHS], 481 Driftwood [DFWD], 482 Gilded Grain [GILD], 483 Sand Dollar [SNDR]

BUILDING CODES AND BEST PRACTICES

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/20120925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#

For full line of Vesta Product see pages 19-20



PORCH CEILING



Porch Ceiling Collection in 943 Karri [K]




Keep looking up.

The Porch Ceiling Collection features 5 painted woodgrain finishes that exhibit the classic look and feel of real stained wood with the durability and performance of an aluminum substrate.




Porch Ceiling in 948 Medium Teak [MT]



From Left to Right:
Row 1: 946 Dark Mahogany [DM], 943 Karri [K], 948 Medium Teak [MT]
Row 2: 947 Light Cherry [LC], 949 Rock Maple [RM]

The Porch Ceiling Collection



AVAILABLE OPTIONS

Solid - D5PC

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.024"


WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

For installation use 3/8" J-Channel PC38J which come in Porch Ceiling Woodgrain Colors

AVAILABLE COLORS



AVAILABLE COLORS: 946 Dark Mahogany [DM], 943 Karri [K], 948 Medium Teak [MT], 947 Light Cherry [LC], 949 Rock Maple [RM]

PRE-ENGINEERED FASCIA


Truline® Soffit and Fascia in 280 White [W]. Also shown TruCedar Board & Batten Siding in 414 Ironstone [IRNS].



Another way to make a statement.

Pre-engineered fascia is typically 33% thicker and 120% stronger than field bent trim coil with 16% fewer seams on average. With smooth, ribbed or embossed woodgrain colors, Quality Edge fascia offers titanium stabilized high-performance H26 0.024 aluminum alloy to match drip edge, soffit, windows and rainware.

TruCedar® Fascia - 6" & 8"



AVAILABLE OPTIONS

6" Solid - 6FSS
6" HD2 - 6FSSHD2

8" Solid - 8FSS
8" HD2 - 8FSSHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar

THICKNESS

0.016"


WARRANTY

Lifetime Limited Warranty


INSTALLATION NOTES

Matches TruCedar Steel Siding.
(It can be used with other brands)

TRUCEDAR SOLID COLORS



TRUCEDAR HD2 COLORS




TRUCEDAR SOLID COLORS: 401 Bennington Beige [BENB], 411 Cottage Red [CRED], 503 Eggshell [EGG], 405 Foothill Blue [FHB], 415 Gray Dusk [GDSK], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 509 Norwood [NOR], 805 Pewter [P805], 307 Ripe Olive [RO], 462 Silver Lining [SVRL], 425 Statuary Bronze [STB], 409 Sycamore [SYC], 410 Thatch [THA], 280 White [W]

TRUCEDAR HD2 COLORS: 417 Birch [BIR], M12 Captiva [CAP], 109 Cedar [CDR], M16 Cider Mill [CID], M17 English Saddle [ENG], M18 Mountain Laurel [MOU], M15 Napa Vine [NAP], 416 Spruce [SPR], 106 Timber Ash [TASH], 108 Weathered Wood [WWD]



Color Featured: 401 Bennington Beige [BEN] Fascia & Soffit.
Also shown TruCedar Shake Sidewall in 108 Weathered Wood [WVD]

Vesta Fascia - 6" & 8" Fascia & Lock



AVAILABLE OPTIONS

- 6" Solid Fascia - 6FSSP
- 6" HD3 Woodgrain Fascia - PHD3

- 8" Solid Fascia - 8FSSP
- 8" HD3 Woodgrain Fascia - 8FSSPHD3

MATERIAL AVAILABILITY

Steel

COATING

- Kynar 500® - Woodgrain Colors
- Kynar® - Solid Colors

THICKNESS

0.016"

WARRANTY

Lifetime Limited Warranty

PATENTS

- U.S. Patents: 10,508,455 & 10,760,282
- Canadian Patent Pending


CERTIFICATION & RATINGS

- ASTM E84 Class A Fire Rating
- ASTM B 117 (Salt Spray)
- ASTM D822-57T (Weatherometer)
- ASTMD 659-44 No. 10 (Chalking)
- ASTM A653 Compliant (Tensile Strength)


INSTALLATION NOTES

Matches Vesta Steel Siding®

VESTA SOLID COLORS



VESTA HD3 COLORS



*Fascia Lock included with Vesta Fascia




VESTA SOLID COLORS: 463 Coal [COAL], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 460 Great Water [GRWT], 414 Ironstone [IRNS], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 466 Tourmaline [TOUR], 280 White [W]

VESTA HD3 COLORS: 480 Autumn Thistle [ATHS], 481 Driftwood [DFWD], 482 Gilded Grain [GILD], 483 Sand Dollar [SNDR]



Color Featured: 463 Coal [COAL] Fascia & Vesta Plank Siding.
Also shown Vented Vesta Plank Soffit in 480 Autumn Thistle [ATHS].

TruLine Fascia - 6" & 8"



AVAILABLE OPTIONS

6" - 6FSWG

8" - 8FSWG

MATERIAL AVAILABILITY

Steel

COATING

Q800 TuffTech™


THICKNESS

0.016"

WARRANTY

Lifetime Limited Warranty

COLOR AVAILABILITY




AVAILABLE COLORS: 807 Clay [C], 327 Desert Tan [DTAN], 522 Forest [FOR], 819 Herringbone [HER], 507 Mocha [MOC], 509 Norwood [NOR], 511 Terratone [TER], 280 White [W], 604 Wineberry [WBER], 702 Low Gloss Brown [LGB], 523 Low Gloss Snowmist [LGSMT]



Color Featured: 523 Snowmist [LGSMT] Fascia

TruLine HP Fascia - 4", 5.75", 6", 7.75", 8" & 10"



AVAILABLE OPTIONS

- 4" Smooth - 4F_SM
- 4" Ribbed (1) - 4F
- 4" Woodgrain - 4FW
- 5.75" Ribbed (2) - 5.75F
- 5.75" Woodgrain - 5.75FW
- 6" Smooth - 6F_SM
- 6" Ribbed (2) - 6F
- 6" Woodgrain - 6FW

7.75" Woodgrain - 7.75FW

- 8" Smooth - 8F_SM
- 8" Ribbed (3) - 8F
- 8" Woodgrain - 8FW

- 10" Ribbed (4) - 10F
- 10" Woodgrain - 10FW

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS


0.024"

WARRANTY


Lifetime Limited Warranty

Note: (#) number in parenthesis denotes number of ribs per profile.

SYSTEM COLORS



TRUCEDAR® SOLID COLORS



ADDITIONAL COLORS



SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]


TRUCEDAR SOLID COLORS: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 307 Ripe Olive [RO], 410 Thatch [THA], 411 Cottage Red [CRED], 460 Great Water [GRWT], 405 Foothill Blue [FHB], 409 Sycamore [SYC], 509 Norwood [NOR], 401 Bennington Beige [BENB], 819 Herringbone [HER], 503 Eggshell [EGG], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 461 Harbor Mist [HMST], 805 Pewter [P805], 280 White [W]

ADDITIONAL COLORS: 505 Green [GRE]



Color Featured: 518 Black [BLK] TruLine Fascia & Trim Coil
with TruVent Hidden Vent Soffit.

TruLine TS Fascia - 6" & 8"



AVAILABLE OPTIONS
6" Ribbed (2) - 6F_BLDR
6" Woodgrain - 6FW_BLDR

8" Ribbed (3) - 8F_BLDR
8" Woodgrain - 8FW_BLDR

MATERIAL AVAILABILITY
Aluminum

COATING
Q800 TuffTech™

THICKNESS
0.019"

WARRANTY
Lifetime Limited Warranty

SYSTEM COLORS

502	511	509	807	327
827	280			

AVAILABLE COLORS: 502 Brown [B], 511 Terratone [TER], 509 Norwood [NOR], 807 Clay [C], 327 Desert Tan [DTAN], 827 Champagne [CAB], 280 White [W]
Note: 8" available in 502 Brown [B] and 280 White [W] only.



DESIGNER ACCESSORIES



TruVent® Hidden Vent Soffit in 518 Black [BLK]



Small touches that become big hits.

Designer Accessories add charm and value to the exterior of your home. Like crown moldings inside the home, these extra touches add elegance and architectural character on the exterior where the siding meets the soffit. Our moldings are all created with state-of-the-art Q800 TuffTech™ finish, a uniquely durable finish that resists peeling, cracking, chipping or delaminating.

Designer Accessories: Cove Soffit Receiver & Recessed Crown Molding



AVAILABLE OPTIONS
Cove Soffit Receiver - CVSR
Recessed Crown Molding - RCM

MATERIAL AVAILABILITY
Aluminum

COATING
Q800 TuffTech™

THICKNESS
0.019"

WARRANTY
Lifetime Limited Warranty

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS


505

SYSTEM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

ADDITIONAL COLORS: 505 Green [GRE]



Designer Accessories: F-Channel & J-Channel



AVAILABLE OPTIONS

3/8" F-Channel - F
1/2" F-Channel - F5

3/8" J-Channel - J
1/2" J-Channel - J5
3/4" J-Channel - J75

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

Note: Use 1/2" Accessories with TruVent Hidden Vent Soffit.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

TRUCEDAR® SOLID COLORS (for F5 & J5 only)

425	414	460	411	410	409
307	405	415	462	461	805
509	401	819	503	280	

ADDITIONAL COLORS (for F, J & J5 only)



SYSTEM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]


TRUCEDAR SOLID COLORS: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 307 Ripe Olive [RO], 410 Thatch [THA], 411 Cottage Red [CRED], 460 Great Water [GRWT], 405 Foothill Blue [FHB], 409 Sycamore [SYC], 509 Norwood [NOR], 401 Bennington Beige [BENB], 819 Herringbone [HER], 503 Eggshell [EGG], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 461 Harbor Mist [HMST], 805 Pewter [P805], 280 White [W]

ADDITIONAL COLORS: 505 Green [GRE]



Color Featured: 819 Herringbone [HER]

Designer Accessories: Mitre Divider



AVAILABLE OPTIONS

3/8" Mitre Divider - MD
1/2" Mitre Divider - MD5

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

Note: Use 1/2" Mitre Divider with TruVent Hidden Vent Soffit.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	523	280

ADDITIONAL COLORS (505 Green MD only)


425	505
-----	-----

SYSTEM COLORS: 518 Black [BLK], 521 Navy [NB], 502 Brown [B], 414 Ironstone [IRNS], 507 Mocha [MOC], 508 Musket [MUS], 511 Terratone [TER], 424 Slate [SLA], 522 Forest [FOR], Ripe Olive [RO], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 304 Pomegranate [POM], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG], 305 Thunder Cloud [THCL], 303 Morning Fog [MORF], 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200], 509 Norwood [NOR], 807 Clay [C], 177 Sandy Beige [SB177], 809 Wicker [WIC], 327 Desert Tan [DTAN], 819 Herringbone [HER], 306 Quartz [QZ], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 523 Snowmist [SMT], 280 White [W]

ADDITIONAL COLORS: 425 Statuary Bronze [STB], 505 Green [GRE]



Color Featured: 508 Musket [MUS]



**“Wonder is the
heaviest element
on the periodic table.
Even a tiny fleck of it
stops time.”**

DIANE ACKERMAN



Mary's Shell
Cleveleys, Lancashire, UK

TRIM COIL



A cut above your average coil.

QE offers a wide variety of trim coil for custom fabricating decorative accents and design elements, and for protecting hard-to-reach areas. Our trim coil comes in many different finishes, metals, thicknesses and colors to suit a variety of purposes. Whether you're using treated or untreated lumber, we have the exact product for you!

Elements OF QE ALLOY

ECONOMY

E

ECONOMY

T24BLD: ALUMINUM 0.016"

B

BASIC

TW/BK: ALUMINUM 0.018"

Q⁸

QUALITY

T: ALUMINUM 0.019"

W_G

WOODGRAIN

T24W: ALUMINUM 0.019"

STANDARD

PREMIUM

N_M

NO-MAR Q5000®

TNOMAR: ALUMINUM 0.019"

P

PVC

TPVC: ALUMINUM 0.019"

X_s

XTRA STRENGTH

TBW024: ALUMINUM 0.024"

I

ISOCOIL®

TISO: ALUMINUM 0.025"

SPECIALTY

G⁶⁰

GALVANIZED

T1430S: STEEL 0.016"
T1430SHD2: STEEL 0.016"
T1430SM: STEEL 0.016"
T1430SMHD3: STEEL 0.016"

C_u

COPPER

18TCOP: COPPER 16 OZ
18TCOP30: COPPER 16 OZ

QE's H28 aluminum alloy is designed and engineered for better performance in the brake and on the house, and for a truly professional appearance.

Every one of our trim coils starts with recycled aluminum that is specially annealed, so you can actually feel the difference.

Quality Edge offers trim coil in 100+ colors that match today's most popular siding and window colors.







SYSTEM COLORS




TRUCEDAR® COLORS




VESTA COLORS



ADDITIONAL COLORS



Economy



FUNCTION

Designed and engineered to compete with common trim coils.

AVAILABLE COLORS: 280 White [W]

AVAILABLE OPTIONS

Economy 24" x 50 ft - T24BLD

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.016"


WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

Basic



FUNCTION

Designed and engineered to compete with common trim coils.

AVAILABLE COLORS: 280 White [W]

AVAILABLE OPTIONS

Basic 24" x 50 ft - TW/BK

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.018"


WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

Q800 TuffTech™



FUNCTION

Q800 TuffTech has a multi-purpose, polyester finish applied to high-performance, specially annealed aluminum alloy. The metal is tempered for a rigid application and cleaner aesthetic.

AVAILABLE OPTIONS

14" x 50 ft - Smooth - 14TC

14.53" x 50 ft - Smooth - T14.53

14.53" x 50 ft, Woodgrain - T14.53WG

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES




Go to QualityEdge.com/install for detailed installation information.

COLORS AVAILABLE FOR 14":

502 Brown/280 White [BW] & 280 White/280 White [W/W]

COLORS AVAILABLE FOR 14.53":

518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 605 Eldridge Gray [EG], 522 Forest [FOR], 204 Granite [GRT204], 505 Green [GRE], 819 Herringbone [HER], 507 Mocha [MOC], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 177 Sandy Beige [SB177], 523 Snowmist [SMT], 511 Terratone [TER], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]



FUNCTION

Q800 TuffTech has a multi-purpose, polyester finish applied to high-performance, specially annealed aluminum alloy. The metal is tempered for a rigid application and cleaner aesthetic.

AVAILABLE OPTIONS

18" x 50 ft, Smooth - 18TC

24" x 50 ft, - Smooth - T

24" x 50 ft, Woodgrain - T24W

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.019"

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

COLORS AVAILABLE FOR 18":

502 Brown/280 White [BW] & 280 White/280 White [W/W]

COLORS AVAILABLE FOR 24" SMOOTH:


- ALL SYSTEM COLORS

- ALL TRUCEDAR SOLID COLORS

- ADDITIONAL COLORS: 827 Beige [CAB], 593 Blue Grey [RYLBLUG], 263 Canyon Ridge [VTCR], 819 Champagne [HER], 787 Charcoal Gray [RYLCG], 201 Classic Almond [CALM201], 609 Royal Clay [RYLC], 267 Clipper Gray [VTCGRA], 203 Cream [CRM203], 559 Cypress [CYP], 201 Desert [VTDES], 819 Driftwood [VTDF], 232 Flagstone [CTFLAG], 541 Granite Gray [GG], 625 Graphite [GRAT], 505 Green [GRE], 767 Grenadier Green [GDRGRE], 558 Harbor Blue [CHBLU], 789 Heritage Blue [RYLHERB], 827 Irish Linen [VTILIN], 331 Iron Gray [HARIG], 266 Lakeshore Blue [VTLSBLU], 544 Light Maple [LM], 207 Linen [LIN207], 782 Natural Cedar [RYLNCED], 622 Olive [OLV], 774 Pebble Clay [RYLPEB], 208 Russet [RUS208], 554 Rye [RYE], 784 Sand [RYLSAN], 547 Sandstone Beige [SSB], 810 Sea Shale [SEA], 327 Sierra Brown [DTAN327], 212 Silver [SVR212], 623 Slate [CSLT], 333 Soft Green [HARSG], 261 Spring Meadow [VTSMED], 772 Sterling [RYLSTR], 335 Tuscan Gold [HARTG], 264 Twilight Gray [VTTLG], 770 Victorian Gray [RYLVG]


**“It’s a revolution
in a roll.”**

KATIE OSTREKO





Q800 TuffTech™ Xtra Strength



FUNCTION

Q800 TuffTech has a multi-purpose, polyester finish applied to high-performance, specially annealed aluminum alloy. The metal is tempered for a rigid application and cleaner aesthetic.

AVAILABLE OPTIONS

24" x 50 ft - Smooth - TBW024

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

THICKNESS

0.024"

WARRANTY

Lifetime Limited Warranty


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

SOLID COLORS: 280 White/502 Brown [BW024]

Custom 0.024" trim coil is available in limited colors with an extended lead time and minimum purchase.

TruCoil® PVC



FUNCTION

PVC paint systems are the least environmentally friendly of all the paint systems available today. Some markets desire a PVC finish because of the striated texture paint.

AVAILABLE OPTIONS

24" x 50 ft - Woodgrain - TPVC

MATERIAL AVAILABILITY

Aluminum

COATING

PVC

THICKNESS

0.019"

WARRANTY

20 Year Warranty


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

LIMITED SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 605 Eldridge Gray [EG], 522 Forest [FOR], 204 Granite [GRT204], 819 Herringbone [HER], 507 Mocha [MOC], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 177 Sandy Beige [SB177], 523 Snowmist [SMT], 511 Terratone [TER], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

ADDITIONAL COLORS: 741 Antique White [PVCHTLAW], 827 Beige [CAB], 742 Birchwood [PVCHTLBIR], 743 Blue [PVCHTLBLU], 707 Bright White [PVCBW], 744 Brown [PVCHTLBRN], 263 Canyon Ridge [VTCR], 541 Castlestone [VTCS], 787 Charcoal Gray [RYLCG], 201 Classic Almond [CALM201], 609 Clay [RYLC], 267 Clipper Gray [VTCGRA], 552 Crane Country Beige [PVCCBG], 203 Cream [CRM203], 747 Cream [PVCRYLCRM], 201 Desert [VTDES], 819 Driftwood [RYLDFW], 541 Granite Gray [GG], 805 Gray [PVCHTLGRA], 789 Heritage Blue [RYLHERB], 827 Irish Linen [VTILIN], 206 Ivy [IVY206], 266 Lakeshore Blue [VTLSBLU], 207 Linen [LIN207], 758 Linen [PVCHTLIN], 750 Mist [PVCHTLMIS], 782 Natural Cedar [RYLNCED], 553 Pearl [PVCCPRI], 774 Pebble Clay [RYLPEB], 751 Pewter Gray [PVCHTLPEW], 554 Rye [RYE], 757 Sand [PVCRYLSAN], 753 Sandalwood [PVCHTLSDW], 327 Sierra Brown [DTAN327], 261 Spring Meadow [VTSMED], 770 Victorian Gray [RYLVG]

No-Mar Q5000®



FUNCTION

Made from a high-performance, specially annealed aluminum alloy and our exclusive No-Mar Q5000 paint finish offers an unmatched scratch-resistant surface with better UV protection and stain protection than other conventional paint systems.

AVAILABLE OPTIONS

24" x 50 ft - TNOMAR

MATERIAL AVAILABILITY

Aluminum

COATING

No-Mar Q5000

THICKNESS

0.019"

WARRANTY

20 Year Warranty


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

LIMITED SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 523 Snowmist [SMT], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER]

ADDITIONAL COLORS: 526 Andersen White/525 Andersen Terratone [NOMARANDW/ANDTER], P68 Bright White [NMBW], 505 Green [GRE]

IsoCoil®



FUNCTION

Corrosion-resistant trim coil offering a laminated film that provides a layer of protection between the lumber and the coil itself.

AVAILABLE COLORS: 502 Brown [B], 807 Clay [C], 280 White [W]

AVAILABLE OPTIONS

24" x 50 ft - TISO

MATERIAL AVAILABILITY

Aluminum

COATING

Top: Q800 TuffTech
Backing: Corrosion-resistant Vinyl

THICKNESS

0.025"


WARRANTY

20 Year Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

Vesta Trim Coil



FUNCTION

Vesta Steel Siding® Trim Coil in 0.016" steel is available in a curated design color palette of solid and realistic woodgrain colors for completing the finishing details for any commercial or residential Vesta project.

AVAILABLE OPTIONS

14.77" x 30 ft Solid - T1430SM
14.77" x 30 ft Woodgrain - T1430SMHD3

MATERIAL AVAILABILITY

Steel

COATING

Kynar 500® - Woodgrain Colors
Kynar® - Solid Colors

COLOR AVAILABILITY

9 Solids
4 HD3 Woodgrains

Solid colors have a light texture to the paint finish.

HD3 Woodgrain colors use 3 paint colors (high, medium and low-key tones) to create a natural looking woodgrain pattern.

Vesta trim coil has **no embossing**.

THICKNESS

0.016"

WARRANTY

Lifetime Limited Warranty

PATENTS

U.S. Patents: 10,508,455 & 10,760,282
Canadian Patent Pending

COPYRIGHT (U.S.)

© Sand Dollar Woodgrain Artwork VAu 1-378-183
© Driftwood Woodgrain Artwork VAu 1-378-232
© Autumn Thistle Woodgrain Artwork VAu 1-378-233
© Gilded Grain Woodgrain Artwork VAu 1-382-425

CERTIFICATION & RATINGS

- Class A Fire Rating: ASTM E84
- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

VESTA SOLID COLORS: 463 Coal [COAL], 503 Eggshell [EGG], 464 Fiddlehead [FIDH], 460 Great Water [GRWT], 414 Ironstone [IRNS], 465 Sea Glass [SEAG], 462 Silver Lining [SVRL], 466 Tourmaline [TOUR], 280 White [W]

VESTA HD3 COLORS: 480 Autumn Thistle [ATHS], 481 Driftwood [DFWD], 482 Gilded Grain [GILD], 483 Sand Dollar [SNDR]

TruCedar Embossed Trim Coil



A FUNCTION

Embossed 0.016" Steel TruCedar Trim Coil, available in both TruCedar solid and woodgrain colors, is ideal for wrapping trim surfaces such as window and door casings, fascia or porch posts.

AVAILABLE OPTIONS

14.77" x 30 ft Solid - T1430S

14.77" x 30 ft Woodgrain - T1430SHD2

MATERIAL AVAILABILITY

Steel

COATING

Kynar®, CarbonTech60™, Corrosion-Resistant Barrier

COLOR AVAILABILITY

21 Solids

10 HD2 Woodgrains

Solid colors have a light texture to the paint finish.

HD2 Woodgrain colors use 2 paint colors (high and low-key tones) to create a natural looking woodgrain pattern.

TruCedar trim coil **is woodgrain embossed**.

THICKNESS

0.016"

WARRANTY

Lifetime Limited Warranty

CERTIFICATION & RATINGS

- Class A Fire Rating: ASTM E84
- Non-Combustible Flame Spread & Smoke Developed Ratings: ASTM E84, ASTM E84-17, Class A Rating
- Structural Performance Rating: ASTM E1592-05
- Impact Resistance Rating: UL2218 Class 4 Rating


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

TRUCEDAR SOLID COLORS: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 307 Ripe Olive [RO], 410 Thatch [THA], 411 Cottage Red [CRED], 460 Great Water [GRWT], 405 Foothill Blue [FHB], 409 Sycamore [SYC], 509 Norwood [NOR], 401 Bennington Beige [BENB], 819 Herringbone [HER], 503 Eggshell [EGG], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 461 Harbor Mist [HMST], 805 Pewter [P805], 280 White [W], 463 Coal [COAL], 464 Fiddlehead [FIDH], 466 Tourmaline [TOUR], 465 Sea Glass [SEAG]

TRUCEDAR HD2 COLORS: M17 English Saddle [ENG], 416 Spruce [SPR], M16 Cider Mill [CID], 106 Timber Ash [TASH], M18 Mountain Laurel [MOU], 108 Weathered Wood [VWD], M15 Napa Vine [NAP], 109 Cedar [CDR], M12 Captiva [CAP], 417 Birch [BIR]

Copper



AVAILABLE OPTIONS

- 18" x 25 ft - 18TCOP
- 18" x 30 ft - 18TCOP30

MATERIAL AVAILABILITY

16 oz. Copper

COATING

Bare

WARRANTY

Lifetime Limited Warranty

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.



A person wearing a bright yellow hooded raincoat is shown from the side, standing in a field of yellow wildflowers. The background is a clear blue sky. The text is overlaid on the lower half of the image.

**“There’s no such thing
as bad weather, only
inappropriate clothing.”**

SIR RANULPH FIENNES



INSIDE OUT[®]

UNDERDECKING

Inside Out Underdecking in 948 Medium Teak [MT]



Blurring the line between outside and inside.

Take the indoors out and expand living space with Inside Out Underdecking's patented panels. Inside Out creates a finished look to the underside of the deck. No more visual clutter from exposed nails and dirty deck boards overhead.

Inside Out Underdecking channels the water down from the upper deck and away from the home, keeping the area below the deck dry and enjoyable for outdoor living. The specially designed panels and deep water brackets have been tested and approved to handle over 15" of water an hour.



Inside Out Underdecking in 947 Light Cherry [LC]



From Left to Right:
Row 1: 518 Black [BLK], 502 Brown [B], 604 Wineberry [WBER], 805 Pewter [P805]
Row 2: 807 Clay [C], 177 Sandy Beige [SB177], 827 Champagne [CAB], 280 White [W]
Row 3: 946 Dark Mahogany [DM], 943 Karri [K], 948 Medium Teak [MT]
Row 4: 947 Light Cherry [LC], 949 Rock Maple [RM]

Inside Out®
Underdecking



AVAILABLE OPTIONS

10 ft panel, 12 pc box - UDC10
10 ft panel, 4 pc box - UDC4PC10

12 ft panel, 12 pc box - UDC12
12 ft panel, 4 pc box - UDC4PC12

14 ft panel, 12 pc box - UDC14
14 ft panel, 4 pc box - UDC4PC14

16 ft panel, 12 pc box - UDC16
16 ft panel, 4 pc box - UDC4PC16

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

COLOR AVAILABILITY

Solids: 8
Painted Woodgrains: 5

THICKNESS

Inside Out Panel: 0.024"
Accessories: 0.019", 0.024", 0.025"


WARRANTY

Lifetime Limited Warranty


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

SOLID COLORS



WOODGRAIN COLORS



SOLID COLORS: 518 Black [BLK], 502 Brown [B], 827 Champagne [CAB], 807 Clay [C], 805 Pewter [P805], 177 Sandy Beige [SB177], 280 White [W], 604 Wineberry [WBER]

WOODGRAIN COLORS: 946 Dark Mahogany [DM], 943 Karri [K], 947 Light Cherry [LC], 948 Medium Teak [MT], 949 Rock Maple [RM]



Color Featured: 518 Black [BLK]



1

2

3

5

4

1. INSIDE OUT PANEL

Center panels, solid color or wood print. Needs to have a graded slope of 1/8" per foot for water to flow into gutter.

2. PANEL CARRIER

Use to hold and set the angle of the panels. Place every 3 feet. If going down or across the deck joists, 10 screws per carrier are needed. Screw into each joist if going across them.

3. PERIMETER G-CHANNEL

Use along the house.

4. SIDE CAP

Use on the sides of the deck to allow system to hang.

5. BOXED GUTTER KIT


Channels water from underdeck down and away from home. Gutter must be installed before panels.

TRUWRAP WINDOW FLASHING

Directs water over flashing.


CARRIER SCREWS

Grommited screws used to hang the panel carrier.



1. Inside Out Panel


Available in 4 pc or 12 pc carton quantities



2. Panel Carrier


SYMCARRIER20 (20 pc carton)

SYMCARRIER4PC (4 pc carton)



3. Perimeter G-Channel

UDC4PCGC



4. Side Cap


UDC4PCSC



5. Boxed Gutter Kit

GKIT

Kit Contents:
(2) 12 ft Gutter
(1) 2" x 3" Down Pipe
(2) 5" Left and Right End Caps
(2) Pipe Bands
(1) 2" x 3" "A" Style Elbow
(1) 2" x 3" "B" Style Elbow
(1) Slip Joint Connector
(6) Hidden Hanger
(1) 2" x 3" Outlet
(25) 0.5" Zip Screws
(1) Touch-Up Paint



TruWrap Window Flashing

WFX100



Carrier Screws

UDSCREW





Getting moisture down and out.


The roof directs water into the gutters. Without free-flowing gutters and downspouts, water can collect and create problems. That's why QE Gutter Protection is an important part of any roof.

TruGuard® Gutter Protection attaches to the fascia – not to the roof – with patented fasteners. It strengthens your existing gutters. It's patented nose-forward design means that only water can get in – leaves, pine needles and debris are kept out – assuring the free flow of water from the roof to the ground.


TRUGUARD® GUTTER PROTECTION PATENTS

PATENTS


U.S. Patents: 6,993,870 7,347,027 7,506,476 7,584,576




[FIGURE 2]



[FIGURE 4]



[FIGURE 9]



[FIGURE 11]

TRUGUARD® GUTTER PROTECTION FIGURE DESCRIPTIONS:


- FIGURE 2:** is a fragmentary perspective view of the rain gutter guard shown installed over the gutter along an associated building roof, wherein portions thereof have been broken away to reveal internal construction.
- FIGURE 4:** is a side elevational view of the mounting bracket.
- FIGURE 9:** is a top plan view of the mounting bracket and gutter shown in FIG. 8, wherein broken lines illustrate the mounting bracket being shifted into a skewed, partially installed position within the interior of the gutter.
- FIGURE 11:** is a side elevational view of the mounting bracket and gutter shown being attached to an associated roof fascia.

UNIVERSAL END CAP PATENTS

PATENTS

U.S. Patent: 6,931,972


Canadian Patent: 2,488,088



[FIGURE 1]

UNIVERSAL END CAP FIGURE DESCRIPTIONS:

FIGURE 1: Is a perspective view of a pair of universal end caps embodying the present invention, shown exploded away from an associated rain gutter and rain gutter debris guard.




**TRUGUARD GUTTER
PROTECTION KIT: 5" & 6"**
Aluminum 0.024"




TRUGUARD PANEL: 13.5" & 15"
Aluminum 0.024"




TRUGUARD CLIP: 5" & 6"
Comes with 3" screws




**HIGH-CAPACITY
PORTED PANEL: 18" Length**
Aluminum 0.024"




INSIDE CORNERS
Aluminum 0.024"




UNIVERSAL END CAPS
Aluminum 0.024"



**GUTTER GEKKO MICRO
MESH PANELS: 5" & 6"**
Aluminum 0.024"



STRAIGHT MITRE: 5" & 6"
Aluminum 0.024"



INSIDE MITRE: 5" & 6"
Aluminum 0.024"




UNIVERSAL END CAPS: 5" & 6"
Aluminum 0.024"



½" PAINTED ZIP SCREWS
Aluminum

TruGuard®
Gutter Protection (Kit)



AVAILABLE OPTIONS

- 13.5" x 5 ft panel with 5" clip & screws - GPP
- 13.5" x 5 ft panel with 6" clip & screws - GPP6

MATERIAL AVAILABILITY

Aluminum

COATING

Kynar®

COLOR AVAILABILITY

7

THICKNESS

Aluminum: 0.024"

WARRANTY

Lifetime Limited Warranty

PATENTS


U.S. Patents:

TruGuard	6,993,870
	7,347,027
	7,506,476
	7,584,576
Universal End Cap	6,931,792


Canadian Patent:

Universal End Cap 2,488,088


TRUGUARD ACCESSORIES



18" High-Capacity Ported Panel:
GPPHC18



Inside Corners:
GPIC



Universal End Caps:
GPUEC

AVAILABLE COLORS

518	507	508	805
775	511	515	

AVAILABLE COLORS: 518 Black [BLK], 507 Mocha [MOC], 508 Musket [MUS], 805 Pewter [P805], 775 Slate Gray [SLTG], 511 Terratone [TER], 515 30° White [W]


INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.



Color Featured: 511 Terratone [TER]

TruGuard®
Panel Only, 13.5" & 15"



AVAILABLE OPTIONS
13.5" x 5 ft panel - GPPANEL
15" x 5 ft panel - GP15P

MATERIAL AVAILABILITY
Aluminum & 16 oz Copper Available Upon Request

COATING
Kynar

COLOR AVAILABILITY
Solids: 7

THICKNESS
Aluminum: 0.024"
Copper: 16 oz (custom option)


WARRANTY
Lifetime Limited Warranty

INSTALLATION NOTES
Go to QualityEdge.com/install for detailed installation information.

TRUGUARD ACCESSORIES




TruGuard Clip:
5": 5SCB
6": 6SCB



18" High-Capacity Ported Panel:
GPPHC18




Inside Corners:
GPIC



Universal End Caps:
GPUEC

AVAILABLE COLORS




COPPER (custom)



AVAILABLE COLORS: 518 Black [BLK], 507 Mocha [MOC], 508 Musket [MUS],
805 Pewter [P805], 775 Slate Gray [SLTG], 511 Terratone [TER], 515 30° White [W]



GutterGekko®
Micro Mesh Panels



AVAILABLE OPTIONS

- 5" x 60" - GGKM5
- 6" x 60" - GGKM6

MATERIAL AVAILABILITY

Aluminum

THICKNESS

Aluminum: 0.024"


WARRANTY

Lifetime Limited Warranty


INSTALLATION NOTES

Install by mounting on fascia.

GUTTER GEKKO ACCESSORIES



Straight Mitre:
5": GGKM5SM
6": GGKM6SM



Inside Mitre:
5": GGKM5IM
6": GGKM6IM



Universal End Caps:
5": GGKM5EC
6": GGKM6EC



1/2" Painted Zip Screws:
1/2ZIPS

AVAILABLE COLORS



AVAILABLE 000 Mill [M] only



RAINWARE


A close-up photograph of a roofline. The top portion shows asphalt shingles in shades of grey and brown. Below the shingles is a dark brown rainware gutter. Underneath the gutter is a white soffit with diagonal slats. The word "RAINWARE" is overlaid in large, white, sans-serif capital letters.

Soffit, Gutters & Rainware in 805 Pewter [P805]. TruGuard® in 507 Mocha [MOC]



Show the rain who's boss.

QE offers many accessories to complete your gutter job, from gutter coil to downpipes to pipe clips and trim nails. With our full line of accessories, you can tailor a complete gutter system.



Gutter Coil in 305 Thunder Cloud [THCL]



From Left to Right:

Row 1: 518 Black [BLK], 414 Ironstone [IRNS], 507 Mocha [MOC], 511 Terratone [TER], 424 Slate [SLA], 303 Morning Fog [MORF]

Row 2: 307 Ripe Olive [RO], 522 Forest [FOR], 521 Navy [NB], 301 Dragonfly [DFLY], 460 Great Water [GRWT], 305 Thunder Cloud [THCL]


Row 3: 304 Pomegranate [POM], 502 Brown [B], 508 Musket [MUS], 604 Wineberry [WBER], 007 Matte Copper Penny [MCP], 302 Florentine Gold [FLG]

Row 4: 605 Eldridge Gray [EG], 204 Granite [GRT204], 462 Silver Lining [SVRL], 805 Pewter [P805], 461 Harbor Mist [HMST], 200 Cactus [CAT200]

Row 5: 509 Norwood [NOR], 807 Clay [C], 809 Wicker [WIC], 177 Sandy Beige [SB177], 327 Desert Tan [DTAN], 306 Quartz [QZ],

Row 6: 819 Herringbone [HER], 606 Cozy Cottage [CC], 827 Champagne [CAB], 503 Eggshell [EGG], 280 White [W]

Gutter Coil



AVAILABLE OPTIONS

11 7/8", 0.032": GC32117/8 (standard)
MGC32117/8 (mini)

11 7/8", 0.027": GC27117/8 (standard)
MGC27117/8 (mini)

11 3/4", 0.027": GC2711.75 (standard)
MGC2711.75 (mini)

15", 0.032": GC3215 (standard)
MGC3215 (mini)

Standard Coil: 300 lbs (3 rolls/pallet)
Mini Coil: 150 lbs (12 rolls/pallet)

MATERIAL AVAILABILITY

Aluminum

COATING

Q800 TuffTech™

COLOR AVAILABILITY

Varies by product

THICKNESS

Aluminum Gutter Coil: 0.027" & 0.032"

Aluminum Gutter Components: 0.019"

INSTALLATION NOTES

Go to QualityEdge.com/install for detailed installation information.

GUTTER ACCESSORIES

See following pages.

SYSTEM COLORS

518	521	502	414	507	508
511	424	522	307	301	460
304	604	007	302	305	303
605	204	462	805	461	200
509	807	177	809	327	819
306	606	827	503	280	

ADDITIONAL COLORS


505	411	515	175
-----	-----	-----	-----

SYSTEM COLORS: 518 Black [BLK], 502 Brown [B], 200 Cactus [CAT200], 827 Champagne [CAB], 807 Clay [C], 606 Cozy Cottage [CC], 327 Desert Tan [DTAN], 301 Dragonfly [DFLY], 503 Eggshell [EGG], 605 Eldridge Gray [EG], 302 Florentine Gold [FLG], 522 Forest [FOR], 204 Granite [GRT204], 460 Great Water [GRWT], 461 Harbor Mist [HMST], 819 Herringbone [HER], 414 Ironstone [IRNS], 007 Matte Copper Penny [MCP], 507 Mocha [MOC], 303 Morning Fog [MORF], 508 Musket [MUS], 521 Navy [NB], 509 Norwood [NOR], 805 Pewter [P805], 304 Pomegranate [POM], 306 Quartz [QZ], 307 Ripe Olive [RO], 177 Sandy Beige [SB177], 462 Silver Lining [SVRL], 424 Slate [SLA], 511 Terratone [TER], 305 Thunder Cloud [THCL], 280 White [W], 809 Wicker [WIC], 604 Wineberry [WBER], 000 Mill [M]


ADDITIONAL COLORS: 175 High Gloss White [HGW], 411 Cottage Red [CRED], 505 Green [GRE], 515 30° White [W]




Colors Featured: 511 Terratone [TER] Soffit, Gutter Coil & Accessories.
Also shown 007 Matte Copper Penny [MCP] Downpipe and M16 Cider
Mill [CID] Single 6" TruCedar® Steel Siding.




- 1. Gutter Coil: 11 7/8", 11 3/4" & 15"**
 0.032": GC32117/8 & MGC32117/8 (mini),
 GC3215 & MGC3215 (mini)
 0.027": GC2711.75 & MGC2711.75 (mini)



- 2. Downpipe: 2" x 3" & 3" x 4"**
 2" x 3" 0.019": 2X3DP
 3" x 4" 0.019": 3X4DP
 3" x 4" 0.024": 3X4DP024




- 3. A & B Elbow: 2" x 3" & 3" x 4"**
 2" x 3" 0.019": 2X3AE & 2X3BE
 3" x 4" 0.019": 3X4AE20 & 3X4BE18




- 4. Left & Right End Caps: 5" & 6"**
 5" 0.019": 5REC & 5LEC
 6" 0.019": 6REC & 6LEC



- 5. Brick Ledge Jumper**
 2X3X2BLJ, 2X3X4BLJ & 2X3X6BLJ



- 6. Box Mitre: 5" & 6"**
 5" 0.019": 5IBM & 5OBM
 6" 0.019": 6IBM & 6OBM



1. GUTTER COIL

Used to form custom gutter systems.

2. DOWNPIPE

Vertical pipe that runs down the length of the house, carrying rainwater from the gutter to the ground or drain.

3. ELBOW

A pre-finished angled piece for directing the flow of water. Available in A/B styles.

4. END CAP

The fitting or flat piece located at the end of a gutter section to closes off that section.

5. BRICK LEDGE JUMPER

Connected to a downpipe to transition over a ledge. Available in A/B styles.

6. BOX MITRE

Use to connect two gutters at a corner.

7. PIPE CLIP

Install on the house and use to secure downspouts.

8. SLIP JOINT CONNECTOR


What this product is used for and/or where it's used goes here.

9. OUTLET


A hole that the water from the gutters travels through to the downspout.

SPRAY PAINT


Use to paint or match gutter components to other QE System colors.




7. Pipe Clip: 3" & 4"
3PCLIP & 4PCLIP25




8. Slip Joint Connector
SJCW




9. 2"x3" & 3"x4" Outlet
2X3OUTLET 3X4OUTLET




5" Wrap Hanger
5WRAPHANGER




T-Strap
TSTRAP



Hidden Hanger with & without screws
No screws: 5HH500, 6HH350
With screws: 5HH500S, 6HH300S



Strip Mitre: 5" & 6"
5" 0.019": 5ISM & 5OSM
6" 0.019": 6ISM & 6OSM
45° Bay 0.019": 5BAYISM & 5BAYOSM



Diamond Pipe Band
PB



Funnel
2X3FUNW & 3X4FUNW



Spray Paint
P16



1 1/2" Zinc Zip Screws
1.5ZIPSM



1/2" Painted Zip Screws
1/2ZIPS

The Appendix

Plank 8 ft HD3 Woodgrain	5PS8HD3	Steel	0.020"	8 ft	Kynar 500 CarbonTech90	½ square 15 pc	30 carton	8 pallet
Plank 12 ft Solid	5PS12	Steel	0.020"	12 ft	Kynar CarbonTech90	½ square 10 pc	30 carton	8 pallet

Vented Plank Soffit <i>New!</i>	5PS8HD3V	Steel	0.020"	8 ft	Kynar 500 CarbonTech90	15 pc	30 carton	8 pallet
6" Fascia <i>New!</i>	6FSSP 6FSSPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	6 pc	30 carton	8 pallet
8" Fascia <i>New!</i>	8FSSP 8FSSPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	6 pc	24 carton	8 pallet
Large Outside Corner Post <i>New!</i>	OCPVS OCPVSHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	20 carton	8 pallet
Outside Corner Post	OCPSP OCPSPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	20 carton	8 pallet
Inside Corner Post	ICBPS ICBHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	20 carton	8 pallet
Drip Cap	DCP DCPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	15 carton	8 pallet
L-Flashing	L58S L58SHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	25 pc	40 carton	8 pallet
Brick Ledge Flashing	BLFP BLFPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	40 carton	8 pallet
H-Channel	5HCP 5HCPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pcs	15 carton	8 pallet
Starter Trim	PSS PSSHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	40 carton	8 pallet
J-Channel	J5P J5PHD3	Steel	0.016"	12 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	25 pc	40 carton	8 pallet
Support Trim	PST	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 pc	15 carton	8 pallet
Utility Trim	UTS UTSHD3	Steel	0.016"	12 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	25 pc	40 carton	8 pallet
14.77" x 30 ft Trim Coil	T1430SM T1430SMHD3	Steel	0.016"	30 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	1 roll	32 carton	26 pallet
Touch-Up Paint	BRUSH BRUSHHD3	Steel	-	-	-	1 pcs	-	-
Saw Blade	7.25SSB	Steel	-	-	-	1 pcs	-	-

TRUCEDAR® | STEEL SIDING PROFILES | P 21

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
Double 4"	D4S D4SHD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	12 pc	32 carton	8 pallet
Single 6"	S6S S6SHD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	8 pc	30 carton	8 pallet
Single 6" Foam Backed	S6FBS S6FBSD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	8 pc	30 carton	8 pallet
Single 6" Dutch Lap	S6DLS S6DLSHD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	8 pc	30 carton	8 pallet
Single 6" Dutch Lap Foam Backed	S6DLFBS S6DLFBSHD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	8 pc	30 carton	8 pallet
Single 8"	S8S S8SHD2	Steel	0.016"	12 ft 6 ½"	Kynar CarbonTech60	12 pc	30 carton	8 pallet
6" Board & Batten	6BBS 6BBSHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	30 carton	8 pallet
10" Board & Batten	10BBS 10BBSHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	6 pc	30 carton	8 pallet
9.075" Seamless Siding	SSC9.075 SSC9.075HD2	Steel	0.016"	500 lb/roll	Kynar CarbonTech60	1 roll	1 carton	55 pallet
10.77" Seamless Siding	SSC10.77 SSC10.77HD2	Steel	0.016"	700 lb/roll	Kynar CarbonTech60	1 roll	1 carton	55 pallet
13.25" Seamless Siding	SSC13.25 SSC13.25HD2	Steel	0.016"	700 lb/roll	Kynar CarbonTech60	1 roll	1 carton	55 pallet
14.77" Seamless Siding	SSC14.77 SSC14.77HD2	Steel	0.016"	700 lb/roll	Kynar CarbonTech60	1 roll	1 carton	55 pallet

TRUCEDAR® | STEEL SIDING ACCESSORIES | P 45

6" TruCedar Fascia	6FSS 6FSSHD2	Steel	0.016"	12 ft	Kynar CarbonTech60	10 pc	30 carton	8 pallet
8" TruCedar Fascia	8FSS 8FSSHD2	Steel	0.016"	12 ft	Kynar CarbonTech60	10 pc	30 carton	8 pallet
Brick Ledge Flashing	BLF BLFHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	40 carton	8 pallet
(0.75") ¾" J-Channel	J75S J75SHD2	Steel	0.016"	12 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
1" J-Channel	J1S J1SHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
(0.625") 5/8" L-Channel (Not Embossed)	L58S L58SHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
(0.625") 5/8" Undersill (Not Embossed)	UTS UTSHD2	Steel	0.016"	12 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
1-Piece Inside Corner Block	ICB ICBHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	15 carton	8 pallet
1-Piece Outside Corner Post	OCPS OCPSHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	15 carton	8 pallet
2-Piece Outside Corner Post Cap	OCPS2P OCPS2PHD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	15 carton	8 pallet
Batten Trim (Used for Board & Batten)	BT10 BT10HD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	30 carton	8 pallet
Z-Flashing (Used for Board & Batten)	BBZT10 BBZT10HD2	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	40 carton	8 pallet
14.77" x 30 ft Trim Coil (TruCedar Embossed)	T1430S T1430SHD2	Steel	0.016"	30 ft	Kynar CarbonTech60	1 roll	32 carton	26 pallet
3" Starter Strip	3SSGAL	Steel	0.0155"	10 ft	Mill	25 pc	72 carton	10 pallet
4" Starter Strip	4SSGAL	Steel	0.0155"	10 ft	Mill	20 pc	63 carton	10 pallet
Touch-Up Paint	BRUSH BRUSHHD2	Steel	-		PVDF	1 pc	-	-
Saw Blade	7.25SSB	Steel	-		Carbide Tipped Blade	1 pc	-	-

TRUCEDAR® | SHAKE SIDEWALL | P 47

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
Shake Sidewall (3 course panel)	SHK	Steel	0.016"	47.5" W x 22.125" H	HD3 Woodgrain: Kynar 500 CarbonTech90	½ square 8 pieces	40 carton	22 pallets

TRUCEDAR® | SHAKE SIDEWALL ACCESSORIES | P 51

1-Piece Outside Corner Post	OCPSSHK	Steel	0.016"	10 ft	Kynar CarbonTech60	10 pc	15 carton	8 pallet
(0.625") 5/8" Undersill (Not Embossed)	UTSSHK	Steel	0.016"	12 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
(0.75") ¾" J-Channel	J75SSHK	Steel	0.016"	12 ft	Kynar CarbonTech60	25 pc	40 carton	8 pallet
24" x 25 ft Trim Coil (TruCedar Embossed)	T25GSHK	Steel	0.016"	25 ft	Kynar CarbonTech60	1 pc	48 carton	-
4" Shake Starter Strip	4SHKSSGAL	Steel	0.0155"	10 ft	Mill	10 pc	63 carton	10 pallet
Retention Clip	MRC1.25G50 MRC1.25BLK50	Steel	0.025"	-	-	50 pcs		
(1.25") 1 ¼" Mill Screw	MRS1.25MILL250	-	-	-	Mill	250 pc	-	-

SIDING & TRIM ACCESSORIES | WINDOW & DOOR TRIM | P 61

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
3" Brick Mold	BK10	Aluminum	0.024"	10 ft	Q800 TuffTech	7 pc	25 carton	10 pallet
3" Flat Casing	FC10	Aluminum	0.024"	10 ft	Q800 TuffTech	7 pc	25 carton	10 pallet
Anderson Brick	AB	Aluminum	0.019"	10 ft	Q800 TuffTech	20 pc	48 carton	10 pallet

SIDING & TRIM ACCESSORIES | DRIP CAP | P 63

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
(0.3125") 5/16" Drip Cap	ADC.3125	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(0.375") 3/8" Drip Cap	ADC.375	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.375	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(0.4375") 7/16" Drip Cap	ADC.4375	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.4375	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(0.5") ½" Drip Cap	ADC.5	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.5	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet

SIDING & TRIM ACCESSORIES | DRIP CAP CONTINUED | P 63

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
(0.625") 5/8" Drip Cap	ADC.625	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.625	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	ADCBLD.625	Aluminum	0.011"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(0.75") ¾" Drip Cap	ADC.75	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.75	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(0.875") 7/8" Drip Cap	ADC.875	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G.875	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	ADCBLD.875	Aluminum	0.011"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
1" Drip Cap	ADC1.0	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.125") 1 1/8" Drip Cap	ADC1.125	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.125	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.25") 1 ¼" Drip Cap	ADC1.25	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.25	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	ADCBLD1.25	Aluminum	0.011"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.3125") 1 5/16" Drip Cap	ADC1.3125	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.375") 1 3/8" Drip Cap	ADC1.375	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.375	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.5") 1 ½" Drip Cap	ADC1.5	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.5	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.625") 1 5/8" Drip Cap	ADC1.625	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.625	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(1.75") 1 ¾" Drip Cap	ADC1.75	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G1.75	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
2" Drip Cap	ADC2	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
	SDC28G2	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
(2.5") 2 ½" Drip Cap	SDC28G2.5	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet
3" Drip Cap	SDC28G3	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	72 carton	10 pallet

SIDING & TRIM ACCESSORIES | SPECIALTY FLASHINGS | P 65

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
Z-Flashing	JHZF.375	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	JHZF1.0625	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	JHZF1.375	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
Roof-To-Wall Flashing	JHDRWHAR	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	10 pc	40 carton	10 pallet
	JHSRWHAR	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	10 pc	40 carton	10 pallet

SIDING & TRIM ACCESSORIES | H-MOLD | P 67

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
5" H-Mold	5HM3SM (Smooth)	Aluminum	0.019"	5 inches	Q800 TuffTech 360 Gray Primer	100 pc (4 bags of 25)	100 carton	-
	5HM3WG (Woodgrain)	Aluminum	0.019"	5 inches	Q800 TuffTech 360 Gray Primer	100 pc (4 bags of 25)	100 carton	-
6" H-Mold	6HM3SM (Smooth)	Aluminum	0.019"	6 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
	6HM3WG (Woodgrain)	Aluminum	0.019"	6 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
7" H-Mold	7HM3SM (Smooth)	Aluminum	0.019"	7 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
	7HM3WG (Woodgrain)	Aluminum	0.019"	7 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
8" H-Mold	8HM3SM (Smooth)	Aluminum	0.019"	8 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
	8HM3WG (Woodgrain)	Aluminum	0.019"	8 inches	Q800 TuffTech Mill	100 pc (4 bags of 25)	100 carton	-
11" H-Mold	11HM3SM (Smooth)	Aluminum	0.019"	11 inches	Q800 TuffTech Mill	100 pc	100 carton	-
	11HM3WG (Woodgrain)	Aluminum	0.019"	11 inches	Q800 TuffTech Mill	100 pc	100 carton	-

SIDING & TRIM ACCESSORIES | UTILITY TRIM & MOLDING | P 69

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
Utility Trim	UT10	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	48 carton	10 pallet
Utility Molding	UM10	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	48 carton	10 pallet

SIDING & TRIM ACCESSORIES | STARTER STRIP | P 71

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
Nail Lite Starter Strip	NLS	Aluminum	0.019"	10 ft	Galvanized (G40+)	50 pc	48 carton	10 pallet
TruShake Starter Strip	TSSGAL	Steel	0.0155"	10 ft	Galvanized (G40+)	25 pc	72 carton	10 pallet
4" Thermal Wall Starter Strip	4GALINSSS	Steel	0.0155"	10 ft	Galvanized (G40+)	25 pc	48 carton	10 pallet
Shake Starter Strip	SSS	Steel	0.0155"	10 ft	Galvanized (G40+)	10 pc	72 carton	10 pallet
J Starter Strip	SSJ	Steel	0.0155"	10 ft	Galvanized (G40+)	10 pc	72 carton	10 pallet
Rigid Stack Starter Strip	RSS	Steel	0.013"	10 ft	Galvanized (G40+)	50 pc	48 carton	10 pallet
Profoam Starter Strip	4GALPFISS	Steel	0.0155"	10 ft	Galvanized (G40+)	20 pc	48 carton	10 pallet
CedarMax Starter Strip	CMAXSS	Steel	0.0155"	10 ft	Galvanized (G40+)	25 pc	63 carton	10 pallet
3" Starter Strip	SSA	Aluminum	0.019"	10 ft	Galvanized (G40+)	50 pc	48 carton	10 pallet
	3SSGAL	Steel	0.0155"	10 ft	Galvanized (G40+)	25 pc	63 carton	10 pallet
3.5" Starter Strip	3.5SSA	Aluminum	0.019"	10 ft	Galvanized (G40+)	50 pc	48 carton	10 pallet
	3.5SSGAL	Steel	0.0155"	10 ft	Galvanized (G40+)	25 pc	63 carton	10 pallet
4" Starter Strip	4SSGAL	Steel	0.0155"	10 ft	Galvanized (G40+)	20 pc	63 carton	10 pallet
6" Starter Strip	6SSGAL	Steel	0.0155"	10 ft	Galvanized (G40+)	20 pc	48 carton	10 pallet

SIDING & TRIM ACCESSORIES | WINDOW FLASHING/TAPE | P 73

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
TruWrap Window Flashing 4" wide x 100' long	WF4X100	Tape	-	100 ft	-	1 roll	30 carton	-

SIDING & TRIM ACCESSORIES | ACCESSORIES | P 73

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
(1.25") 1 ¼" Trim Nails	NSS	Steel	-	-	-	1 lb box	-	-
	N	Aluminum	-	-	-	1 lb box	-	-
12 oz. Spray Paint	P16	-	-	-	-	12 pc (can sell individually)	-	-

ROOFING ACCESSORIES | T-STYLE DRIP EDGE | P 87 (FOLDOUT) & 93

DESCRIPTION	SKU		MATERIAL	THICKNESS	LENGTH	COATING	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Infinity Drip Edge Flange: 3.32"	IDE	-	Aluminum	0.019"	10 ft	Q800 TuffTech	25 pc	40 carton	10 pallet
	IDE28G	-	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	New! IDE30G	-	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
1" T-Style Drip Edge Flange: (2.5") 2 ½"	1T	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	36 carton	10 pallet
	1TNNE	Non-notched	Aluminum	0.011"	10 ft	Q800 TuffTech	50 pc	30 carton	10 pallet
1" T-Style Drip Edge Flange: (2.75") 2 ¾"	1TTPGAL	Pre-notched	Steel	0.016"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
	S1T28G	Pre-notched	Steel	0.013"	10 ft	Q800 TuffTech	25 pc	42 carton	10 pallet
	1TNN_G	Non-notched	Steel	0.010"	10 ft	Q800 TuffTech	25 pc	42 carton	10 pallet
(1.25") 1 ¼" T-Style Drip Edge Flange: (2.5") 2 ½"	S1.25T28G	Pre-notched	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
(1.5") 1 ½" T-Style Drip Edge Flange: (2.5") 2 ½"	1.5TNN_G	Non-notched	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
	1.5TNNE	Non-notched	Aluminum	0.011"	10 ft	Q800 TuffTech	50 pc	30 carton	10 pallet
	S1.5T28G	Pre-notched	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
	1.5T016	Pre-notched	Aluminum	0.016"	10 ft	Q800 TuffTech	50 pc	30 carton	10 pallet
	1.5TTPGAL	Pre-notched	Steel	0.016"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
	1.5T	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	50 pc	30 carton	10 pallet
	1.5TNN	Non-notched	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	50 pc	30 carton	10 pallet
	1.5TNGAL_019	Pre-notched	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	42 carton	10 pallet
	1.5TCOP	Non-notched	Copper	16 oz	10 ft	Bare	1 pc	1 carton	-
	1.5T12	Pre-notched	Aluminum	0.019"	12 ft	Q800 TuffTech Mill	25 pc	30 carton	10 pallet
(1.5") 1 ½" T-Style Drip Edge Flange: 3.125"	S1.5TEL28G	Pre-notched	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	42 carton	10 pallet
(1.5") 1 ½" T-Style Drip Edge Flange: 3.5"	1.5XT	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	50 pc	30 carton	10 pallet
(1.5") 1 ½" T-Style Drip Edge Flange: 5"	1.5XXTA	Non-notched	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	25 pc	15 carton	10 pallet
(1.75") 1 ¾" T-Style Drip Edge Flange: (2.25") 2 ¼"	1.75TTPGAL	Pre-notched	Steel	0.016"	10 ft	Q800 TuffTech	25 pc	42 carton	10 pallet
(1.75") 1 ¾" T-Style Drip Edge Flange: 2.38"	1.75T10	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	20 pc	42 carton	10 pallet
	1.75T12	Pre-notched	Aluminum	0.019"	12 ft	Q800 TuffTech Mill	20 pc	48 carton	8 pallet
(1.75") 1 ¾" T-Style Drip Edge Flange: (2.75") 2 ¾"	1.75T10	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech	20 pc	42 carton	10 pallet
	1.75T12	Pre-notched	Aluminum	0.019"	12 ft	Q800 TuffTech	20 pc	42 carton	8 pallet
2" T-Style Drip Edge Flange: 2.125"	2TTPGAL	Pre-notched	Steel	0.016"	10 ft	Q800 TuffTech	20 pc	42 carton	10 pallet
2" T-Style Drip Edge Flange: 2.25"	2T	Pre-notched	Aluminum	0.019"	10 ft	Q800 TuffTech	40 pc	30 carton	8 pallet
	2T12	Pre-notched	Aluminum	0.019"	12 ft	Q800 TuffTech	20 pc	30 carton	8 pallet
2" T-Style Drip Edge Flange: (2.5") 2 ½"	S2T28G	Pre-notched	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	35 carton	10 pallet

ROOFING ACCESSORIES | F8, SIDERS EDGE, C-STYLE DRIP EDGE & ASPHALT DRIP EDGE | P 88 (FOLDOUT) & 99-102

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
F8 Drip Edge Flange: 6"	F8	Aluminum	0.019"	10 ft	Q800 TuffTech	25 pc	40 carton	10 pallet
	SF828G	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
Siders Edge Flange: 1"	SE	Aluminum	0.019"	10 ft	Q800 TuffTech	25 pc	72 carton	10 pallet
1" C-Style Drip Edge Flange: (2.75") 2 3/4"	IC	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	36 carton	10 pallet
(1.5") 1 1/2" C-Style Drip Edge Flange: (2.75") 2 3/4"	1.5C	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	30 carton	10 pallet
2" C-Style Drip Edge Flange: 3"	2C	Aluminum	0.019"	10 ft	Q800 TuffTech	40 pc	30 carton	10 pallet
1" Asphalt Drip Edge Flange: (1.75") 1 3/4"	1ADGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	1ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech	25 pc	40 carton	10 pallet
	S1AD28G	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	1AD30	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	80 bundles	-
(1.5") 1 1/2" Asphalt Drip Edge Flange: (1.25") 1 1/4"	1.5AD30_G	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	80 bundles	-
	1.5AD30WG_G (woodgrain)	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	80 bundles	-
(1.5") 1 1/2" Asphalt Drip Edge Flange: (1.5") 1 1/2"	1.5AD	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	40 carton	10 pallet
	S1.5AD28G	Steel	0.013"	12 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
(1.5") 1 1/2" Asphalt Drip Edge Flange: (2.5") 2 1/2"	1.5ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
2" Asphalt Drip Edge Flange: (1.875") 1 7/8"	2ADGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
	S2AD28G	Steel	0.013"	10 ft	Q800 TuffTech	25 pc	40 carton	10 pallet
	2AD30_G	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	50 carton	10 pallet
	2AD30WG_G (woodgrain)	Steel	0.010"	10 ft	Q800 TuffTech Mill	25 pc	50 carton	10 pallet
2" Asphalt Drip Edge Flange: (2.5") 2 1/2"	2AD	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	40 carton	10 pallet
2" x 3" Asphalt Drip Edge Flange: 3"	2X3ADGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	10 pc	40 carton	10 pallet
	2X3ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	10 pc	40 carton	10 pallet
2" x 4" Asphalt Drip Edge Flange: 4"	2X4ADGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
	2X4ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
(2.75") 2 3/4" Asphalt Drip Edge Flange: (2.25") 2 1/4"	S2.75AD28G	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
3" Asphalt Drip Edge Flange: 3"	3AD	Aluminum	0.024"	10 ft	Q800 TuffTech	25 pc	35 carton	10 pallet
	3AD_G	Steel	0.019"	10 ft	Kynar	25 pc	35 carton	10 pallet
3" x 3" Asphalt Drip Edge Flange: 3"	3X3ADGALP019	Steel	0.019"	10 ft	Q800 TuffTech	10 pc	40 carton	10 pallet
	3X3ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech	15 pc	40 carton	10 pallet
4" Asphalt Drip Edge Flange: 3"	4AD	Aluminum	0.024"	10 ft	Q800 TuffTech	25 pc	36 carton	10 pallet
4" x 3" Asphalt Drip Edge Flange: 3"	4X3ADTPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
5" x 4" Asphalt Drip Edge Flange: 4"	5X4ADGALP019	Steel	0.019"	10 ft	Mill	10 pc	40 carton	10 pallet

ROOFING ACCESSORIES | GRAVEL STOP & GUTTER APRON | P 90 (FOLDOUT) & 103-104

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
(2.5") 2 ½" Gravel Stop	2.5GSGALP019	Steel	0.019"	10 ft	Mill	10 pc	40 carton	10 pallet
3" Gravel Stop	3GS_G	Steel	0.019"	10 ft	Kynar	10 pc	40 carton	10 pallet
	3GSGALP019	Steel	0.013"	10 ft	Paintable	10 pc	40 carton	10 pallet
	S3GS28G	Steel	0.013"	10 ft	Mill	10 pc	40 carton	10 pallet
5" Gravel Stop	5GS_G	Steel	0.019"	10 ft	Kynar	10 pc	40 carton	10 pallet
	5GSGALP019	Steel	0.019"	10 ft	Mill	10 pc	40 carton	10 pallet
7" Gravel Stop	7GS	Aluminum	0.024"	10 ft	Q800 TuffTech	15 pc	40 carton	10 pallet
8" Gravel Stop	8GS	Aluminum	0.024"	10 ft	Q800 TuffTech	15 pc	40 carton	10 pallet
(1.5") 1 ½" Gutter Apron Flange: (2.75") 2 ¾"	1.5GA	Aluminum	0.019"	10 ft	Q800 TuffTech	50 pc	40 carton	10 pallet
	1.5GATPGAL	Steel	0.016"	10 ft	Q800 TuffTech	25 pc	40 carton	10 pallet
2" Gutter Apron Flange: (2.75") 2 ¾"	2GA	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	50 pc	40 carton	10 pallet
	2GAE	Aluminum	0.011"	10 ft	Q800 TuffTech	50 pc	40 carton	10 pallet
2" Gutter Apron Flange: (2.5") 2 ½"	2GA016	Aluminum	0.016"	10 ft	Q800 TuffTech	50 pc	40 carton	10 pallet
2" Gutter Apron Flange: (2.625") 2 5/8"	2GAGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
	2GATPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
	S2GA28G	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	40 carton	10 pallet
(2.5") 2 ½" Gutter Apron Flange: (3.25") 3 ¼"	2.5GAX	Aluminum	0.019"	10 ft	Q800 TuffTech	25 pc	42 carton	10 pallet
2" x 4" Gutter Apron Flange: (3.75") 3 ¾"	2X4GA120GAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet
	2X4GA120TPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	15 pc	40 carton	10 pallet

ROOFING ACCESSORIES | STEP FLASHING | P 108 (FOLDOUT) & 113

DESCRIPTION	SKU	MATERIAL	THICKNESS	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
5" x 7" Flat Step Flashing	S28G5X7SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	100 carton	26 pallet
	5X7SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
6" x 8" Flat Step Flashing	S28G6X8SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	100 carton	26 pallet
7" x 7" Flat Step Flashing	S28G7X7SF	Steel	0.013"	Mill	100 pc	100 carton	26 pallet
	7X7SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
7" x 8" Flat Step Flashing	S28G7X8SF	Steel	0.013"	Mill	100 pc	100 carton	26 pallet
8" x 8" Flat Step Flashing	S28G8X8SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	100 carton	26 pallet
	8X8SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
8" x 14" Flat Step Flashing	S28G8X14SF	Steel	0.013"	Q800 TuffTech Mill	50 pc	100 carton	26 pallet
2.5"x2.5"x7" Prebent Step Flashing	S28G2.5X2.5X7SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	100 carton	26 pallet
	2.5X2.5X7SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
	2.5X2.5X7SFCOP	Copper	16 oz	Mill	100 pc	50 carton	26 pallet
2.5"x2.5"x7.625" Prebent Step Flashing	2.5X2.5X7.625SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	75 carton	26 pallet
2"x3"x7" Prebent Step Flashing	S28G2X3X7SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	75 carton	26 pallet
	2X3X7SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
2"x4"x8" Prebent Step Flashing	S28G2X4X8SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	75 carton	26 pallet
	2X4X8SF	Aluminum	0.011"	Mill	300 pc	100 carton	26 pallet
3"x4"x7" Prebent Step Flashing	S28G3X4X7SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	75 carton	26 pallet
	3X4X7SF	Aluminum	0.011"	Q800 TuffTech Mill	300 pc	100 carton	26 pallet
3"x4"x7.625" Prebent Step Flashing	3X4X7.625SF	Aluminum	0.011"	Q800 TuffTech Mill	300 pc	75 carton	26 pallet
3"x4"x9" Prebent Step Flashing	3X4X9SF	Aluminum	0.011"	Q800 TuffTech Mill	300 pc	100 carton	26 pallet
3"x5"x8" Prebent Step Flashing	3X5X8SF	Aluminum	0.011"	Q800 TuffTech	300 pc	100 carton	26 pallet
3.5"x3.5"x7" Prebent Step Flashing	3.5X3.5X7SF	Aluminum	0.011"	Q800 TuffTech Mill	300 pc	100 carton	26 pallet
3.5"x3.5"x8" Prebent Step Flashing	3.5X3.5X8SF	Aluminum	0.011"	Q800 TuffTech	300 pc	100 carton	26 pallet
4"x4"x8" Prebent Step Flashing	4X4X8SF30M90	Steel	0.010"	Mill	100 pc	100 bundles	-
	S28G4X4X8SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	75 carton	26 pallet
	4X4X8SF	Aluminum	0.011"	Q800 TuffTech Mill	300 pc	100 carton	26 pallet

DESCRIPTION	SKU	MATERIAL	THICKNESS	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
4"x4"x12" Prebent Step Flashing	S28G4X4X12SF	Steel	0.013"	Mill	100 pc	75 carton	26 pallet
	4X4X12SF	Aluminum	0.011"	Q800 TuffTech	100 pc	100 carton	26 pallet
5"x5"x7" Prebent Step Flashing	5X5X7SF	Aluminum	0.011"	Q800 TuffTech Mill	500 pc	100 carton	26 pallet
5"x5"x8" Prebent Step Flashing	S28G5X5X8SF	Steel	0.013"	Q800 TuffTech Mill	100 pc	75 carton	26 pallet
	5X5X8SF	Aluminum	0.011"	Q800 TuffTech Mill	100 pc	100 carton	26 pallet
6"x6"x10" Prebent Step Flashing	6X6X10SF30M	Steel	0.010"	Mill	100 pc	100 carton	26 pallet

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
3"x3" Base/Roof Flashing	ABF3X3	Aluminum	0.019"	10 ft	Q800 TuffTech	25 pc	20 carton	10 pallet
	BF3X3	Steel	0.015"	10 ft	Q800 TuffTech	25 pc	20 carton	10 pallet
4"x2" Base/Roof Flashing	BF4X2	Steel	0.015"	10 ft	Q800 TuffTech Mill	25 pc	20 carton	10 pallet

4"x4" - 120 degree Porch Flashing	S28GPF4X4_120	Steel	0.013"	10 ft	Q800 TuffTech	10 pc	30 carton	10 pallet
4"x5" - 90 degree Porch Flashing	S28GPF4X5	Steel	0.013"	10 ft	Mill	10 pc	30 carton	10 pallet
	PF4X526GAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	10 pallet
	PF4X524GAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	25 pc	20 carton	10 pallet
4"x5" - 120 degree Porch Flashing	PF	Aluminum	0.019"	10 ft	Q800 TuffTech Mill	30 pc	30 carton	10 pallet
	S28GPF4X5M 120	Steel	0.013"	10 ft	Mill	10 pc	30 carton	10 pallet
	PF4X526GALM 120	Steel	0.016"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	10 pallet

Dormer Flashing	DORMFTPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	10 pc	20 carton	10 pallet
------------------------	------------	-------	--------	-------	-----------------------	-------	-----------	-----------

Deck Flashing	DFGALP019	Steel	0.019"	10 ft	Q800 TuffTech Mill	10 pc	20 carton	10 pallet
----------------------	-----------	-------	--------	-------	-----------------------	-------	-----------	-----------

Reglet	REG4.25TPGAL	Steel	0.016"	10 ft	Q800 TuffTech Mill	15 pc	30 carton	10 pallet
	REG4.25TPGAL_019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	30 carton	10 pallet
Reglet with Return	REG4.25TPGAL_/R	Steel	0.016"	10 ft	Q800 TuffTech Mill	15 pc	30 carton	10 pallet
	REG4.25TPGAL_R019	Steel	0.019"	10 ft	Q800 TuffTech Mill	15 pc	30 carton	10 pallet

ROOFING ACCESSORIES | ANGLE FLASHING, SEAMLESS STARTER & ROLL FLASHING | P 108 (FOLDOUT) & 110

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	PIECES/CARTON	CARTON/PALLET	PALLET/TRUCK
3"x3" Angle Flashing 90 degree	AF28G3X3	Steel	0.013"	10 ft	Q800 TuffTech Mill	25 pc	15 carton	
3"x5" Angle Flashing 180 degree	AF28G3X5WL180	Steel	0.013"	10 ft	Q800 TuffTech Mill	10 pc	15 carton	
4"x4" Angle Flashing 180 degree 90 degree 180 degree 135 degree, open hem	AF26G4X4WL180	Steel	0.016"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	
	AF28G4X4	Steel	0.013"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	
	AF28G4X4WL180	Steel	0.013"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	
	AF28G4X4WL135	Steel	0.013"	10 ft	Q800 TuffTech Mill	10 pc	30 carton	
6"x6" Angle Flashing 90 degree 90 degree	AF28G6X6	Steel	0.013"	10 ft	Mill	10 pc	30 carton	
	AF26G6X6	Steel	0.016"	10 ft	Mill	10 pc	30 carton	
7.2"x33.5" Seamless Starter	SHS	Stone & Glue	-	33.5 ft	-	8 pc	27 carton	28 pallet
8" Roll Flashing	ARF8X25 ARF8X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
	SRF8X25 SRF8X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
10" Roll Flashing	ARF10X25 ARF10X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
	SRF10X25 SRF10X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
12" Roll Flashing	ARF12X25 ARF12X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
	SRF12X25 SRF12X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	50 carton	26 pallet
14" Roll Flashing	ARF14X25 ARF14X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
	SRF14X25 SRF14X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
16" Roll Flashing	ARF16X25 ARF16X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
	SRF16X25 SRF16X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
18" Roll Flashing	ARF18X25 ARF18X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
	SRF18X25 SRF18X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
20" Roll Flashing	ARF20X25 ARF20X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
	SRF20X25 SRF20X50	Steel	0.013"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
20" Roll Flashing - Professional Grade	SRF20X50M016	Aluminum	0.016"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
24" Roll Flashing	ARF24X25 ARF24X50	Aluminum	0.011"	25 ft 50 ft	Q800 TuffTech Mill	1 roll	25 carton	54 pallet
	SRF24X50M	Steel	0.013"	50 ft	Mill	1 roll	25 carton	54 pallet

DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	NOTES	PACKAGING
18" W-Valley	TV18	Steel	0.019"	10 ft	Q800 TuffTech	Waterlock: No Ribbed: Yes	250 pc
	TV18COP	Copper	16 oz	10 ft	Mill	Waterlock: No Ribbed: Yes	250 pc
	18WV28G_NR	Steel	0.013"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: No	250 pc
	18WV28G	Steel	0.013"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: Yes	250 pc
	18WV28G_WL	Steel	0.013"	10 ft	Q800 TuffTech Mill	Waterlock: Yes Ribbed: Yes	250 pc
20" W-Valley	20WV28G_NR	Steel	0.013"	10 ft	Q800 TuffTech	Waterlock: No Ribbed: No	250 pc
	20WV28G	Steel	0.013"	10 ft	Mill	Waterlock: No Ribbed: Yes	250 pc
	20WV28G_WL	Steel	0.013"	10 ft	Q800 TuffTech Mill	Waterlock: Yes Ribbed: Yes	250 pc
	20WV26G_NR	Steel	0.016"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: No	250 pc
	TV20	Steel	0.016"	10 ft	WeatherXL Mill	Waterlock: No Ribbed: Yes	250 pc
	20WV26G	Steel	0.016"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: Yes	250 pc
	20WV26G_WL	Steel	0.016"	10 ft	Mill	Waterlock: Yes Ribbed: Yes	250 pc
	20AWV_NRNH	Aluminum	0.019"	10 ft	Q800 TuffTech	Waterlock: No Ribbed: No	250 pc
24" W-Valley	24WV28G_NR	Steel	0.013"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: No	250 pc
	24WV28G	Steel	0.013"	10 ft	Q800 TuffTech	Waterlock: No Ribbed: Yes	250 pc
	24WV28G_WL	Steel	0.013"	10 ft	Q800 TuffTech	Waterlock: Yes Ribbed: Yes	250 pc
	TV24	Steel	0.016"	10 ft	Q800 TuffTech Mill	Waterlock: No Ribbed: Yes	250 pc
	TV24_WL	Steel	0.016"	10 ft	Q800 TuffTech	Waterlock: Yes Ribbed: Yes	250 pc
	24AWV	Aluminum	0.019"	10 ft	Q800 TuffTech	Waterlock: No Ribbed: No	250 pc

SOFFIT | FULL LINE | P 135

DESCRIPTION	DESCRIPTION	SKU	MATERIAL	THICKNESS	LENGTH	COATING	SQUARE/ CARTON	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
12" TruVent Hidden Vent Soffit	Full Vent	HVS	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	27 carton	8 pallet
	Solid	TBS3V	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
12" TruBead Soffit	Full Vent	TBS3V	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
	Solid	TBS3S	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
Vesta Plank Woodgrain Soffit <i>New!</i>	Full Vent	5PS8HD3V	Steel	0.020"	8 ft	Kynar 500®	52 Sq Ft	15 pc	30 carton	8 pallet
12" TruLine HP Soffit	Full Vent	SV	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
	Center Vent	CV	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
	Solid	S	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
16" TruLine HP Soffit	Full Vent	16V	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	12 pc	32 carton	8 pallet
	Center Vent	16SCV	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	12 pc	32 carton	8 pallet
	Solid	16SS	Aluminum	0.019"	12 ft	Q800 TuffTech	192 Sq	12 pc	32 carton	8 pallet
Double 5" TruLine HP Soffit	Full Vent	D5VS	Aluminum	0.019"	12 ft	Q800 TuffTech	200 Sq	20 pc	33 carton	8 pallet
	Solid	D5SS	Aluminum	0.019"	12 ft	Q800 TuffTech	200 Sq	20 pc	33 carton	8 pallet
Double 6" TruLine HP Soffit	Full Vent	D6VS	Aluminum	0.019"	12 ft	Q800 TuffTech	200 Sq	16 pc	33 carton	8 pallet
	Solid	D6SS	Aluminum	0.019"	12 ft	Q800 TuffTech	200 Sq	16 pc	33 carton	8 pallet
12" TruLine TS Soffit	Full Vent	SV_BLDR	Aluminum	0.016"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
	Center Vent	SCV_BLDR	Aluminum	0.016"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
	Solid	S_BLDR	Aluminum	0.016"	12 ft	Q800 TuffTech	192 Sq	16 pc	33 carton	8 pallet
16" TruLine TS Soffit	Center Vent	16SCV_BLDR	Aluminum	0.016"	12 ft	Q800 TuffTech	192 Sq	12 pc	32 carton	8 pallet
	Solid	16SS_BLDR	Aluminum	0.016"	12 ft	Q800 TuffTech	192 Sq	12 pc	32 carton	8 pallet
Porch Ceiling Double 5"	Solid	D5PC	Aluminum	0.024"	12 ft	Q800 TuffTech	200 Sq	20 pc	33 carton	8 pallet

DESCRIPTION		SKU	MATERIAL	THICKNESS	LENGTH	COATING	NOTES/ DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
TruCedar Fascia	6"	6FSS 6FSSHD2	Steel	0.016"	12 ft	Kynar	TruCedar Woodgrain	10 pc	30 carton	8 pallet
	8"	8FSS 8FSSHD2	Steel	0.016"	12 ft	Kynar	TruCedar Woodgrain	10 pc	30 carton	8 pallet
TruLine Fascia	6"	6FSWG	Steel	0.016"	12 ft	Q800 TuffTech	TruLine Woodgrain	10 pc	30 carton	8 pallet
	8"	8FSWG	Steel	0.016"	12 ft	Q800 TuffTech	TruLine Woodgrain	10 pc	30 carton	8 pallet
TruLine HP Fascia	4"	4F_SM	Aluminum	0.024"	12 ft	Q800 TuffTech	Smooth	25 pc	40 carton	8 pallet
		4F	Aluminum	0.024"	12 ft	Q800 TuffTech	Ribbed: 1	25 pc	40 carton	8 pallet
		4FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	40 carton	8 pallet
	(5.75") 5 ¾"	5.75F	Aluminum	0.024"	12 ft	Q800 TuffTech	Ribbed: 2	25 pc	30 carton	8 pallet
		5.75FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	30 carton	8 pallet
	6"	6F_SM	Aluminum	0.024"	12 ft	Q800 TuffTech	Smooth	25 pc	30 carton	8 pallet
		6F	Aluminum	0.024"	12 ft	Q800 TuffTech	Ribbed: 2	25 pc	30 carton	8 pallet
		6FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	30 carton	8 pallet
	(7.75") 7 ¾"	7.75FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	28 carton	8 pallet
	8"	8F_SM	Aluminum	0.024"	12 ft	Q800 TuffTech	Smooth	25 pc	28 carton	8 pallet
		8F	Aluminum	0.024"	12 ft	Q800 TuffTech	Ribbed: 3	25 pc	28 carton	8 pallet
		8FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	28 carton	8 pallet
	10"	10F	Aluminum	0.024"	12 ft	Q800 TuffTech	Ribbed: 4	25 pc	24 carton	8 pallet
		10FW	Aluminum	0.024"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	24 carton	8 pallet
TruLine TS Fascia	6"	6F_BLDR	Aluminum	0.019"	12 ft	Q800 TuffTech	Ribbed: 2	25 pc	30 carton	8 pallet
		6FW_BLDR	Aluminum	0.019"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	30 carton	8 pallet
	8"	8F_BLDR	Aluminum	0.019"	12 ft	Q800 TuffTech	Ribbed: 3	25 pc	28 carton	8 pallet
		8FW_BLDR	Aluminum	0.019"	12 ft	Q800 TuffTech	TruLine Woodgrain	25 pc	28 carton	8 pallet
Vesta Fascia <i>New!</i>	6"	6FSSP 6FSSPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	Includes Clip	6 pc	30 carton	8 pallet
	8"	8FSSP 8FSSPHD3	Steel	0.016"	10 ft	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	Includes Clip	6 pc	24 carton	8 pallet

DESIGNER ACCESSORIES | FULL LINE | P 181

DESCRIPTION		SKU	MATERIAL	THICKNESS	LENGTH	COATING	NOTES	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Cove Soffit Receiver		CVSR	Aluminum	0.019"	10 ft	Q800 TuffTech		10 pc	40 carton	10 pallet
Recessed Crown Molding		RCM	Aluminum	0.019"	10 ft	Q800 TuffTech		20 pc	40 carton	10 pallet
Mitre Divider	(0.375") 3/8"	MD	Aluminum	0.019"	10 ft	Q800 TuffTech		10 pc	48 carton	10 pallet
	(0.50") 1/2"	MD5	Aluminum	0.019"	10 ft	Q800 TuffTech	Use with TruVent Hidden Vent Soffit	10 pc	48 carton	10 pallet
F-Channel	(0.375") 3/8"	F	Aluminum	0.019"	12 ft	Q800 TuffTech		25 pc	50 carton	10 pallet
	(0.50") 1/2"	F5	Aluminum	0.019"	12 ft	Q800 TuffTech	Use with TruVent Hidden Vent Soffit	25 pc	50 carton	10 pallet
J-Channel	(0.375") 3/8"	J	Aluminum	0.019"	12 ft	Q800 TuffTech		25 pc	100 carton	8 pallet
	(0.375") 3/8"	PC38J	Aluminum	0.019"	10 ft	Q800 TuffTech	Use with Porch Ceiling	30 pc	40 carton	10 pallet
	(0.50") 1/2"	J5	Aluminum	0.019"	12 ft	Q800 TuffTech	Use with TruVent Hidden Vent Soffit	25 pc	100 carton	8 pallet
	(0.75") 3/4"	J75	Aluminum	0.019"	12 ft	Q800 TuffTech		30 pc	100 carton	8 pallet

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/ DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Economy	24" x 50 ft	T24BLD	Aluminum	0.016"	Q800 TuffTech		1 roll	48 carton	26 pallet
Basic	24" x 50 ft	TW/BK	Aluminum	0.018"	Q800 TuffTech		1 roll	48 carton	26 pallet
Q800 TuffTech	14" x 50 ft	I4TC	Aluminum	0.019"	Q800 TuffTech	Smooth	1 roll	48 carton	26 pallet
	14.53" x 50 ft	T14.53	Aluminum	0.019"	Q800 TuffTech	Smooth	1 roll	48 carton	26 pallet
		T14.53WG	Aluminum	0.019"	Q800 TuffTech	TruLine Woodgrain	1 roll	48 carton	26 pallet
	18" x 50 ft	I8TC	Aluminum	0.019"	Q800 TuffTech	Smooth	1 roll	48 carton	26 pallet
	24" x 50 ft	T24W	Aluminum	0.019"	Q800 TuffTech	TruLine Woodgrain	1 roll	48 carton	26 pallet
		T	Aluminum	0.019"	Q800 TuffTech	Smooth	1 roll	48 carton	26 pallet
Q800 TuffTech Xtra Strength	24" x 50 ft	TBW024	Aluminum	0.024"	Q800 TuffTech	Smooth	1 roll	18 carton	26 pallet
TruCoil PVC	24" x 50 ft	TPVC	Aluminum	0.019"	PVC	TruLine Woodgrain	1 roll	48 carton	26 pallet
No-Mar Q5000	24" x 50 ft	TNOMAR	Aluminum	0.019"	No-Mar Q5000	Pebble	1 roll	48 carton	26 pallet
IsoCoil	24" x 50 ft	TISO	Aluminum	0.025"	Top: Q800 TuffTech Backing: Corrosion- resistant Vinyl	Smooth	1 roll	48 carton	26 pallet
TruCedar	14.77" x 30 ft	T1430S T1430SHD2	Steel	0.016"	Kynar CarbonTech60 Corrosion- Resistant Barrier	TruCedar Woodgrain	1 roll	32 carton	26 pallet
TruCedar Shake	24" x 25 ft	T25GSHK	Steel	0.016"	HD3 Woodgrain: Kynar 500 CarbonTech90 Corrosion- Resistant Barrier	TruCedar Woodgrain	1 roll	48 carton	
Vesta	14.77" x 30 ft	T1430SM T1430SMHD3	Steel	0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90 Corrosion- Resistant Barrier	Smooth	1 roll	32 carton	26 pallet
Copper	18" x 25 ft	I8TCOP	Copper	16 oz	Bare	Smooth	1 roll	12 carton	26 pallet
	18" x 30 ft	I8TCOP30	Copper	16 oz	Bare	Smooth	1 roll	12 carton	26 pallet

UNDERDECKING | INSIDE OUT PANELS & ACCESSORIES | P 215

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Inside Out Underdecking Panels	10 ft	UDC10	Aluminum	0.024"	Q800 TuffTech		12 pc	20 carton	10 pallet
		UDC4PC10	Aluminum	0.024"	Q800 TuffTech		4 pc	20 carton	10 pallet
	12 ft	UDC12	Aluminum	0.024"	Q800 TuffTech		12 pc	20 carton	8 pallet
		UDC4PC12	Aluminum	0.024"	Q800 TuffTech		4 pc	20 carton	8 pallet
	14 ft	UDC14	Aluminum	0.024"	Q800 TuffTech		12 pc	20 carton	6 pallet
		UDC4PC14	Aluminum	0.024"	Q800 TuffTech		4 pc	20 carton	6 pallet
	16 ft	UDC16	Aluminum	0.024"	Q800 TuffTech		12 pc	20 carton	6 pallet
		UDC4PC16	Aluminum	0.024"	Q800 TuffTech		4 pc	20 carton	6 pallet
Panel Carrier	12 ft	SYMCARRIER20	Aluminum	0.024"	Q800 TuffTech		20 pc	30 carton	8 pallet
		SYMCARRIER4PC	Aluminum	0.024"	Q800 TuffTech		4 pc	30 carton	8 pallet
Perimeter G-Channel	10 ft	UDC4PCGC	Aluminum	0.024"	Q800 TuffTech		4 pc	35 carton	10 pallet
Side Cap	10 ft	UDC4PCSC	Aluminum	0.024"	Q800 TuffTech		4 pc	35 carton	10 pallet
Boxed Gutter Kit		GKIT	Aluminum	0.019"	Q800 TuffTech	Kit Contents: (2) 12 ft Gutter (1) 2" x 3" Down Pipe (2) 5" Left and Right End Caps (2) Pipe Bands (1) 2" x 3" "A" Style Elbow (1) 2" x 3" "B" Style Elbow (1) Slip Joint Connector (6) Hidden Hanger (1) 2" x 3" Outlet (25) 0.5" Zip Screws (1) Touch-Up Paint			
TruWrap Window Flashing	4" x 100 ft	WF4X100	Tape			Order by the roll.	1 roll	30 carton	
Carrier Screws		UDSCREW	Aluminum			Longer screws may be needed for extended length decks.	100 pc (1 carton covers 200 sq ft)		

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
TruGuard Gutter Protection Kit	13.5" x 5 ft panel with 5" clip & screws	GPP	Aluminum 16 oz Copper (available upon request)	0.024"	Kynar	Includes smart clips.	20 panels 50 clips	30 carton	10 pallet
	13.5" x 5 ft panel with 6" clip & screws	GPP6	Aluminum 16 oz Copper (available upon request)	0.024"	Kynar	Includes smart clips.	20 panels 50 clips	24 carton	10 pallet
TruGuard Gutter Panel	13.5" x 5 ft panel	GPPANEL	Aluminum 16 oz Copper (available upon request)	0.024"	Kynar		20 panels	30 carton	10 pallet
	15" x 5 ft panel	GP15P	Aluminum 16 oz Copper (available upon request)	0.024"	Kynar		20 panels	25 carton	10 pallet
TruGuard Clips	5"	5SCB	-	-	-	Includes screws pre-installed in bracket.	50 pc	80 carton	-
	6"	6SCB	-	-	-	Includes screws pre-installed in bracket.	50 pc	60 carton	-
18" High-Capacity Ported Panel		GPPHC18	Aluminum	0.024"	Kynar		10 pc	50 carton	10 pallet
Inside Corners		GPIC	Aluminum	0.024"	Kynar	Use at bottom of roof valleys.	10 pc	100 carton	-
Universal End Caps		GPU EC	Aluminum	0.024"	Kynar		10 pc	100 carton	-

GUTTER PROTECTION | GUTTER GEKKO & ACCESSORIES | P 229


DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Gutter Gekko Micro Mesh Panels	5" x 60"	GGKM5	Aluminum	0.024"	Mill	Install by mounting on fascia.	20 pc	-	-
	6" x 60"	GGKM6	Aluminum	0.024"	Mill	Install by mounting on fascia.	20 pc	-	-
Gutter Gekko Straight Mitre	5"	GGKM5SM	Aluminum	0.024"	Mill		5 pc	-	-
	6"	GGKM6SM	Aluminum	0.024"	Mill		5 pc	-	-
Gutter Gekko Inside Mitre	5"	GGKM5IM	Aluminum	0.024"	Mill		5 pc	-	-
	6"	GGKM6IM	Aluminum	0.024"	Mill		5 pc	-	-
Gutter Gekko Universal End Caps	5"	GGKM5EC	Aluminum	0.024"	Q800 TuffTech		Left & Right end caps: 20 pc	-	-
	6"	GGKM6EC	Aluminum	0.024"	Q800 TuffTech		Left & Right end caps: 20 pc	-	-
(0.5") ½" Painted Zip Screws		1/2ZIPS	Aluminum			Use with Gutter Gekko Gutter Protection systems	1,000 pc		

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	SIZE/ROLL	ROLLS/PALLET
(11.875") 11 7/8" Gutter Coil	Standard	GC32117/8	Aluminum	0.032"	Q800 TuffTech	300 lbs	3 rolls
	Mini	MGC32117/8	Aluminum	0.032"	Q800 TuffTech	150'	12 rolls
	Standard	GC27117/8	Aluminum	0.027"	Q800 TuffTech	300 lbs	3 rolls
	Mini	MGC27117/8	Aluminum	0.027"	Q800 TuffTech	150'	12 rolls
(11.75") 11 3/4" Gutter Coil	Standard	GC2711.75	Aluminum	0.027"	Q800 TuffTech	300 lbs	3 rolls
	Mini	MGC2711.75	Aluminum	0.027"	Q800 TuffTech	150'	12 rolls
15" Gutter Coil	Standard	GC3215	Aluminum	0.032"	Q800 TuffTech	300 lbs	2 rolls
	Mini	MGC3215	Aluminum	0.032"	Q800 TuffTech	150'	12 rolls

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/ DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Downpipe	2" x 3"	2X3DP	Aluminum	0.019"	Q800 TuffTech		10 pc	36 carton	10 pallet
	3" x 4"	3X4DP	Aluminum	0.019"	Q800 TuffTech		10 pc	25 carton	10 pallet
		3X4DP024	Aluminum	0.027"	Q800 TuffTech		10 pc	25 carton	10 pallet
Elbows	2" x 3"	2X3AE	Aluminum	0.019"	Q800 TuffTech	"A" style	30 pc	32 carton	26 pallet
		2X3BE	Aluminum	0.019"	Q800 TuffTech	"B" style	30 pc	32 carton	26 pallet
	3" x 4"	3X4AE20	Aluminum	0.019"	Q800 TuffTech	"A" style	20 pc	32 carton	26 pallet
		3X4BE18	Aluminum	0.019"	Q800 TuffTech	"B" style	18 pc	32 carton	26 pallet
End Caps	5"	5REC	Aluminum	0.019"	Q800 TuffTech	Right	50 pc	100 carton	26 pallet
		5LEC	Aluminum	0.019"	Q800 TuffTech	Left	50 pc	100 carton	26 pallet
	6"	6REC	Aluminum	0.019"	Q800 TuffTech	Right	50 pc	100 carton	26 pallet
		6LEC	Aluminum	0.019"	Q800 TuffTech	Left	50 pc	100 carton	26 pallet
Box Mitre	5"	5IBM	Aluminum	0.019"	Q800 TuffTech	Inside	20 pc	42 carton	26 pallet
		5OBM	Aluminum	0.019"	Q800 TuffTech	Outside	20 pc	42 carton	26 pallet
	6"	6IBM	Aluminum	0.019"	Q800 TuffTech	Inside	20 pc	42 carton	26 pallet
		6OBM	Aluminum	0.019"	Q800 TuffTech	Outside	20 pc	42 carton	26 pallet
Boxed Gutter Kit		GKIT	Aluminum	0.019"	Q800 TuffTech	Kit Contents: (2) 12 ft Gutter (1) 2" x 3" Down Pipe (2) 5" Left and Right End Caps (2) Pipe Bands (1) 2" x 3" "A" Style Elbow (1) 2" x 3" "B" Style Elbow (1) Slip Joint Connector (6) Hidden Hanger (1) 2" x 3" Outlet (25) 0.5" Zip Screws (1) Touch-Up Paint			

RAINWARE | MISCELLANEOUS COMPONENTS | P 237

DESCRIPTION		SKU	MATERIAL	THICKNESS	COATING	NOTES/ DESCRIPTION	PIECES/ CARTON	CARTON/ PALLET	PALLET/ TRUCK
Brick Ledge Jumper	2" x 3" x 2"	2X3X2BLJ	Aluminum	0.019"	Q800 TuffTech		42 pc		
	2" x 3" x 4"	2X3X4BLJ	Aluminum	0.019"	Q800 TuffTech		30 pc		
	2" x 3" x 5"	2X3X6BLJ	Aluminum	0.027"	Q800 TuffTech		24 pc		
Pipe Clips	3"	3PCLIP	Aluminum	0.019"	Q800 TuffTech		50 pc		
	4"	4PCLIP25	Aluminum	0.019"	Q800 TuffTech		25 pc		
Diamond Pipe Band		PB	Aluminum	0.019"	Q800 TuffTech		100 pc		
Funnel	2" x 3"	2X3FUNW	Aluminum	0.019"	Q800 TuffTech		Sold by the pc		
	3" x 4"	3X4FUNW	Aluminum	0.019"	Q800 TuffTech		Sold by the pc		
Strip Mitre	5"	5ISM	Aluminum	0.019"	Q800 TuffTech	Inside Mitre	20 pc	100 carton	26 pallet
		5OSM	Aluminum	0.019"	Q800 TuffTech	Outside Mitre	20 pc	100 carton	26 pallet
	6"	6ISM	Aluminum	0.019"	Q800 TuffTech	Inside Mitre	20 pc	100 carton	26 pallet
		6OSM	Aluminum	0.019"	Q800 TuffTech	Outside Mitre	20 pc	100 carton	26 pallet
	45° Bay	5BAYISM	Aluminum	0.019"	Q800 TuffTech	Inside Mitre	20 pc	100 carton	26 pallet
		5BAYOSM	Aluminum	0.019"	Q800 TuffTech	Outside Mitre	20 pc	100 carton	26 pallet
Slip Joint Connector		SJCW	Aluminum	0.019"	Q800 TuffTech		50 pc		
5" Wrap Around Hangers		5WRAPHANGER	Aluminum		Mill		100 pc	25 carton	
T-Strap		TSTRAP	Aluminum	0.019"	Mill		100 pc		
Hidden Hangers	5"	5HH500	Aluminum	0.019"	Mill		500 pc	25 carton	
	6"	6HH350	Aluminum	0.019"	Mill		350 pc	25 carton	
Hidden Hangers with Screws	5"	5HH500S	Aluminum	0.019"	Mill		500 pc	25 carton	
	6"	6HH300S	Aluminum	0.019"	Mill		300 pc	25 carton	
Outlet	2" x 3"	2X3OUTLET	Aluminum	0.019"	Mill		30 pc	100 carton	
	3" x 4"	3X4OUTLET	Aluminum	0.019"	Mill		50 pc	80 carton	
Spray Paint		P16	-	-			Sold by the pc		
Painted Zip Screws	(0.5") ½"	1/2ZIPS	-	-			1,000 pc/ctn 10 bags of 100		
	(0.375") 3/8"	3/8ZIPS	-	-			1,000 pc/ctn 10 bags of 100		
Zinc Zip Screws	(1.5") 1 ½"	1.5ZIPSM	-	-	Mill		1,000 pc/ctn		



Inspired Design.



2712 Walkent Dr. NW
Walker, MI 49544
PHONE 616.881.6921
WEBSITE qualityedge.com