

STARBORN®

DECKFAST® Cap-Tor® xd

Color Matched Screws for Fiberon Composite and PVC Decking



fiberon® Fastener Program

Cap-Tor® xd screws are specifically designed to fasten composite and PVC decking with a clean, smooth and uniform finish. They are available in 20 different colors to match all of the leading deck boards on the market. **Cap-Tor® xd** screws are available in epoxy coated carbon steel and Headcote® stainless steel (both Grade 305 and Marine Grade 316). They are also available collated for use with the Muro® Ultra Driver tool. Features include:

- Extra deep star drive recesses to prevent cam-out
- Undercut heads to cut cleanly through the hard outer layer of capstock decking
- Reverse threads to prevent mushrooming and surface defects
- Tri-lobular shanks and thread to reduce driving torque
- Type 17 auger tips for faster, easier insertion and to help prevent splitting




Depth Setter
compatible




Collated
available

Sizes



Cap-Tor® xd Epoxy Coated Carbon Steel

T-20 star drive: 10 x 2" • 10 x 2³/₄"



Cap-Tor® xd Headcote® Stainless (Grade 305 and Marine Grade 316)

T-20 star drive: 10 x 2" • 10 x 2¹/₂" • 10 x 2³/₄"

Packs



100 pc.
Accessory
Pack



350 pc.
(100 sq ft)
Deck Pack




1750 pc.
(500 sq ft)
Pro Pack




1500 pc.
Collated for Muro®
Ultra Driver

Approved for use with ACO treated lumber. Follow the deck manufacturer's recommendation when selecting either stainless or epoxy coated screws. For applications exposed to salt air, near large bodies of water, swimming pools or other areas where corrosion is more likely to occur, use Marine Grade 316 Cap-Tor® xd Headcote® Stainless screws.

Color matches



Brown (#34) Cabin, Ipe, Moringa, Tudor Brown, Russet Dune




Gray (#37) Castle Gray, Cottage, Mineral



Dark Gray (#53) Beach House, Flagstone, Graphite, Moonlit Cove



Warm Gray (#54) Sandstone, Chai, Shaded Cay



Dark Slate (#55) Earl Grey, Gray Birch, Weathered Cliff



Buckskin (#63) Tuscan Villa, Warm Sienna




Rosy Brown (#65) Brownstone



Chocolate (#71) Burnt Umber, Latte, Espresso



Java (#73) Bungalow, Rosewood, Chestnut, Sandy Pier



Burgundy (#87) Cinnabar

STARBORN®

DECKFAST® Fascia System

Fastening System for Fiberon Composite Deck Fascia Boards



Patented

fiberon® Fastener Program


Deckfast® Fascia System is designed to handle the large amount of expansion and contraction that can occur with composite deck fascia boards.

The system consists of two precisely engineered components:

1. the pre-drilling and countersinking Fascia Tool, based on patented Smart-Bit® technology
2. specially designed color matched Fascia Screws

The Fascia Tool creates an over-sized hole so that the board can expand and contract freely without applying significant force to the screw. The system is designed for use with 1/2" to 3/4" composite fascia profiles.*

Fascia Screws are available in both Headcote® stainless steel and epoxy coated carbon steel, in colors to match popular decking products.



1 Pre-drill with Fascia Tool

2 Drive Fascia Screw


Fascia Tool

Free Spinning Stop Collar with O-ring

The stop collar spins free of the drill bit, preventing damage to the fascia board surface. When the stop collar stops spinning, the hole is complete.

Anti-clog Debris Cavity

The cavity gathers waste material, keeping it clear of the countersink.



Pre-set Countersink

The Fascia Tool matches the head diameter and countersink depth of the Fascia Screw, for the perfect hole and fit. Everything is pre-set in the tool assembly.



Pre-set Shaft Length

Together with the countersink, the overall hole depth is designed for use with fascia boards from 1/2" to 3/4" thick.

Fascia screws

Color Matched Stainless Steel and Epoxy Coated Steel

Fascia screws are available in a wide range of colors to match popular decking products. Stainless Fascia Screws are 9 x 1 7/8". Epoxy Coated Fascia Screws are 10 x 1 7/8".



T-20 Star Drive Recess

Favored by professionals.

Type 17 Auger Tip

For faster, easier entry; helps prevent splitting of treated lumber.

Packs



100 pc.
Fascia Screw Pack



400 pc.
Fascia Screw Tub




2500 pc.
Fascia Screw Bulk Pail



Fascia Tool

Approved for use with ACO treated lumber. Follow the deck manufacturer's recommendation when selecting either stainless or epoxy coated screws. For applications exposed to salt air, near large bodies of water, swimming pools or other areas where corrosion is more likely to occur, use Marine Grade 316 Headcote® or Marine Grade 316 Headcote® Cap-Tor® xd.

Color matches



Brown (#34) Cabin, Ipe, Moringa, Tudor Brown, Russet Dune

Gray (#37) Castle Gray, Cottage, Mineral

Dark Gray (#53) Beach House, Flagstone, Graphite, Moonlit Cover

Warm Gray (#54) Sandstone, Chai, Shaded Cay

Dark Slate (#55) Earl Grey, Gray Birch, Weathered Cliff



Buckskin (#63) Tuscan Villa, Warm Sienna

Rosy Brown (#65) Brownstone

Chocolate (#71) Burnt Umber, Latte, Espresso

Java (#73) Bungalow, Rosewood, Chestnut, Sandy Pier

Burgundy (#87) Cinnabar

STARBORN®

Pro Plug® System for PVC and Composite


Integrated Plug Fastening System for Fiberon PVC/Composite Decking




Patented

fiberon® Fastener Program

The **Pro Plug® System** for PVC and Composite is a superior and easy-to-install plug fastening system for decking. The system includes the patented PVC/Composite Tool, which has an Auto-Stop™ clutch mechanism that sets screws to the correct depth without stripping the screw recess. Screws are available in various lengths in three different materials: epoxy coated carbon steel, Grade 305 stainless steel and Marine Grade 316 stainless steel. All plugs are made from actual Fiberon deck material, so they match perfectly.



1 Set screw
with tool



2 Tap in plug
with hammer

Pro Plug® PVC/Composite Tool

Auto-Stop™ Mechanism

Once the target depth is reached, the Auto-Stop™ mechanism inside the tool disengages the driver bit, preventing the screw from driving further without stripping the screw recess.

Free Spinning Stop Collar


The free spinning stop collar is fitted with a rubber O-ring to prevent damage to the work surface.

Note: Impact drivers may not set screws to the correct depth. Standard drills are recommended for use with the Pro Plug® PVC/Composite Tool.



Special Bits for Deck and Trim Applications

Driver bits used with the PVC/Composite Tool are replaceable. There are two types of driver bits: Deck bits and Trim bits, each optimized for their specific application. Both PVC/Composite Tool packages and PVC/Composite Deck/Trim Kits include bits, which are also sold separately.



Plugs

Plugs


Plugs are made from actual deck and trim board material, so the color and grain match perfectly.



Fasteners

Grade 305/Marine Grade 316 Stainless and Epoxy Coated Star Drive Fasteners


All fasteners are ACQ approved. When driven below the deck or trim board surface with the PVC/Composite Tool, the fasteners create a perfect hole for the matching plug.




All fasteners are approved for use with ACQ treated lumber. Follow the decking or trim manufacturer's recommendation when selecting either stainless or epoxy coated screws. For applications exposed to salt air, near large bodies of water, swimming pools or other areas where corrosion is more likely to occur, use Marine Grade 316 Stainless PVC/Composite fasteners.



Fastener Color Cross-Reference Guide



Brown (#34)
Ipe, Tudor Brown,
Moringa, Cabin




Gray (#37)
Mineral, Castle
Gray, Cottage



Dark Gray (#53)
Flagstone, Graphite,
Beach House



Warm Gray (#54)
Sandstone, Chai



Dark Slate (#55)
Earl Grey



Buckskin (#63)
Warm Sienna,
Tuscan Villa




Rosy Brown (#65)
Brownstone



Chocolate (#71)
Burnt Umber,
Espresso, Latte



Java (#73)
Rosewood, Bungalow



Burgundy (#87)
Cinnabar