

GRABBER®
CONSTRUCTION PRODUCTS

Acoustical Solutions Center



Index

Acoustical Eye-Lag Screws

- Coarse thread eye-lags for attaching to wood
- Self-piercing steel deck eye-lags
- Self-drilling steel deck eye-lags

Acoustical Lag Drivers

- Lag driver
- Lag pole
- J-master installation tool
- Two hole angle bracket
- Angle clip & pin assembly

Acoustical Hangers

- Angle clip & pin assembly
- Pre-tied angle clip & pin assembly
- Pre-tied wire and clips
- Nitroset pin & clip assembly
- Nitroset pre-tied wire to clips
- Straight cut wire
- Ladd joist hanger
- Z-purlin hanger
- Vertical flange hanger
- Angle flange hanger

Spring Steel Hangers

- Beam clip hangers
- Rod to beam clip assembly
- Offset bracket fastener
- Angle bracket fastener
- Sign hangers
- Rod hangers

Self-Seating Acoustical Toggle

- SpringShot™ acoustical toggle bolt

Wedge Anchors

- Tie wire wedge anchor
- Tie wire spike

Acoustical Tools and Products

- Bright tension pins
- Fence staples
- Grid Match™ rivets
- Rivet drill bit
- Klick-Fast riveter
- Sure-Punch® 45° grid punch pliers
- 1/8" grid punch pliers
- Ceiling grid alignment line (jet line)
- Leaver action ceiling clamps
- Heavy duty spring clamps
- Quick change utility knife

Wire Attachment Tools

- Ramset Viper
- NitroSet

Acoustical Sealant

- Acoustical smoke and sound sealant

Scaffolding

- Contractor-grade scaffolding
- Top-stop brake unit
- Mini scaffold

Dump Cart

Lasers

- HV301G Green beam horizontal vertical interior laser
- HV101 horizontal vertical interior laser package

Specifications and Data

About Grabber

GRABBER is a leading distributor of quality products built for construction professionals. For contractors, quality is everything. Products must be 100% reliable and durable to meet the demands of an increasingly fast-paced and productivity-minded profession.

The construction industry rewards innovations that achieve real gains in efficiency, performance, and job quality. All GRABBER products must meet this high standard of excellence. Grabber engineers it's fastener products to be superior to all other products in their class.

Grabber's core line of products include fasteners for a variety of wood, metal, and drywall applications. GRABBER fasteners are regarded as the best in the industry, punctuated by the fact that it's competitors have had to duplicate Grabber fastener designs. GRABBER also distributes many other product lines for the commercial and residential construction industries, including proprietary construction equipment, drywall tools and materials, power drives, adhesives, and accessories.





Acoustical Eye-Lag Screws

Coarse Thread Eye-Lags



Secure fastening into wood for hanger wire attachment. Type 17 point.

Coating: Yellow Zinc

WOOD CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 3	AL300	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17 POINT
1/4 X 4	AL400	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17 POINT
1/4 X 5	AL500	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17 POINT
1/4 X 6	AL600	BULK BX - 500	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17 POINT
5/16 X 3 1/2	AL312	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17 POINT
1/4 X 3	AL300CP	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17, 10 PACKS EACH CASE
1/4 X 4	AL400CP	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17, 10 PACKS EACH CASE
1/4 X 5	AL500CP	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17, 10 PACKS EACH CASE
5/16 X 3 1/2	AL312CP	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, TYPE 17, 10 PACKS EACH CASE



Secure fastening into wood for hanger wire attachment.

Coating: Yellow Zinc

WOOD CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 3	3ELYZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC
1/4 X 4	4ELYZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC
1/4 X 5	5ELYZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, YELLOW ZINC
1/4 X 3	3ELCYZ	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, 10 PACKS EACH CASE
1/4 X 4	4ELCYZ	CT PACK - 100	ACOUSTICAL EYE LAG, YELLOW ZINC, 10 PACKS EACH CASE



Secure fastening into wood for hanger wire attachment.

Coating: Clear Zinc

WOOD CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 3	3ELZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, CLEAR ZINC
1/4 X 4	4ELZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, CLEAR ZINC
1/4 X 5	5ELZ	BULK BX - 1,000	ACOUSTICAL EYE LAG, CLEAR ZINC
1/4 X 3	3ELCZ	CT PACK - 100	ACOUSTICAL EYE LAG, CLEAR ZINC, 10 PACKS EACH CASE



Secure fastening into wood for hanger wire attachment.

Coating: Phosphate

WOOD CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 3	3EL	BULK BX - 1,000	ACOUSTICAL EYE LAG, BLACK PHOSPHATE
1/4 X 4	4EL	BULK BX - 1,000	ACOUSTICAL EYE LAG, BLACK PHOSPHATE
1/4 X 5	5EL	BULK BX - 1,000	ACOUSTICAL EYE LAG, BLACK PHOSPHATE
1/4 X 3	3ELC	CT PACK - 100	ACOUSTICAL EYE LAG, BLACK PHOSPHATE, 10 PACKS EACH CASE

Steel Deck Eye-Lags



Secure fastening into light gauge steel for hanger wire attachment. Self-piercing sharp point. Installed with driver or pole tool.

Coating: Yellow Zinc

LIGHT GAUGE METAL CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 2-3/4	H-3	BULK BX - 1,000	1-1/2" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, SHARP POINT
1/4 X 2-3/4	VH-3	PACK - 5 lb	1-1/2" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, SHARP POINT

Steel Deck Eye-Lags



Secure fastening into heavy gauge steel for hanger wire attachment. Self-drilling pinch point. Installed with driver or pole tool.

Coating: Yellow Zinc

HEAVY GAUGE METAL CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 2-7/8	H-4	BULK BX - 1,000	1-1/2" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, PINCH POINT
1/4 X 2-7/8	VH-4	PACK - 5 lb	1-1/2" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, PINCH POINT



Secure fastening into heavy gauge steel for hanger wire attachment. Self-drilling point. Installed with driver or pole tool. Meets requirements for ICC ESR 3135. Buy American compliant.

Coating: Yellow Zinc



HEAVY GAUGE METAL CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 3	H-1	BULK BX - 1,000	1-3/4" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, DRILL POINT
1/4 X 3	VH-1	PACK - 5 lb	1-3/4" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, DRILL POINT



Secure fastening into heavy gauge steel for hanger wire attachment. Self-drilling point. Installed with 1/4" lag driver or pole tool. Meets requirements for ICC ESR 3135. Buy American compliant.

Coating: Yellow Zinc



HEAVY GAUGE METAL CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 2	JS1	BULK BX - 1,000	3/4" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, SELF DRILLING
1/4 X 2	VJS1	PACK - 5 lb	3/4" EFF, ACOUSTICAL EYE LAG, YELLOW ZINC, SELF DRILLING



Secure fastening into heavy gauge steel for hanger wire attachment. Self drilling point. Installed with 1/4" lag driver or pole tool. Buy American compliant.


Coating: Clear Zinc

HEAVY GAUGE METAL CONNECTION

SIZE	PART NO.	PKG QTY	DESCRIPTION
1/4 X 2	H-2	BULK BX - 1,000	3/4" EFF, ACOUSTICAL EYE LAG, CLEAR ZINC, SELF DRILLING
1/4 X 2	VH-2	PACK - 5 lb	3/4" EFF, ACOUSTICAL EYE LAG, CLEAR ZINC, SELF DRILLING

Acoustical Lag Drivers

Lag Driver



Professional quality hex shanked lag driver for positive chucking. Collared and chamfered for precise lag alignment.

PART NO.	DESCRIPTION
ELAT	1/4" HEX SHANK EYE-LAG DRIVER
ALD14	1/4" SCORPION HEX SHANK EYE LAG DRIVER
ALD516	5/16" SCORPION HEX SHANK EYE LAG DRIVER


Lag Pole



Installs I-Lag screws from ground level without the need for ladders, scaffolding, or scissor lifts. Black anodized aircraft quality aluminum. Designed for standard 12 gauge wire, but will work with up to 8 gauge. Telescoping extension allows for fast, easy installation from floor.

PART NO.	DESCRIPTION
LM12	EYE LAG POLE, 4' - 12'
LM18	EYE LAG POLE, 6' - 18'
LM24	EYE LAG POLE, 12' - 24'

J-Master Installation Tool




Fast, easy installation from floor level, no ladders or scaffolding necessary. Works with L1701 and L1801. Ideal for strong, reliable attachment of hanger wire from open web bar joists or purlins.

Threads easily into any 1/2" threaded pipe—no hammering, punching holes or wrapping wire.

PART NO.	DESCRIPTION
L-1700	L1700 LADD J-MASTER INSTALLATION TOOL

Acoustical Hangers

Two Hole Angle Bracket



Zinc plated steel.

Ten—100 count boxes per master carton.

PART NO.	PKG QTY	DESCRIPTION
A2H	1000pcs	2 HOLE ANGLE CLIPS - 3/16" X 5/16" HOLE SIZES
A2HCP (count pack)	100pcs	2 HOLE ANGLE CLIPS - 3/16" X 5/16" HOLE SIZES

Angle Clip & Pin Assembly




Angle clip & pin assembly for use with powder actuated tools.

Available in bulk or count packs.

PART NO.	PKG QTY	DESCRIPTION
SPC78	100	7/8" POWER POINT CLIP & PIN ASSEMBLY
SPC114	100	1-1/4" POWER POINT CLIP & PIN ASSEMBLY
TEC100	100	1" X .157 TRUE EMBEDMENT PIN & CLIP ASSEMBLY

Acoustical Hangers

Angle Clip & Pin Assembly



Angle clip & pin assembly for use with powder actuated tools. Available in bulk or count packs.

PART NO.	PKG QTY	DESCRIPTION
SDC100C	100	1" PREASSEMBLED 14 GAUGE ANGLE CLIP & PIN
SDC125C	100	1-1/4" PREASSEMBLED 14 GAUGE ANGLE CLIP & PIN
SDC125	1,000	1-1/4" PREASSEMBLED 14 GAUGE ANGLE CLIP & PIN

Pre-Tied Angle Clip & Pin Assembly



Pre-tied 12ga. soft galvanized wire with 1" clip and pin assembly. 100 per bundle. Available in 4', 6', 8' and 12' lengths.

Special ties and longer lengths available.

Check with your Grabber location to confirm size availability.

PART NO.	PKG QTY	DESCRIPTION
DHW1204P100	100 (per bundle)	1" PIN & CLIP ASSEMBLY WITH 4' GALVANIZED WIRE
DHW1206P100	100 (per bundle)	1" PIN & CLIP ASSEMBLY WITH 6' GALVANIZED WIRE
DHW1208P100	100 (per bundle)	1" PIN & CLIP ASSEMBLY WITH 8' GALVANIZED WIRE
DHW1212P100	100 (per bundle)	1" PIN & CLIP ASSEMBLY WITH 12' GALVANIZED WIRE
DHW1204P78	100 (per bundle)	7/8" PIN & CLIP ASSEMBLY WITH 4' GAL WIRE POWER POINT PIN & CLIP
DHW1206P78	100 (per bundle)	7/8" PIN & CLIP ASSEMBLY WITH 6' GAL WIRE POWER POINT PIN & CLIP
DHW1208P78	100 (per bundle)	7/8" PIN & CLIP ASSEMBLY WITH 8' GAL WIRE POWER POINT PIN & CLIP
DHW1212P78	100 (per bundle)	7/8" PIN & CLIP ASSEMBLY WITH 12' GAL WIRE POWER POINT PIN & CLIP
DHW1206P114	100 (per bundle)	6' X 12GA WIRE WITH SPC114 POWER POINT PIN & CLIP
DHW1204P	100 (per bundle)	1-1/4" PIN & CLIP ASSEMBLY WITH 4' GALVANIZED WIRE
DHW1206P	100 (per bundle)	1-1/4" PIN & CLIP ASSEMBLY WITH 6' GALVANIZED WIRE
DHW1208P	100 (per bundle)	1-1/4" PIN & CLIP ASSEMBLY WITH 8' GALVANIZED WIRE
DHW1212P	100 (per bundle)	1-1/4" PIN & CLIP ASSEMBLY WITH 12' GALVANIZED WIRE

Pre-Tied Wire to Clips

Choose from our selection of stocked fasteners or ask us about custom made to meet any application.

Special ties and longer lengths available.

Check with your Grabber location to confirm size availability.

PART NO.	PKG QTY	DESCRIPTION
HOSPCLP	100 (per bundle)	HOSPITAL TIE TO 1" X 2" HOSPITAL TIE TO 12 GAUGE CLIP
HOSPCLP2	100 (per bundle)	HOSPITAL TIE TO 3" X 4" HOSPITAL TIE TO 12 GAUGE CLIP
1202CF	100 (per bundle)	HOSPITAL TIE TO 1202CF 90° HOSPITAL TIE TO 14 GAUGE CLIP
L652	100 (per bundle)	MACHINE TIE TO 13 GAUGE LADD PIN AND CLIP
SDC125	100 (per bundle)	MACHINE TIE TO 14 GAUGE SDC125 CLIP
NO ITEM NUMBER	100 (per bundle)	PIGTAIL TIE, 2" LOOP WITH 4" TAIL (LABOR CHARGE NO PART #)
SPC114	100 (per bundle)	MACHINE OR HOSPITAL TIE TO 14 GAUGE SPC114 CLIP
3EL	100 (per bundle)	SPECIAL TIE TO 1/4" X 3" EYE LAG FOR WOOD
H-3	100 (per bundle)	SPECIAL TIE TO POINTER 1/4" X 1-1/2" EYE LAG FOR WOOD/LT GA STEEL
H-4	100 (per bundle)	SPECIAL TIE TO 1/4" X 1-3/4" CHISEL POINT EYE LAG
JS1	100 (per bundle)	SPECIAL TIE TO 1/4" X 7/8" SELF DRILL EYE LAG
RBAR	100 (per bundle)	REBAR TIE, #3 X 12" REBAR TYPICAL



HOSPCLP2



HOSPCLP




1202CF



L652




SDC125


 PIGTAIL TIE
(no item number -
just a labor charge)



SPC114



3EL



H-3



H-4



JS1



RBAR

Acoustical Hangers

NITROSET Pin & Clip Assembly



For wire suspension hanging acoustical ceiling systems or other overhead fixtures and applications such as hanging lights.


Not regulated as a class I explosive.

For wire suspension hanging acoustical ceiling systems or other overhead fixtures and applications such as hanging lights.

Not regulated as a class I explosive.

PART NO.	PKG QTY	DESCRIPTION
4000psi		
CLAS322L	100	7/8" X .145 STRAIGHT SHANK PIN & CLIP WITHOUT SILENCER
CLAS325L	100	1" X .145 STRAIGHT SHANK PIN & CLIP WITHOUT SILENCER
CLAS332L	100	1-1/4" X .145 STRAIGHT SHANK PIN & CLIP WITHOUT SILENCER
6000psi		
CLASS25LS	100	1" X .152 - .130 STEP SHANK PIN & CLIP WITH SILENCER
CLASS32LS	100	1-1/4" X .152 - .130 STEP SHANK PIN & CLIP WITH SILENCER
PART NO.	PKG QTY	DESCRIPTION
CLU222	100	7/8" X .145 ANGLE PIN & CLIP ASSEMBLY

NITROSET Pre-Tied Wire to Clips



4000PSI

6000PSI

Pre-tied Nitroset pins and clips.

Special ties and longer lengths available.

Not regulated as a class I explosive.

Custom pins and clip combinations are available upon request.

Check with your Grabber location to confirm size availability.

PART NO.	PKG QTY	DESCRIPTION
4000psi		
WIL12-4-332	100 (per bundle)	4' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-6-332	100 (per bundle)	6' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-8-332	100 (per bundle)	8' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-10-332	100 (per bundle)	10' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-12-332	100 (per bundle)	12' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-14-332	100 (per bundle)	14' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-16-332	100 (per bundle)	16' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-18-332	100 (per bundle)	18' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
WIL12-20-332	100 (per bundle)	20' PRE-TIED WITH 1-1/4" x 0.145 NITRO FASTENER WITHOUT SILENCER
6000psi		
WIL12-4-532LS	100 (per bundle)	4' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-6-532LS	100 (per bundle)	6' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-8-532LS	100 (per bundle)	8' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-10-532LS	100 (per bundle)	10' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-12-532LS	100 (per bundle)	12' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-14-532LS	100 (per bundle)	14' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-16-532LS	100 (per bundle)	16' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-18-532LS	100 (per bundle)	18' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER
WIL12-20-532LS	100 (per bundle)	20' PRE-TIED WITH 1-1/4" x 0.152 NITRO FASTENER WITH SILENCER

Straight Cut Wire



Straight cut 12ga. soft galvanized wire.

Check with your Grabber location to confirm length availability.

PART NO.	PKG QTY	DESCRIPTION
DHW1204	100 (per bundle)	4' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1205	100 (per bundle)	5' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1206	100 (per bundle)	6' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1207	100 (per bundle)	7' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1208	100 (per bundle)	8' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1210	100 (per bundle)	10' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1212	100 (per bundle)	12' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1214	100 (per bundle)	14' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1216	100 (per bundle)	16' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1218	100 (per bundle)	18' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
DHW1220	100 (per bundle)	20' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
HW1222	100 (per bundle)	22' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
HW1224	100 (per bundle)	24' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
HW1226	100 (per bundle)	26' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
HW1228	100 (per bundle)	28' X 12 GAUGE HANGER WIRE STRAIGHT END CUT
HW1230	100 (per bundle)	30' X 12 GAUGE HANGER WIRE STRAIGHT END CUT



Acoustical Hangers

Ladd Joist Hanger



Fits 1/16" to 1/4" vertical flanges.

Accommodates tooling for floor installations.

PART NO.	PKG QTY	DESCRIPTION
L1701 (J-Clip)	100	1/16" TO 1/4" FOR VERTICAL FLANGE

Z-Purlin Hanger



Fits 1/16" to 1/4" thick Z-Purlin.

217 lbs. allowable working load.

Fast easy attachment of pre-tied hanger wire from Z-Purlins.

PART NO.	WEIGHT	PKG QTY	DESCRIPTION
L1801 (Clip-Purl)	7lbs	300	1/16" TO 1/4" ANGLED Z-PURLIN

Vertical Flange Hanger



Suspends #12, #10, #9 or #8 wire, 1/4" or 3/8" plain or threaded rod from vertical flanges (FH).

Suspends 1/4" or 3/8" threaded rod from vertical flanges 1/16" to 1/4" thick (RF).

Static load capacity: 160 lbs. (RF).

Suspends #12, #10, #9 or #8 wire, 1/4" or 3/8" plain or threaded rod from vertical flanges (FH).

Suspends 1/4" or 3/8" threaded rod from vertical flanges 1/16" to 1/4" thick (RF).

Static load capacity: 160lbs (RF).

PART NO.	PKG QTY	DESCRIPTION
FH116	100	1/16" TO 5/16" VERTICAL FLANGE
FH532	100	5/32" TO 1/4" VERTICAL FLANGE

PART NO.	PKG QTY	DESCRIPTION
RF53214T	100	5/32" TO 1/4" VERTICAL FLANGE FOR #8 WIRE OR 1/4" THREADED ROD
RF53238T	100	5/32" TO 1/4" VERTICAL FLANGE FOR 3/8" THREADED ROD

Angle Flange Hanger



ABC25

ABC25

VBC25

Fits 1/16" to 1/4" thick Z-Purlin (ABC25) or vertical flanges (VBC25).

Accommodates tooling for floor installations.

PART NO.	PKG QTY	DESCRIPTION
ABC25	100	1/16" TO 1/4" FOR ANGLED FLANGE FOR S-HOOKS, PERF. STRAP & WIRE
VBC25	100	1/16" TO 1/4" FOR VERT FLANGE FOR S-HOOKS, PERF. STRAP & WIRE

Works with Caddy® VAFT or Ramset L1700 installation tools.

Spring Steel Hangers

Beam Clip Hangers



Installs with hammer on bulb tees and beams with static load capacity of 200lbs.

Clearance for 1/4" bolt in tab.

PART NO.	PKG QTY	DESCRIPTION
SFC18	100	1/8" TO 1/4" FLANGE BEAM CLAMP
SFC516	100	5/16" TO 1/2" FLANGE BEAM CLAMP
SFC916	100	9/16" TO 3/4" FLANGE BEAM CLAMP

Spring Steel Hangers

Rod to Beam Clip Assembly



Installs with hammer on bulb tees and beams with static load capacity of 200lbs.

Accepts #8 wire or 1/4" plain rod.

PART NO.	PKG QTY	DESCRIPTION
R1814	100	1/8" TO 1/4" ROD TO BEAM CLIP ASSEMBLY
R51614	100	5/16" TO 1/2" ROD TO BEAM CLIP ASSEMBLY
R91614	100	9/16" TO 3/4" ROD TO BEAM CLIP ASSEMBLY

Offset Bracket Fastener



Accepts #8 wire or 1/4" plain rod.

Accepted by the City of New York.

PART NO.	PKG QTY	DESCRIPTION
R014	100	OFFSET BRACKET FASTENER

Angle Bracket Fastener



Accepts #8 wire or 1/4" plain rod.

Accepted by the City of New York.

PART NO.	PKG QTY	DESCRIPTION
RA14	100	ANGLE BRACKET FASTENER

Sign Hangers



Secures hanging signs from standard T-bar.

No tools required.

PART NO.	PKG QTY	DESCRIPTION
BA416H1	100	T-BAR SIGN HANGERS

Rod Hangers



Fits 1/2" through 5/8" channel flange widths.

Accepted by city of New York, Dept. of Building, MEA 383-91-M.

PART NO.	PKG QTY	DESCRIPTION
BL244	100	1/4" ROD HANGER TO 1-1/2" LATHERS CHANNEL



Self-Seating Acoustical Toggle

SpringShot™ Self-Seating Acoustical Toggle Bolt

The patented SpringShot™ Acoustical Toggle is widely popular with the trades because of its ease of installation. Designers have recognized the SpringShot Acoustical toggle's features as a significant advancement to traditional overhead fastening toggle bolts rendering the old fashion toggles obsolete. The SpringShot's self-centering washer is a vast improvement over old style acoustical toggles, making correct installation effortless. The patented spring action provides continuous pressure keeping the toggle fixed and secure, and won't loosen over time even with vibration.

Installation is as simple as:


1. Prepare an opening as usual
2. Insert the toggle
3. Adjust if needed

PART NO.	DESCRIPTION
SFAST	1/4 X 5 SPRING TOGGLE, YELLOW ZINC, 100 TOGGLES PER BOX

US Patent # 5,702,218
US Patent # 5,898,987
Canadian Patent # 2,184,422

Advantages:

- ▶ Special spring design
- ▶ Self tightening & self-seating
- ▶ One-size-fits-all applications
- ▶ Helps eliminate migrating sounds
- ▶ Will not loosen under vibration
- ▶ Project designer preferred



The SpringShot Acoustical Toggle easily installs into various material thicknesses with little or no adjustment.

Wedge Anchors

Tie Wire Wedge Anchor



For various overhead suspension applications. Meets or exceeds design criteria and varied installation requirements for overhead expansion applications.

Coating: Clear Zinc
302 stainless expansion clip

PART NO.	PKG QTY	WEIGHT	DESCRIPTION
TW1400	100	5lbs	1/4" X 2-1/8" TIE WIRE WEDGE ANCHOR

PERFORMANCE:

- Ultimate tension load 1908 lbx/SPALL 5500 PSI concrete.

Tie Wire Spike®



The SPIKE® is a patented, one-piece, vibration resistant anchor. The pre-expanded mechanism of the SPIKE® anchor is activated as the anchor is driven into the drilled hole creating a spring type compression force against the walls of the hole.

Coating: Clear Zinc

PART NO.	PKG QTY	WEIGHT	DESCRIPTION
R3756	100	2lbs	3/16" X 1-1/4" TIE WIRE SPIKE ANCHOR
R3759	100	2.5lbs	1/4" X 1-1/4" TIE WIRE SPIKE ANCHOR

PERFORMANCE:

- Ultimate tension load based on testing in 2000, 3000, 4000 and 5000 PSI concrete.

Acoustical Tools and Products

Bright Tension Pins



Tempered steel tension pins.

Eight—Five pound pails per master carton.

PART NO.	BULK WEIGHT	DESCRIPTION
ATP	50lbs	1-1/8" BRIGHT MOLDING NAILS
ATPPF	N/A	1-1/8" BRIGHT MOLDING NAILS

Fence Staples



Galvanized steel.

Eight—Five pound pails per master carton.

PART NO.	BULK WEIGHT	DESCRIPTION
AFS112	50lbs	9 X 1-1/2" GALVANIZED FENCE STAPLES
AFS112FP	N/A	9 X 1-1/2" GALVANIZED FENCE STAPLES
AFS134	50lbs	9 X 1-3/4" GALVANIZED FENCE STAPLES
AFS134FP	N/A	9 X 1-3/4" GALVANIZED FENCE STAPLES

Acoustical Tools and Products

Grid Match™ Rivets



White rivets.

Ten—1,000 count boxes per master carton.

PART NO.	BULK WEIGHT	DESCRIPTION
ARW42CP	11lbs	#42 POP RIVETS - WHITE

PART NO.	PKG QTY	DESCRIPTION
ARW4210M (MAB42AEW)	10,000	BULK POP RIVETS - WHITE
ARW425C	500	POP RIVETS - WHITE

Rivet Drill Bit



Double-ended split points.

12 per pack.

PART NO.	PKG QTY	DESCRIPTION
ARBIT	12	#30 DOUBLE ENDED SPLIT POINT DRILL BIT

Klick-Fast Riveter



Heavy-duty model.

Includes 4 nosepieces to set rivet diameters from 3/32" to 3/16".

PART NO.	DESCRIPTION
AHP2	HP-2 RIVET TOOL

Sur-Punch® 45° Grid Punch Pliers



Punches a perfect 1/8" hole up to three layers of ceiling grid.

45° angled head.

PART NO.	DESCRIPTION
PUS01	45° ACOUSTIC CEILING GRID PUNCH PLIERS

1/8" Grid Punch Pliers



Ideal for 9/16" ceiling grid.

Rubber handle ensures a comfortable and secure grip.

Total length—9-1/2".

PART NO.	DESCRIPTION
MT	1/8" ACOUSTIC CEILING GRID PUNCH PLIERS
MTK	1/8" ACOUSTIC CEILING GRID PUNCH PLIERS REPAIR KIT

Ceiling Grid Alignment Line (Jet Line)



Ceiling grid alignment line is available in 450 and 1,400 foot lengths.

PART NO.	DESCRIPTION
LU450	450 FT ACOUSTIC CEILING GRID ALIGNMENT LINE
LU1400	1,400 FT ACOUSTIC CEILING GRID ALIGNMENT LINE

Leaver Action Ceiling Clamps



All metal construction with rubber inserts.

Won't scratch painted surfaces.

PART NO.	PKG QTY	DESCRIPTION
CLR01	48	RUBBER TIPPED LEVER ACTION CEILING GRID CLAMP

Heavy Duty Spring Clamps



Heavy-duty metal spring clamps.

Available in 4" and 6" sizes.

PART NO.	PKG QTY	DESCRIPTION
CLS4H	12	4" HEAVY DUTY METAL SPRING CLAMP, RUBBER TIPPED
CLS6H	12	6" HEAVY DUTY METAL SPRING CLAMP, RUBBER TIPPED

Quick Change Utility Knife



Just a twist... the handle "clam shells" open and you're ready to position a new blade or flip around the old one! No screwdriver required.

Comes with five, extra sharp, extra long lasting GRABBER blades.

PART NO.	DESCRIPTION
K1992	QUICK CHANGE UTILITY KNIFE AND 5 GRABER BLADES
IB1992	100 EXTRA SHARP GRABBER UTILITY BLADES



The new Ramset® VIPER4 .27 Caliber Strip Powder Tool design makes overhead applications even easier. The load advance is now located internally to allow a push/sleeve actuated operation. Compatible with the newly designed poles, the rear collar is connected by set-screw to avoid a manual tightness check.

Automatic load advance:

Load is advanced consistently each time the Viper is fired.

Automatic Piston return:

No time spent manually resetting or cycling the tool. Allows you to work faster.

Overdrive Protection:

Heavy duty buffer system prevents front end damage caused by piston overdrive—especially through sprayed-on insulation.

Open Front-end design:

Completely redesigned open-ended muzzle keeps your tool cleaner longer.

Simplified Barrel Retention Collar:

No tools are required for assembly or disassembly.

Advantages:

- ▶ Automatic load advance
- ▶ Automatic piston return
- ▶ Overdrive protection
- ▶ Open front-end design
- ▶ Simplified barrel retention collar
- ▶ Stable steel collar
- ▶ Uses Viper pole system

Specifications:

- ▶ .27 Caliber strip tool
- ▶ Semi-Automatic
- ▶ Designed specifically for overhead applications
- ▶ 3 year warranty
- ▶ .27 caliber 10-shot strip loads, 3 (green), 4 (yellow), 5 (red)
- ▶ Weight: 4.5 lbs.
- ▶ Length: 17"
- ▶ Maximum pin length: 1-1/2"

Viper (Common Fasteners)

PART NO.	SHANK IN	LENGTH MM	APPLICATION
14TRHSS10	1	25.4	THREADED ROD HANGER
38TRHSS10	1		THREADED ROD HANGER
SDC100	1		CEILING CLIP
SDC125	1-1/4	31.8	CEILING CLIP
SPC78	7/8		CEILING CLIP
SPC114	1-1/4	31.8	CEILING CLIP

Uses NEW Viper pole system:

Works with four newly designed Ramset® poles for greater ease and accuracy.

PART NUMBER	DESCRIPTION
V4-3	3' POLE
V4-6	6' POLE
V4-8	8' POLE
V4-EXT	3' Extension (no trigger)



Uses NEW Viper pole system:

The new poles have an internal rod, when activated by pushing on the pole sleeve triggers the new Viper.



Item No. VIPER4

- ▶ Weight: 4.5 lbs.
- ▶ Length: 17"
- ▶ Maximum pin length: 1-1/2"



NITROSET™

TRIPLE PLAY™

Three applications. . .only one tool

- ▶ Ceiling
- ▶ Track
- ▶ Wall

Nitroset takes key safety and environmental concerns into consideration when manufacturing its Solid Propellant Fastening System. Powered by nitrocell charges rather than traditional primer or gunpowder, Nitroset is able to cleanly drive nails into hard aggregate concrete surfaces, and incorporates Triple Play versatility. Its lightweight and low-profile design makes it easy to handle and be put to use in tight spaces. Operation is considerably quieter than explosive charges, making the Nitroset system ideal for occupied buildings. Plus, Nitroset is 100% lead free, keeping it in compliance with OSHA and no-lead worksite requirements!

Advantages:

▶ LIGHTWEIGHT & EASY TO USE

- Low profile design for tight spaces
- Fits with NITROSET™ handle or extension pole

▶ UNIQUE ENTRY SYSTEM PROVIDES ADDED SAFETY

- Not regulated as "Class 1 Explosive Material" by the DOT (REF. EX2009040168)
- Non-toxic & non-hazardous material supported by MSDS report
- Completely LEAD FREE in compliance with OSHA CFR 1926.62

▶ REDUCED USAGE COSTS

- No license required for operation, only training*
- No storage or shipping restrictions determined by the DOT
- No special job site clean up costs
- No special cleaning solution required to maintain the tool



Nitro Tools & Extension Poles

PART NO.	DESCRIPTION
NTSSX	Nitroset Overhead Fastening Tool Kit
TOP8V	4' - 8', 2-Section, Alum. Pole for Nitroset with rubber grip
TOP12V	6' - 12', 2-Section, Alum. Pole for Nitroset with rubber grip
TOP183V	6' - 12' - 18', 3-Section, Alum. Pole for Nitroset with rubber grip

*According to ANSI A10.3 NITROSET™ tools are not classified as a powder actuated tool, thus no licensing is required prior to use.

Nitro Fasteners

PART NO.	QTY.	DESCRIPTION
PIN219Y	1m	3/4" x .125 Track Pin
CLAS332L	100pcs	1-1/4" x 0.145 Straight Shank Pin & Clip without Silencer (4000PSI)
CLAS332LS	100pcs	1-1/4" x 0.152 - 0.130 Step Shank Pin & Clip with Silencer (6000PSI)



Acoustical Sealant

Acoustical Smoke and Sound Sealant

Non-flammable, water-based product developed specifically for the reduction of sound transmission in all types of wall partition systems. Easy application and easy cleanup. Used correctly and as directed, sealant will achieve and maintain specific STC (Sound Transmission Class) values specified for various wall system designs. This product should be used in office buildings, sound studios, hospitals, schools, hotels and motels, apartment complexes, and other areas where sound ratings are required. This sealant is also ideal for sealing out air infiltration and unwanted moisture in residential construction.

- ▶ Non-hardening, non-staining & non-migrating
- ▶ Maintains flexible seal against air-borne sound, air infiltration and moisture
- ▶ Easy application and easy cleanup
- ▶ UL tested and classified
- ▶ Low VOC green certified product



Item No. GSCSF





Scaffolding

Contractor-Grade Scaffolding

Designed with your safety in mind

Grabber offers a complete line of high-quality Step, Ladder and Open End Style Steel Frames. All frames are powder coated for extended durability. Our products are warranted to meet or exceed all OSHA and ANSI specifications.

- ▶ **1,000 lb maximum capacity**
- ▶ **High-strength structural steel tubing**
- ▶ **Powder-coated with high UV finish**
- ▶ **Compatible with major scaffold brands**
- ▶ **Meets OSHA safety requirements**
- ▶ **Available in 4', 6' and 8' lengths**



GRABBER Scaffolds

Maximum Capacity 1,000 lbs. Frames are manufactured of high-strength structural steel tubing Powder-coated with high UV finish.

PART NO.	DESCRIPTION
GS4	4'H X 6'L W/OVER CENTER LOCKING CASTERS
GS4NC	4'H X 6'L W/OUT CASTERS
GS6	6'H X 6'L W/OVER CENTER LOCKING CASTERS
GS8	6'H X 6'L W/OVER CENTER LOCKING CASTERS



Ultimate Caster

5" swivel casters with lock to prevent both rolling and swiveling when in use. Comes with snap pin to fasten the caster to the unit.

PART NO.	DESCRIPTION
GUC5	5" ULTIMATE CASTER



Position Lock


User friendly squeeze lock with thumb locking wheel. Additional snap pin provides a dual-locked scaffold system.



Outrigger

Outrigger includes:
2 — snap pins
1 — thumb screw
(5" caster sold separately)

PART NO.	DESCRIPTION
893	20" OUTRIGGER



Top-Stop Brake Unit

Easy Top-Stop design locks both sides of the scaffold securely holding it in place while you work.


Each Top-Stop brake unit comes with two locking assemblies:

- ▶ **Top cross bracket with toggle lever (2 each)**
- ▶ **Bottom cross bracket (2 each)**
- ▶ **Vertical poles (2 each)**
- ▶ **Foot pad (2 each)**
- ▶ **Snap pin (4 each)**

Item No. GTSP2

All Grabber scaffolds, sawhorses, drywall carts, and benches meet or exceed requirements of ANSI Code A10.8 Read and follow O.S.H.A. codes and regulations.

Scaffolding



Hand hold bar

Heavy-duty adjustable platforms

5" locking casters

Folds down flat to 4"

Mini Scaffold with 5" locking casters

Grabber's Mini Scaffold includes heavy duty 5" swivel casters with center lock to prevent both rolling and swiveling when in use. Threaded snap pins fasten the casters to the scaffold.

- ▶ 1" tubular steel frame
- ▶ 21" wide x 52" high x 44" long
- ▶ Fold down flat (4")
- ▶ Big 5" locking swivel casters
- ▶ Twin steel platforms
- ▶ Holds up to 500 lbs.
- ▶ Hand hold bar

All Grabber scaffolds, sawhorses, drywall carts, and benches meet or exceed requirements of ANSI Code A10.8 Read and follow O.S.H.A. codes and regulations.

Dump Cart



Item No. DUC3412

- Industrial-strength
- Transport heavy loads with ease
- Easy to maneuver
- Dumping can be performed by single user
- Smooth surface is easy to clean and resists pitting / corrosion.

3/4 YD W/12" WHEELS

800lbs CAPACITY
Item# CAS12 (12" wheel)
Item# CAS5P (5" steering caster)
Replacement casters also available

3/4 Yard Stackable Dump Cart

Grabber's rugged, high density plastic trash carts are ideal for handling the debris on any job site.

- ▶ Fits through standard doorways and elevators
- ▶ Quick and easy assembly
- ▶ Save freight with high stackable feature

Lasers



**HV301G GREEN BEAM HORIZONTAL
VERTICAL INTERIOR LASER**
(2 year warranty)



**HV101 HORIZONTAL VERTICAL
INTERIOR LASER PACKAGE**
with remote, wall mount recharge kit
(3 Year Limited—1 Year over the counter)

Precision Lasers

- ▶ All lasers are self-leveling and most carry a limited time instant exchange warranty that minimizes downtime.
(Model HV301 carries a send-in 2 year warranty).
- ▶ Built for rugged commercial, everyday use—IP54 rated—Can withstand a 3' drop to concrete.
- ▶ Bright crossline lasers make easy viewing in challenging conditions.





Specifications and Data

Coatings and finishes

Clear Zinc

Salt spray results ASTM B117 24-48 hours, no red rust

Recommended for interior applications and for exterior applications where the fastener will be encapsulated, i.e. attachment of lathing prior to application of stucco.

Yellow Zinc

Salt spray results ASTM B117 48-96 hours, no red rust

Recommended for interior applications and for exterior applications where the fastener will be encapsulated, i.e. attachment of lathing prior to application of stucco.

Specifications

Due to variations in wood density, softness of hanging wire and unknown condition of existing overhead, accurate pullout loads cannot be determined without actual on-site testing. With full thread engagement of lags and four twist of soft wire, approximately 400 pounds of working load can be achieved. Ultimate tensile strength on bolt portion of toggle is 870 pounds. A safety factor of 10 to 1 should be applied to determine design load of overhead fastening applications.

Spring Steel Fasteners		Ultimate Static Load
L1801	PERLIN HANGER	270 lbs. working load
R014	OFFSET BRACKET	160 lbs.
RA14	ANGLE BRACKET	160 lbs.
R1814	BEAM CLIP	160 lbs.
RS1614	BEAM CLIP	200 lbs.
R5154	BEAM CLIP	200 lbs.
R91614	BEAM CLIP	200 lbs.
BA416H1	SIGN HANGER	40 lbs.
A2H	ANGLE CLIP	200 lbs.
SFC SERIES	BEAM CLIP ASSEMBLY	160 lbs.
*FS SERIES	BEAM CLIP ASSEMBLY	160 lbs.

*The FS series is accepted by the city of NY, Dept. of BLDG. MEA 383-91-M

Tie-Wire Wedge Ultimate Pullout Load	
Ultimate pullout 1559 pounds in 4000 concrete, ASTM - 488 anchor, ASTM B-633-85 plating.	

Angle Clip Assembly	3000 psi Concrete	4000 psi Concrete
Zinc Coated ASTM B 633	96 lbs.	98 lbs.

A safety factor of 8-1 is included

Spring Steel Fasteners
ZINC PHOSPHATE MIL-P 16232 TYPE Z

2-Hole Angle
ZINC ASTM B 633
A safety factor of 3 to 1 should be applied to ultimate static load to determine design load.

Tie-Wire Spike Ultimate Pullout Load
Ultimate load capacities are based on testing in 2000, 3000, 4000 and 5000 PSI concrete. Specifications and data for pullout, shear, tensile strength etc. is available.

Deck Lags Sharp Point - Ultimate Tension	
22 ga.	Wood (.046 specific gravity)
180 lbs.	245 lbs.
Full thread engagement for maximum pullout in wood.	

Deck Lags Drill Point - Ultimate Tension			
22 ga.	20 ga.	18 ga.	16 ga.
135 lbs.	170 lbs.	245 lbs.	240 lbs.
Three thread engagement for maximum pullout in steel. ICBO ER 5367			

Fasteners shown in this catalog are not guaranteed as to suitability for specific purposes. Published values contained within this catalog are the results of independent testing. Holding power depends on the quality of the material being fastened. These published values are to serve as a guideline only and are not a guaranteed in any way, written or verbal by Grabber Construction Products Inc. or any of its distributors. All figures indicated are average values, however, reference should always be made to applicable building codes for the specific safe working loads.

Grabber has you covered with more than just great fastening products. . .

To put it simply, Grabber can help you build a better product while simultaneously making you more money. Through constant innovation, Grabber continues to simplify the way you work by providing the best, most technologically advanced products available today.



Drywall Screws
Metal Framing Screws
Concrete Anchors
Pneumatic Nails

Fasten it

Grabber has a full line of fasteners for just about any application. From drywall screws to heavy gauge framing screws Grabber has what you need. Grabber invented the drywall screw and changed an entire industry. For the past 40 years Grabber has been the name you can trust for professional grade fasteners.



SuperDrive
Screw Guns
Chop Saws
Lasers

Drive it

Grabber's SuperDrive tool is designed to make driving screws faster and more accurate. Along with SuperDrive, Grabber offers many other tools that make your work easier including chop saws, routers, lasers and more.



Subfloor Adhesives
Drywall Adhesives
Acoustical Sealants
Fire Stopping Caulks

Caulk it

Grabber offers a complete line of caulks including sound control sealants, subfloor adhesives, drywall adhesives, insulation foam and more. Grabber also offers EFC and IFC fire stopping caulks and sealants.



NO-COAT® Stick Products
NO-COAT® ULTRAFLEX
HYDROTRIM®
Drywall Tape
Finishing Tools

Finish it

Grabber has everything you need for finishing your drywall projects. From fiberglass mesh tape and spark perforated drywall tape to the innovative No-Coat® structural drywall system, Grabber has what you need to do the job right.

Quality every step of the way. . . the reason the pros choose Grabber

Grabber sweats the small stuff, and that makes all the difference

The professional's first choice for over 40 years, Grabber premium quality screws are built for performance. Sharper threads mean a better driving experience so Grabber changes thread dies more frequently. Tight recesses mean screws are less likely to cam-out and bit tips will last longer so Grabber changes recess dies more frequently. Consistent heat treating means screw heads will be less likely to pop off, so Grabber heat treats fewer screws at a time ensuring more even heat treatment. These are small things most people don't notice, but they are also small things that make the difference between average fasteners and professional grade fasteners.

Grabber is an international distributor of premium fasteners and fastening systems for wood, metal, and drywall applications in the commercial and residential construction markets. Grabber is home to the Deckmaster® Hidden Fastening System, the patented LOX® Drive System, and the SuperDrive Auto-Feed Fastening System. Grabber also distributes a wide range of proprietary tools and accessories, various equipment, and building materials to the construction industry.

Grabber screws and drywall nails are ICC ES (International Code Council Evaluation Service) evaluated, and engineered to meet or exceed the specifications for use, as prescribed in UBC 1997, IBC 2006, IRC 2006, IBC 2009, and IRC 2009. ASTM reports, approvals, shear, pullout and other technical information is available at www.grabberman.com

Grabber screws and nails are produced in an ISO 9001 and ISO 14001 approved and certified manufacturing environments. Grabber also supports a complete line of US manufactured construction fasteners that meet "Buy American" and the "American Reinvestment and Recovery Act" requirements. GrabberGard® exterior grade coated fasteners are rated for use in ACQ, pressure and fire treated lumber.



GRABBER®
CONSTRUCTION PRODUCTS

www.grabberman.com

**Visit www.grabberman.com or
call 800-477-8876
to find a dealer near you.**

