ROOFING SELECTION GUIDE

Luxury & Designer Roofing Shingles



Landmark, shown in Weathered Wood

CertainTeed
SAINT-GOBAIN

Arcadia Shake, shown in Solaris Weathered Wood

You know it when you see it.

It's not just a roof.
It's a CertainTeed roof.

Quality. Durability. Style. Color.

When you select a roof for your home, there's a lot to consider.

That's when a roof becomes more than just a roof. The same way a home is more than just a house.

You want the best for your home and everything in it.

So why guess,
when you can be Certain?

CertainTeed
SAINT-GOBAIN

Arcadia Shake, shown in Solaris Weathered Wood

ARCADIA SHAKE®

- Four-layer laminate construction mimics the look of cedar shakes
- Four cutouts on the top of each shingle add dimensionality
- Variegated edges enhance the authentic wood shake appearance
- 450 lbs. per square
- Lifetime limited transferable warranty – residential*
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Select colors can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- ASTM E108 Class A
- ASTM D3018 Type 1

Wind Resistance:
- ASTM D3161 Class F
- ASTM D7158 Class H

Tear Resistance:
- ASTM D3462
- CSA standard A123.5

Impact Resistance:
- UL2218 Class 3

Solaris Weathered Wood:
- Calculated SR: 0.22

Solaris Cypresswood:
- Calculated SR: 0.21

COLOR AVAILABILITY

Presidential Shake TL, shown in Charcoal Black

COLOR AVAILABILITY

Aged Bark

Autumn Blend

Charcoal Black

Country Gray

Platinum

Shadow Gray

Solaris Autumn Blend
CRRC Product ID 0668-0127

Solaris Charcoal Black
CRRC Product ID 0668-0132

Solaris Country Gray
CRRC Product ID 0668-0128

Solaris Shadow Gray
CRRC Product ID 0668-0134

PRESIDENTIAL SHAKE® TL

- Three-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- 475 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty (where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class A

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537



Presidential Shake, shown in Aged Bark

PRESIDENTIAL SHAKE®

- Two-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- 355 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty (where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

COLOR AVAILABILITY







Grand Manor, shown in Brownstone

COLOR AVAILABILITY

Black Pearl

Brownstone

Colonial Slate

Gatehouse Slate


Georgian Brick

Sherwood Forest

Stonegate Gray

Terra Cotta

Tudor Brown

Weathered Wood

GRAND MANOR®

- Two full-size, fiberglass-based shingles with randomly applied tabs
- Authentic depth and dimension of natural slate
- Virtual five-layer coverage when applied
- 425 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- High-Performance Starter and hip and ridge accessory available (see details in back of brochure)

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

Carriage House, shown in Stonegate Gray

CARRIAGE HOUSE®

- Two full-size, fiberglass-based shingles
- Unique chamfered cut for scalloped appearance
- Four-layer coverage when applied
- 350 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Hip and ridge accessory available (see details in back of brochure)

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

GRAND MANOR and CARRIAGE HOUSE SHINGLES

These two shingles can be combined to create a myriad of custom patterns, emulating traditional slate roof designs.

COLOR AVAILABILITY

Black Pearl

Brownstone

Colonial Slate

Gatehouse Slate


Georgian Brick


Sherwood Forest

Stonegate Gray

Victorian Blue

Landmark TL, shown in Shenandoah

COLOR AVAILABILITY

Aged Bark

Chestnut

Country Gray

Max Def Black Walnut

Moire Black


Mountain Timber

Old Overton


Platinum

Shenandoah

LANDMARK® TL

- Three-piece laminated fiberglass construction
- Rustic appearance of hand-split wood shakes
- 305 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty (where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

Landmark Premium, shown in Max Def Weathered Wood

LANDMARK® PREMIUM

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 300 lbs. per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

COLOR AVAILABILITY







Landmark Pro, shown in Max Def Moire Black

COLOR AVAILABILITY


Max Def Burnt Sienna

Silver Birch
CRRC Product ID 0668-0072

Max Def Georgetown Gray

Solaris Max Def Georgetown Gray
CRRC Product ID 0668-0122


Max Def Heather Blend

Solaris Max Def Heather Blend
CRRC Product ID 0668-0123

Max Def Moire Black

Solaris Max Def Moire Black
CRRC Product ID 0668-0130

Max Def Resawn Shake

Solaris Max Def Resawn Shake
CRRC Product ID 0668-0124


Max Def Weathered Wood

Solaris Max Def Weathered Wood
CRRC Product ID 0668-0125

LANDMARK® PRO

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 270 lbs. per square
- Lifetime limited transferable warranty - residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

Landmark, shown in Georgetown Gray

COLOR AVAILABILITY

Burnt Sienna

Terra Cotta

Solaris Crystal Gray
CRRC Product ID 0668-0058

Georgetown Gray

Thunderstorm Gray

Solaris Dusky Clay
CRRC Product ID 0668-0057

Heather Blend

Weathered Wood

Solaris Georgetown Gray
CRRC Product ID 0668-0116

Hunter Green

Birchwood
CRRC Product ID 0668-0084

Solaris Heather Blend
CRRC Product ID 0668-0117

Moire Black

Mist White
CRRC Product ID 0668-0071

Solaris Moire Black
CRRC Product ID 0668-0129

Painted Desert

Mojave Tan
CRRC Product ID 0668-0115

Solaris Resawn Shake
CRRC Product ID 0668-0118

Resawn Shake

Silver Birch
CRRC Product ID 0668-0072

Solaris Weathered Wood
CRRC Product ID 0668-0119

Sunrise Cedar

Solaris Aged Cedar
CRRC Product ID 0668-0055

LANDMARK®

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 229 lbs. per square
- Lifetime limited transferable warranty*
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)
- Select colors can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

Landmark Solaris Platinum, shown in Santa Fe

LANDMARK SOLARIS® PLATINUM

Cool Roof Shingles

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 250 lbs. per square
- Meets ENERGY STAR requirements
- Lifetime limited transferable warranty – residential*
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Colors shown can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements

* *See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:
- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:
- UL certified to meet ASTM D3462
- CSA standard A123.5

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

COLOR AVAILABILITY

Coastal Tan
CRRC Product ID 0668-0079

Santa Fe
CRRC Product ID 0668-0080

Sierra Buff
CRRC Product ID 0668-0078

COOL ROOF SHINGLES

Landmark, shown in Solaris Aged Cedar

THE COLLECTION

CertainTeed's Cool Roof Shingle Collection puts cool roof technology to work for you.

Our advanced roofing granules reflect solar energy and radiant heat far better than traditional roofing shingles, reducing your roof's temperature in the summer.

All are rated by the Cool Roof Rating Council (CRRC) for cool roofs and can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements.

Choose from three spectacular solar shingle line-ups.

GOOD: Landmark®

BETTER: Landmark Pro® and Presidential Shake®

BEST: Landmark Solaris® Platinum, with an industry leading solar reflectance value of over 40%, Presidential Shake® TL and Arcadia Shake

Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

Product	Color	Tier	CRRC Rated Product Directory							CA 2016 Title 24*	Energy Star Certified
			Product ID	Solar Reflectance		Thermal Emittance		Solar Reflective Index			
				Initial	Aged	Initial	Aged	Initial	Aged		
Landmark®	Birchwood	Good	0668-0084	0.21	*pending*	0.92	*pending*	21	*pending*	YES	NO
Landmark®	Mist White	Good	0668-0071	0.26	0.28	0.92	0.90	28	29	YES	YES
Landmark®	Mojave Tan	Good	0668-0115	0.19	*pending*	0.88	*pending*	17	*pending*	YES	NO
Landmark®	Silver Birch	Good	0668-0072	0.26	0.27	0.90	0.89	27	28	YES	YES
Landmark®	Solaris Aged Cedar	Good	0668-0055	0.26	0.24	0.92	0.90	28	24	YES	NO
Landmark®	Solaris Crystal Gray	Good	0668-0058	0.27	0.26	0.92	0.90	29	27	YES	YES
Landmark®	Solaris Dusky Clay	Good	0668-0057	0.26	0.23	0.93	0.90	28	23	YES	NO
Landmark®	Solaris Georgetown Gray	Good	0668-0116	0.20	*pending*	0.91	*pending*	19	*pending*	YES	NO
Landmark®	Solaris Heather Blend	Good	0668-0117	0.20	*pending*	0.91	*pending*	19	*pending*	YES	NO
Landmark®	Solaris Moire Black	Good	0668-0129	0.19	*pending*	0.91	*pending*	18	*pending*	YES	NO
Landmark®	Solaris Resawn Shake	Good	0668-0118	0.19	*pending*	0.92	*pending*	19	*pending*	YES	NO
Landmark®	Solaris Weathered Wood	Good	0668-0119	0.20	*pending*	0.91	*pending*	19	*pending*	YES	NO
Landmark PRO®	Silver Birch	Better	0668-0072	0.26	0.27	0.90	0.89	27	28	YES	YES
Landmark PRO®	Solaris Max Def Georgetown Gray	Better	0668-0122	0.20	*pending*	0.94	*pending*	21	*pending*	YES	NO
Landmark PRO®	Solaris Max Def Heather Blend	Better	0668-0123	0.19	*pending*	0.93	*pending*	19	*pending*	YES	NO
Landmark PRO®	Solaris Max Def Moire Black	Better	0668-0130	0.19	*pending*	0.91	*pending*	18	*pending*	YES	NO
Landmark PRO®	Solaris Max Def Resawn Shake	Better	0668-0124	0.19	*pending*	0.93	*pending*	19	*pending*	YES	NO
Landmark PRO®	Solaris Max Def Weathered Wood	Better	0668-0125	0.21	*pending*	0.94	*pending*	22	*pending*	YES	NO
Presidential Shake®	Solaris Autumn Blend	Better	0668-0127	0.21	*pending*	0.92	*pending*	21	*pending*	YES	NO
Presidential Shake®	Solaris Charcoal Black	Better	0668-0132	0.18	*pending*	0.93	*pending*	19	*pending*	YES	NO
Presidential Shake®	Solaris Country Gray	Better	0668-0128	0.21	*pending*	0.92	*pending*	21	*pending*	YES	NO
Presidential Shake®	Solaris Shadow Gray	Better	0668-0134	0.18	*pending*	0.92	*pending*	17	*pending*	YES	NO
Landmark Solaris® Platinum	Coastal Tan	Best	0668-0079	0.40	0.36	0.91	0.90	45	40	YES	YES
Landmark Solaris® Platinum	Santa Fe	Best	0668-0080	0.40	0.35	0.90	0.91	45	39	YES	YES
Landmark Solaris® Platinum	Sierra Buff	Best	0668-0078	0.41	0.37	0.92	0.90	47	41	YES	YES
Presidential Shake® TL	Solaris Autumn Blend	Best	0668-0127	0.21	*pending*	0.92	*pending*	21	*pending*	YES	NO
Presidential Shake® TL	Solaris Charcoal Black	Best	0668-0132	0.18	*pending*	0.93	*pending*	19	*pending*	YES	NO
Presidential Shake® TL	Solaris Country Gray	Best	0668-0128	0.21	*pending*	0.92	*pending*	21	*pending*	YES	NO
Presidential Shake® TL	Solaris Shadow Gray	Best	0668-0134	0.18	*pending*	0.92	*pending*	17	*pending*	YES	NO
Arcadia Shake	Solaris Cypresswood	Best	0668-0120	0.19	*pending*	093	*pending*	19	*pending*	YES	NO
Arcadia Shake	Solaris Weathered Wood	Best	0668-0121	0.21	*pending*	0.93	*pending*	22	*pending*	YES	NO

** Can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements.*



Good

LANDMARK®

Birchwood
CRRC Product ID 0668-0084

Mist White
CRRC Product ID 0668-0071

Mojave Tan
CRRC Product ID 0668-0115

Silver Birch
CRRC Product ID 0668-0072

Solaris Aged Cedar
CRRC Product ID 0668-0055

Solaris Crystal Gray
CRRC Product ID 0668-0058

Solaris Dusky Clay
CRRC Product ID 0668-0057

Solaris Georgetown Gray
CRRC Product ID 0668-0116

Solaris Heather Blend
CRRC Product ID 0668-0117

Solaris Moire Black
CRRC Product ID 0668-0129

Solaris Resawn Shake
CRRC Product ID 0668-0118

Solaris Weathered Wood
CRRC Product ID 0668-0119

Better

LANDMARK® PRO

Silver Birch
CRRC Product ID 0668-0072

Solaris Max Def Georgetown Gray
CRRC Product ID 0668-0122

Solaris Max Def Heather Blend
CRRC Product ID 0668-0123

Solaris Max Def Moire Black
CRRC Product ID 0668-0130

Solaris Max Def Resawn Shake
CRRC Product ID 0668-0124

Solaris Max Def Weathered Wood
CRRC Product ID 0668-0125

PRESIDENTIAL SHAKE®

Solaris Autumn Blend
CRRC Product ID 0668-0127

Solaris Charcoal Black
CRRC Product ID 0668-0132

Solaris Country Gray
CRRC Product ID 0668-0128

Solaris Shadow Gray
CRRC Product ID 0668-0134

Best

LANDMARK SOLARIS® PLATINUM

Coastal Tan
CRRC Product ID 0668-0079

Santa Fe
CRRC Product ID 0668-0080

Sierra Buff
CRRC Product ID 0668-0078

PRESIDENTIAL SHAKE® TL

Solaris Autumn Blend
CRRC Product ID 0668-0127

Solaris Charcoal Black
CRRC Product ID 0668-0132

Solaris Country Gray
CRRC Product ID 0668-0128

Solaris Shadow Gray
CRRC Product ID 0668-0134

ARCADIA SHAKE®

Solaris Cypresswood
CRRC Product ID 0668-0120

Solaris Weathered Wood
CRRC Product ID 0668-0121

Roof - Highland Slate, shown in Fieldstone
Siding - Cedar Impressions® Double 7" Perfection Shingles, shown in Seagrass

HIGHLAND SLATE®

- Single layer fiberglass-based construction
- Blended shades and dimensional appearance of natural slate
- 8" exposure, 18" x 36" size, 240 lbs per square
- Lifetime limited transferable warranty – residential*
- 50-year limited transferable warranty – group-owned or commercial*
- 15-year StreakFighter® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

** See warranty for specific details and limitations.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:
- UL Certified to meet ASTM D3018 Type 1
- UL 790 Class A
- ASTM E 108 Class A

Wind Resistance:
- UL 2390/ASTM D 6381 Class H
- ASTM D3161 Class F

Tear Resistance:
- UL Certified to meet ASTM D3462
- CSA Standard A123.5

Wind Driven Rain Resistance:
- Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Quality Standards:
- ICC-ES-ESR-1389 & ESR-3537

COLOR AVAILABILITY



HIP AND RIDGE ACCESSORIES

Shangle® Ridge Accessory

- Hip and ridge capping
- Two full layers
- 12" width allows application over standard ridge vents
- Full 8" exposure
- Matches all Grand Manor, Highland Slate and Carriage House colors
- Algae resistant

Shadow Ridge®

- Used for hip and ridge capping
- Single-layer coverage for product versatility
- Sealant strip for maximum adherence
- Dimensions are 13 1/4" x 39 3/8", with a 5 5/8" exposure
- Can be used on shingle-over vents or directly over centerline of hip or ridge
- Available in complementary product colors (see individual Roofing Plant Catalogs for color availability)

Mountain Ridge®

- Fiberglass reinforced SBS modified bitumen
- Five layer design with tri-laminate base
- Available in 8" and 10" widths
- 8" exposure
- Also available in Solaris colors

Solaris® Hip and Ridge

- Used for hip and ridge capping
- Matches Landmark Solaris shingle colors
- Covers 45 lineal feetper bundle; 24 shingles per bundle

Cedar Crest®

- Dimensions are (overall) 12" x 36", separated into individual pieces 12" x 12", with an 8" exposure
- Covers 20 lineal feet per bundle
- Matches all Highland Slate colors



Integrity Roof System™

Integrity is built from the bottom up. Layer-on-layer, only CertainTeed provides the peace of mind that comes with the best components performing together for peak efficiency.

1. **Waterproof Underlayment**

   Waterproofing shingle underlayment prevents leaks from wind-driven rain and ice dams

2. **Water-Resistant Underlayment**

   High-performance underlayment provides a water-resistant layer over the roof deck and a secondary barrier against leaks

3. **Starter Shingles**

   Perfect starts every time and designed to work in tandem with the roof shingles above

4. **Roof Shingles**

   Choose the best, covered by the strongest warranty in the business

5. **Hip & Ridge Caps**

   Perfect finish for hip and ridge lines, complementing all CertainTeed shingles

6. **Roof Ventilation**

   Engineered for ideal roof ventilation especially when matched with CertainTeed Intake Vents

SELECTION GUIDE

		Shingle Construction and Description	Weight (lbs. per square)	UL Class A Fire Resistance Rating	UL Certified to Meet ASTM D3462	UL Certified to Meet ASTM D3018 Type 1	ASTM D3161 Wind Resistance	Conforms To CSA Standard A123.5	ICC-ES ESR-1389 & ESR-3537
LUXURY SHINGLES									
Arcadia		Four-layer laminate construction mimics the look of cedar shakes; Four cutouts on the top of each shingle add dimensionality; Variegated edges enhance the authentic wood shake appearance	450	✔	✔	✔	Class F, 110 mph	✔	✔ (1389 only)
Presidential Shake TL		Three-piece laminated fiberglass construction; Distinctive sculpted, rustic look	475	✔	✔	✔	Class A	✔	✔
Presidential Shake		Two-piece laminated fiberglass-based construction; Distinctive sculpted, rustic look	355	✔	✔	✔	Class F, 110 mph	✔	✔
Grand Manor		Two full-size, fiberglass-based shingles with randomly applied tabs; Authentic depth and dimension of natural slate; Virtual five-layer coverage when applied	425	✔	✔	✔	Class F, 110 mph	✔	✔
Carriage House		Two full-size, fiberglass-based shingles; Unique chamfered cut for scalloped appearance; Four-layer coverage when applied	350	✔	✔	✔	Class F, 110 mph	✔	✔
Landmark TL		Three-piece laminated fiberglass construction; Rustic appearance of hand-split wood shakes	305	✔	✔	✔	Class F, 110 mph	✔	✔
DESIGNER SHINGLES									
Landmark Premium		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	300	✔	✔	✔	Class F, 110 mph	✔	✔
Landmark Pro		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	270	✔	✔	✔	Class F, 110 mph	✔	✔
Landmark		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	229	✔	✔	✔	Class F, 110 mph	✔	✔
Landmark Solaris Platinum		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	250	✔	✔	✔	Class F, 110 mph	✔	✔
Highland Slate		Single layer fiberglass-based construction; Blended shades and dimensional appearance of natural slate	240	✔	✔	✔	Class F, 110 mph	✔	✔

Limited Transferable Warranty Against Manufacturing Defects On Residential Applications **50-Year on Group-owned or Commercial Applications*	StreakFighter® algae-resistance Warranty *(where available)*	SureStart Protection	Wind-Resistance Warranty *Upgraded wind warranty available. See warranty for details and limitations*	Shingle Size	Bundles Per Square
Lifetime*		10-year	15-year 110 mph **	37 1/2" x 19 1/2" 8" Exposure	6
Lifetime*	15-year (where available)	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	6
Lifetime*	15-year (where available)	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	5
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
Lifetime*	15-year (where available)	10-year	15-year 110 mph **	13 1/4" x 40" 5 5/8" Exposure	4
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
Lifetime*		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
Lifetime		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
Lifetime		10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	3

*** Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required. *** With approved underlayment*

High-Performance Starter

Starter Course shingle specifically for use with Grand Manor and Highland Slate—and the only approved installation alternative to using the shingles themselves.

- 10" x 36", 102 lineal ft. per bundle, 34 shingles per bundle
- Provides labor and cost savings by not cutting shingles
- Dual sealant strip for increased wind resistance
- Better look with straight factory-cut eave edge

Presidential Starter

Required for Presidential Shake TL and Presidential Shake applications.

- 13 1/4" x 40" (required double layer), 36.5 lineal ft. per bundle (based on 2-layer application), 22 shingles per bundle.
- Two layers of straight factory-cut eave edge
- Available in the entire Presidential Shake TL and Presidential Shake color line
- Assures Class A fire rating
- Saves significant installation time

CertainTeed Swiftstart®

CertainTeed Swiftstart metric starter shingle is designed specifically for use with CertainTeed Landmark Series shingles. Rather than cutting expensive field shingles to use as starters, you can save time and money by starting with Swiftstart.

- Code-compliant, meets min. 2" headlap requirement for metric shingles; many competing products do not
- Each 18-piece bundle covers 116 lineal ft.
- Recommended for use to obtain enhanced warranties

Shangle® Ridge Accessory

- Hip and ridge for Grand Manor, Carriage House and Highland Slate; 10 lineal ft. per bundle; 15 shingles per bundle

Shadow Ridge®

- Hip and ridge for Landmark TL and Landmark Series; 45 lineal ft. per bundle; 24 shingles per bundle

Mountain Ridge®

- Hip and ridge for Arcadia, Presidential TL, Presidential Shake, Presidential Solaris, Landmark TL, Landmark Series, Landmark Solaris, Presidential TL Solaris and Presidential Solaris

Solaris® Hip and Ridge

- Used for hip and ridge capping
- Matches Landmark Solaris shingle colors
- Covers 45 lineal feet per bundle; 24 shingles per bundle

Cedar Crest®

- Hip and ridge for Highland Slate; 20 lineal ft. per bundle

Ventilation

- CertainTeed Ridge Vent 9" filtered Class A
- CertainTeed Ridge Vent 9" filtered
- CertainTeed Ridge Vent 7" filtered Class A
- CertainTeed Ridge Vent 12" filtered
- CertainTeed Intake Vent filtered
- CertainTeed Rolled Ridge Vent filtered

StreakFighter® algae-resistance protection

StreakFighter is a special feature that protects a wide range of CertainTeed shingles from the streaking, spotting and discoloration caused by airborne algae. It helps safeguard a roof's beauty, especially in humid areas.

STREAK Fighter®

SureStart™ protection

Because CertainTeed roofing products are manufactured to the highest quality standards, we confidently include the additional assurance of SureStart™ protection with all CertainTeed shingles. SureStart provides the strongest protection you can get in the vital early years after your new roof has been installed.

Simply put, if a manufacturing defect is discovered during the SureStart period, CertainTeed will provide reimbursement of 100% of the cost of the shingles and labor to repair the defective shingles or apply new shingles to replace the defective shingles. See actual warranty for details and limitations.

CertainTeed SURESTART™ PROTECTION

Roofers' Select®

This revolutionary high-performance underlayment combines new technology with the best attributes of true 15 and 30 lb. felt.

- Lays flat and is extremely resistant to wrinkling
- Reduces the likelihood of slipping for increased safety
- Doesn't tear away from fasteners when walked on or in strong wind
- Meets underlayment requirements for the CertainTeed Integrity Roof System™

Roofers' Select® HIGH PERFORMANCE UNDERLAYMENT

DiamondDeck®

DiamondDeck is a synthetic, scrim-reinforced, water-resistant underlayment that can be used beneath shingle, shake, metal, or slate roofing. It is manufactured to provide best-in-class performance in terms of both weather protection and contractor safety. 10-square roll (4-foot wide and 250-foot long) is easier to handle and faster to apply than standard felt rolls.

DiamondDeck®

WinterGuard®



When snow and ice melt, trapped water can infiltrate to damage the roof deck and building interior.

WinterGuard is installed under shingled roofing to prevent water damage from ice dams, as well as wind-driven rain.

WinterGuard Sand and WinterGuard Granular are designed for use on roof decks as a waterproofing underlayment beneath shingle, slate and tile roofs to prevent leakage due to water backup from ice dams or wind-driven rain. WinterGuard HT, an advanced waterproofing underlayment, is specially formulated to resist high roof temperatures and is the only WinterGuard product to be warranted for use under metal roofs. WinterGuard is most commonly used in critical areas such as roof eaves, valleys and low-slope applications.

WinterGuard is classified by Underwriters Laboratories (UL) to be a suitable underlayment for use in any UL Class A, B or C fire rated shingle system, and it is manufactured to meet ASTM D1970. For specific details and limitations, refer to the actual product warranties.

RoofRunner™

Lightweight synthetic polymer-based underlayment outperforms felt and outclasses other synthetics. Designed for use on roof decks as a water-resistant layer beneath asphalt roofing shingles, this scrim-reinforced underlayment includes a special top surface treatment that provides excellent slip resistance, even when wet. Large roll size - 4ft wide x 250 ft long - speeds application.

MetaLayment®

MetaLayment self-adhering underlayment has a tough, tear-resistant film on its top surface that will not scratch roofing metal applied over it. The adhesive bottom surface of MetaLayment is protected with a disposable silicone-coated release film, which is split longitudinally down the middle for easier application. Manufactured to meet ASTM D1970.

Color Companion Products™ for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in eight colors that complement some of the most popular CertainTeed shingles.

What's behind our #1 rating?

Builders and remodelers across America know certain things to be true of CertainTeed. For starters, we've been in the roofing business for over 100 years. We have thousands of satisfied homeowners. The process of building that satisfaction begins the moment you turn to us.

CertainTeed offers you the broadest range of color and style choices. But you'll see it's not style over substance. You'll get a roof that's made from the highest quality materials and backed by a strong warranty program. It's our promise to you: quality made certain, satisfaction guaranteed.

PRESIDIO®

Metal Roofing

TILE
Weathered Canyon

SHAKE
Cedar

SLATE
Brownstone

All are rated by the Cool Roof Rating Council (CRRC) for cool roofs and can be used to comply with the 2016 California Title 24 Part 6 Cool Roof Requirements.

Because it's more than just a roof

Presidio Metal Roofing takes the form of slate, tile or wood shake to create a beautiful roof that makes a lasting impression.

Replicate the charm of artisanal roofing at a fraction of the cost with durable, lightweight steel.

Includes a lifetime limited warranty. Laboratory tested to resist fire, wind and hail.

Features a proprietary multi-coat paint system that offers 17 hyper-realistic color options across all profiles, including 14 CRRC-rated cool roofing colors.

CertainTeed
SAINT-GOBAIN

RESIDENTIAL ROOFING

The best formula under one roof.

We start with the highest-quality raw materials and add state-of-the art technology to monitor our manufacturing process and test our finished products. The result is superior performance from beginning to end.

SUPERIOR THROUGH SCIENCE

Products available in areas shown

NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.

learn more at: certainteed.com/roofing

SAINT-GOBAIN

CertainTeed Corporation

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • GYPSUM • CEILINGS • INSULATION

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

© 5/18 CertainTeed Corporation, Printed in the USA Code No. 20-20-1709