



INTERIOR & EXTERIOR DOOR GUIDE

Building Quality Doors Since 1866



Steves & Sons... Building Quality Doors Since 1866

GROWING WITH AMERICA FOR OVER 150 YEARS

Some people pioneer a business. Some people are actual pioneers. The Steves family are both, true pioneers who 150 years ago established a lumber business in San Antonio. At the time, San Antonio was just a small Mexican-style adobe village.

As the Steves' reputation for hard work and dedication to quality rapidly grew, San Antonio quickly became the heart of the lumber business for the southwestern United States and northern Mexico.



A TRUE FAMILY BUSINESS

Edward Steves along with his sons Edward Jr., Albert and Earnest, wanted his business to thrive not only for his current family, but also for future generations of the Steves family. His visionary approach to the business established one of the key company philosophies: supply what's needed today, stay ahead and be ready to supply what's needed tomorrow. By 1879, Steves stocked an average

of three million board feet of lumber, serving the growing building needs throughout western Texas, northern Mexico and the growing frontier.



MORE THAN LUMBER

In the 1890's frame buildings and homes became more common. Steves supplied not only wood, but doors, window and stair components. To keep distribution costs low and make products affordable for customers, a millwork plant was established in 1904. By 1912 the millwork plant was so successful that the business was renamed to Steves Sash & Door Company.



THE WAR YEARS

In 1916, Steves Sash & Door Company was the largest millwork operation in the southwest. During World War I, the millwork operation shifted production to aircraft propellers for the newly

established Army Air Corp. During World War II, operations were again converted to support the war effort. This time the company manufactured joinery for the Liberty ships. After the war, all profits from Steves Sash & Door were returned to the government to help the country get restarted and in gratitude for the Steves sons' safe return.



CHANGE TO BEAUTY

After the war years, Steves returned its attention to building quality products for homes, with an emphasis on doors. The leadership at Steves recognized the need for beauty, art and color as the country evolved from a land of pioneers to a land with a growing culture of its own. New lines and styles of doors were manufactured. Between 1950 and 1970 the company, produced more than one

million doors to serve a variety of home styles, needs, and décor.

CONTINUED GROWTH

To reach new markets while continuing to deliver unmatched quality at an outstanding value, Steves & Sons opened two additional plants – Lebanon, Tennessee in 1971 and Richmond, Virginia in 1983. In 1987 the Crest exterior door company was started. In 2005 due to the increased demand for more door products, the Tennessee plant moved into a new 205,000 sq. ft. facility. In 2011 Steves forged into new markets with prefinishing capabilities in a new premium wood and fiberglass plant in San Antonio. In 2014, due to increased demand and diversified offering, the Richmond, VA plant moved into a new state of the art 210,000 sq. ft. facility. Steves & Sons continues to build its business and reputation among builders and homeowners across the country with continued emphasis on quality materials, new technology and efficient distribution.

SIX GENERATIONS OF DEDICATION

Since 1866 the Steves family has always been involved in the company. Today, six generations later, Steves & Sons continues its commitment to quality, craftsmanship and style. The Steves family founded the company on the principles of conservative growth and environmental responsibility. That hallmark remains today in every item Steves & Sons manufacturers. From incorporating recycled materials, to making products that can conceivably last as long as the application, the Steves family is proud to build on the tradition of environmental respect and responsibility. As an American family success story, Steves & Sons will continue to offer quality and service at a fair price for generations to come.

Make your House a Home with Steve's Doors

Select Your Interior Door Style



FLUSH DOORS

Flush doors give your home the beautiful wood detail you're looking for and can be painted or stained to match your existing furnishings. Available in several natural wood finishes and a variety of sizes, these doors can be made to fit your home perfectly.

(See pages 4–5)



MOLDED PANEL DOORS

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted or stained to match any décor.

(See pages 6–7)



WOOD PANEL AND PRIMED WOOD DOORS

Wood panel doors with true stile and rail construction help dress your home up or keep it casual. Available in multiple styles and species, these doors give your home a natural feel, while louvered doors allow for light and air ventilation.

(See pages 8–9)



GLASS PANEL DOORS

Wood-trim doors with glass panels allow you to match the woodwork in your home while providing more light and visibility. Available in a variety of styles and glass options.

(See pages 10–11)



ULTRA HDF DOORS

Ultra HDF doors are assembled by hand and manufactured to exact specifications. Made with a durable LVL core and HDF (high density fibreboard) face with true stile and rail construction, these doors offer sound reduction in multiple design options to match your home's style.

(See pages 12–13)



BI-FOLD DOORS

Bi-fold doors save space while achieving the appearance you desire. Bi-folds are available in the same styles and finishes as molded panel and flush doors, and can be made to fit any room in your home.

(See pages 14–15)

Select Your Exterior Door Style



STEEL DOORS

Steel doors stand up to harsh environmental conditions and resist warping and moisture. These low-maintenance doors are primed for easy painting and are available in a variety of high-definition panel designs.

(See pages 16–17)



SMOOTH FIBERGLASS DOORS

Smooth fiberglass doors are easy to paint to match any décor, and feature an insulating core for energy efficiency. These low-maintenance doors won't crack, split or warp, offering years of trouble-free performance.

(See pages 18–19)



TEXTURED FIBERGLASS PAINT & STAIN GRADE DOORS

Textured fiberglass doors combine a traditional wood-grain look with weather-resistant durability and won't dent or rust. They are available in economical paint grade or stain grade in a variety of panel styles.

(See pages 20–25)



WOOD ENTRY DOORS

Wood doors provide natural beauty and warmth. A variety of styles and wood species are available. Create a unique entryway with the many decorative glass options available. For a durable finish, doors can be ordered pre-stained.

(See pages 26–28)

FLUSH DOORS



Flush Door Shown is Birch



Birch

The Look, Feel and Sound of Wood

Wood is beautiful, but solid wood doors aren't always the best choice for everyone. Fortunately, flush doors from Steves & Sons provide the beauty, feel and sound of wood, making flush doors an excellent option.

With a rich look in a wide range of wood grains — including oak, birch, ash, maple and more — you'll find the perfect choice for any décor.

- Available in multiple wood species including lauan, oak, birch, ash and maple
- Also available in raw and primed hardboard and raw and primed embossed hardboard
- Available in hollow core, solid particle board core and fire-rated core
- Most designs available in matching bi-fold doors

Specifications

Thickness: 1-3/8" and 1-3/4"

Door Widths: 1' 0" – 4' 0"*

Door Heights: 6' 8", 7' 0"
and 8' 0" †

Custom Sizing:

Custom sizes available in both widths and heights.

Wood grain, smooth or embossed finish by design.

Hollow core, solid particle board core and fire-rated core available.

Most designs also available in matching bi-fold doors.

* 4'0" only available in certain species

† Embossed hardboard only available in 6'8"



Lauan



Oak



Ash



Maple



Birch



Hardboard
SMOOTH



Primed Hardboard
SMOOTH



Embossed Hardboard
TEXTURED
(Available in 6'8" only)



Primed Embossed
Hardboard
TEXTURED

MOLDED PANEL



Long-Lasting Beauty

When you install a Steves & Sons molded panel door, you'll know that the perfect fit will stay the perfect fit — because these doors resist shrinking, swelling, cracking or splitting. The smooth or textured surface can be painted to match any décor, delivering eye-catching beauty for years to come.

- Available in 6, 5, 4, 3, 2 and 1 panel designs
- Many designs are available in smooth and textured surfaces
- Varying designs — archtop, squaretop and more — help ensure a match to any design style
- Available in hollow core, solid particle board core, and fire-rated core.
- Mirrored backs available — textured only
- Many designs available in matching bi-fold doors
- Five year limited warranty

Shaker Styles



1 Panel Shaker
SMOOTH
SQUARE



2 Panel Shaker
SMOOTH
SQUARE



3 Panel Shaker
SMOOTH
SQUARE



5 Panel Shaker
SMOOTH
STEP

Note: See pages 29 for available sizes by style.

Specifications

Thickness: 1-3/8" and 1-3/4"

Door Widths: 1' 0" – 3' 0"

Door Heights: 6' 8", 7' 0" and 8' 0"*

Custom Sizing:

Custom sizes available in both widths and heights.






Primed smooth and textured surfaces.

Hollow core, solid particle board core, and fire-rated core available.

Many designs available in matching bi-fold doors.

* All designs are not available in all heights.

STICKING PROFILES



6 Panel
SMOOTH & TEXTURED –
BEAD & COVE
TEXTURED – OVOLO



5 Panel
SMOOTH –
BEAD & COVE



4 Panel Squaretop
SMOOTH –
BEAD & COVE, OVOLO



4 Panel Archtop
TEXTURED –
OVOLO



3 Panel
TEXTURED –
BEAD & COVE



2 Panel Archtop
SMOOTH & TEXTURED
BEAD & COVE



2 Panel Roundtop
SMOOTH
OVOLO



2 Panel Roundtop
SMOOTH
BEAD & COVE



2 Panel Roundtop Plank
SMOOTH
OVOLO



2 Panel Roundtop Plank
SMOOTH
TRI STEP



2 Panel Squaretop
SMOOTH
BEAD & COVE, OVOLO



2 Panel Squaretop Plank
SMOOTH
BEAD & COVE

WOOD STILE AND RAIL

Natural Quality, Natural Beauty

The charm and quality of true stile and rail construction blend perfectly in Steves & Sons' wood panel doors. These finely crafted doors offer excellent sound reduction and lasting beauty. Available in multiple species and various styles. These doors are ready to accept stain, paint or clear finish that will match your home's décor.

- Solid core stile and rail construction provides outstanding sound reduction
- Built for long-lasting beauty



2 Panel Roundtop
V-Groove Knotty Pine

Seven Wood Species Available



* Doors are 1/8" prefit in width.

Specifications

Thickness: 1-3/8"

Door Widths:

Note: All doors are prefit 1/8" in width, except clear pine & knotty pine; they are full size.

1' 6", 2' 0", 2' 4", 2' 6", 2' 8", 2' 10" and 3' 0"

Door Heights: 6' 8"

6 panel Clear Pine also available in 8' 0"


Wood panel doors can be painted or stained to match any décor.

V-groove doors feature double hip design. Louvered doors feature single hip design.


Note: All doors are not available in all heights and designs.

Note: Check with your customer service rep for lead times.


DOOR CONSTRUCTION




Single Hip




Double Hip



Double Hip V-Groove



Scoop



Shaker



6 Panel
SHOWN IN RED OAK
(Also available in CP, KP, RP, KA, YP)



4 Panel Squaretop
SHOWN IN RED OAK
(Also available in CP, WB, YP)



3 Panel Mission
SHOWN IN RED OAK
(Also available in KA, YP)



2 Panel Roundtop
SHOWN IN KNOTTY ALDER
(Also available in RO, RP, WB, YP)



2 Panel Squaretop
SHOWN IN RED OAK
(Also available in KA, RP, WB, YP)



2 Panel Shaker
SHOWN IN YELLOW POPLAR
(Also available in RO, WB)



2 Panel Roundtop V-Groove
SHOWN IN KNOTTY PINE
(Also available in KA)



2 Panel Squaretop V-Groove
SHOWN IN KNOTTY PINE
(Also available in KA)



Louvered/Louvered
SHOWN IN CLEAR PINE
(Also available in Primed Pine by Special Order)



Louvered/Panel
SHOWN IN CLEAR PINE
(Also available in Primed Pine by Special Order)



1 Panel Shaker
SHOWN IN RED OAK
(Also available in WB)




3 Panel Equal
ONLY AVAILABLE IN YELLOW POPLAR



Barn Door
SHOWN IN KNOTTY ALDER

CP = Clear Pine
RP = Radiata Pine
KA = Knotty Alder
KP = Knotty Pine

RO = Red Oak
YP = Yellow Poplar
WB = White Birch



Barn Door Hardware Kit
shown in black finish
(Also available in brushed silver finish)

GLASS PANEL DOORS



The Charm Shines Through

Customers will love the way Steves & Sons glass panel doors brighten their rooms. Wood trimmed with quality stile and rail construction, the glass panels not only add light for an enhanced view, they also add visibility that helps improve safety in the home. From single lite designs to French doors with up to 18 lites, glass panel doors are an elegant choice.

- Enhanced view
- Etched and groove glass designs available
- Wood can be stained or painted to match any décor
- Wide range of glass panel designs and styles

True Divide Lites



French
5 Lite TDL
Clear Glass



French
10 Lite TDL
Clear Glass



French
15 Lite TDL
Clear Glass



French
6 Lite TDL*
Clear Glass



French
12 Lite TDL*
Clear Glass



French
18 Lite TDL*
Clear Glass

*Available in 96" height

Decorative Glass Options



15 Lite V-Groove
Clear Glass



9 Lite V-Groove Primed
Clear Glass



Rain



Reed



Wheat



Satin Etch



Pantry*
** Actual glass design
may vary from shown*



Palmberg



Creston



Clear



3 Panel Equal 3 Lite
*(Available only in yellow poplar.
Glass options are white laminated
or cross reeded)*

Specifications

Thickness: 1-3/8"

Door Widths:

Note: All doors are prefit 1/8" in width.

One Lite, One Lite Obscure and Pantry Door: 2' 0", 2' 6", 2' 8" and 3' 0"

French 5 Lite TDL: 1' 6" x 6' 8"

French 6 Lite TDL: 1' 6" x 8' 0"

French 10 Lite TDL: 2' 0" x 6' 8", 2' 4" x 6' 8", 2' 6" x 6' 8", 2' 8" x 6' 8" and 3' 0" x 6' 8"

French 12 Lite TDL: 2' 0" x 8' 0"

French 15 Lite TDL: 2' 6" x 6' 8", 2' 8" x 6' 8" and 3' 0" x 6' 8"

French 18 Lite TDL: 2' 4" x 8' 0", 2' 6" x 8' 0", 2' 8" x 8' 0" and 3' 0" x 8' 0"

10 Lite V-Groove: 2' 0" x 6' 8" only

15 Lite V-Groove: 2' 6" x 6' 8", 2' 8" x 6' 8" and 3' 0" x 6' 8"

Note: 2' 4" widths are not available

Door Heights: 6' 8"

Custom Sizing: No adjustments to width or height.

Glass panel doors can be painted or stained to match any décor.

NOTE: Door styles and availability are subject to change.

Note: Check with your customer service rep for lead times.

ULTRA HDF DOORS



Smooth and Durable

You could sand wood all day and never make it feel as smooth as the finish on a Steves & Sons Ultra HDF door.

Made with an LVL core and high density fibreboard, the Ultra HDF doors offer the weight and feel of solid wood, with a blend of craftsmanship and long-lasting beauty. The wide range of designs and the primed finish give you the flexibility to match the style of any home.

- Amazingly smooth surface
- Wood dowels are used at every stile and rail intersection so joints don't come apart
- Constructed from LVL core with an HDF (high density fibreboard) veneer
- Weight and feel of solid wood
- Excellent sound reduction
- Primed for painting to match any décor
- Variety of design options



5 Panel Shaker



LVL core with primed HDF veneer

Specifications

Thickness: 1-3/8"

Door Widths:

Note: All doors are prefit 1/8" in width.
2' 0", 2' 4", 2' 6", 2' 8" and 3' 0"

Door Height*: 6' 8"

Custom Sizing:

Not available

Primed finish can be painted to match any décor.

* Note: All designs are not available in all heights.

Note: Check with your customer service rep for lead times.



1 Panel Shaker



2 Panel Squaretop Shaker



3 Panel Equal Shaker



3 Panel Craftsman Shaker



5 Panel Shaker



10 Lite Clear Glass



15 Lite Clear Glass

BI-FOLD DOORS



Space-Saving Charm Enhances Any Room

Bi-fold doors save space while delivering an attractive style. Bi-folds are available in the same designs as our molded panel and flush doors, all with the quality you expect from Steves & Sons.



6 Panel
SMOOTH & TEXTURED



4 Panel Archtop
TEXTURED



3 Panel
TEXTURED



3 Panel Shaker
SMOOTH



2 Panel Archtop
SMOOTH & TEXTURED



2 Panel Roundtop
SMOOTH



2 Panel Roundtop
SMOOTH



**2 Panel Roundtop
Plank**
SMOOTH



**2 Panel Roundtop
Plank**
SMOOTH



2 Panel Squaretop
SMOOTH



**2 Panel Squaretop
Plank**
SMOOTH



2 Panel Shaker
SMOOTH



1 Panel Shaker
SMOOTH



5 Panel Shaker
SMOOTH



5 Panel
SMOOTH



4 Panel Squaretop
SMOOTH



Specifications

Thickness: 1-3/8"

Door Widths: 24", 30", 32", 36", 48", 60" and 72"

Door Height: 6' 8", 7' 0"* and 8' 0"*

Custom Sizing: Flush & Molded Widths — any 1/2" increments.

Available in 2 or 4 door units (4 door units are 48", 60" and 72").

Molded panel doors available in smooth or textured finishes.

Flush doors available in wood grain, smooth or embossed finish. Matching backs standard.

Available in hollow core and solid core. Fire-rated core is not available.

* Not all styles are available in 7'0" and 8'0". See page 29 for availability.



Lauan



Oak



Birch



Ash



Maple



Hardboard



Embossed Hardboard



Primed Hardboard



Primed Embossed Hardboard



Pine Louver/Louvers *



Pine Louver/Panel *



Primed Louver/Louvers *



Primed Louver/Panel *

* Special Order Item with extended lead times

STEEL DOORS



3 Panel Craftsman

Energy-Efficient & Low-Maintenance

For entries where security and durability are essential, Steves steel doors are an excellent choice. Built to stand up to the harshest environmental conditions, they resist warping and moisture for lasting, low-maintenance performance.

These doors are primed for easy painting and are available in a variety of attractive styles.

- Varying designs are available in smooth surfaces
- Striking, high-definition panel design
- Closed-cell polystyrene core maintains U-factor and will not hold moisture
- 12" lock-block provides hardware reinforcement
- Galvanized, 24 gauge primed steel skin
- LVL stiles and top rail with proud edge
- 10 year limited warranty

Specifications

Thickness: 1-3/4"

Door Widths:

Flush: 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" and 3'6"
 Embossed: 2'6" (narrow format 6P), 2'8", 2'10", 3'0" and 3'6" (6P only)

Door Heights: 6' 8" (all), 7' 0" (FL, True 4P and 6P only) and 8' 0" (FL, 2P Sq and 6P only)

Custom Sizing:

Custom sizes available in both widths and heights.

Sidelite Widths:

Flush: 10", 1'0", 1'2", 1'4", 1'6"
 Embossed: 3P, 2P, 3/4 lite: 1'0", 1'2"

Sidelite Heights: 6'8" (all), 7'0" (FL) and 8'0" (FL, 3P)

Primed smooth surfaces.

Expanded polystyrene (EPS) core.

Machining options available.

20 minute fire-rated construction available in 6'8" sizes and most panel designs.

All door widths are 1/4" prefit and door heights are 3/4" or 1" prefit

All sidelites are book width.



9 Panel



6 Panel



True 4 Panel



4 Panel Blanktop



3 Panel



3 Panel Craftsman



2 Panel Square
(also available in 8'0")



2 Panel Roundtop

SIDELITE OPTIONS



2 Panel Roundtop
w/Plank



1 Panel



Flush



3 Panel



2 Panel



3/4 Lite



Flush

SMOOTH FIBERGLASS DOORS



True 4 Panel

Durability to the Core

When it comes to exterior protection, Steves fiberglass doors resist the elements beautifully. These smooth fiberglass doors won't dent, ding, rust, crack, split or warp. Plus, the insulating polystyrene core maintains U-factor for low-maintenance energy efficiency. It's the ideal choice for years of reliable value.

- Varying designs are available in smooth surfaces
- Closed-cell polystyrene core maintains U-factor and will not hold moisture
- 12" lock-block provides hardware reinforcement
- No cracking, splitting or warping
- Fiberglass skin is easy to paint
- PVC capped LVL stiles and top rail and composite bottom rail create an encapsulated product*
- 25 year limited warranty

*3'0" x 6'8" on all styles. Also on 2'6" x 6'8" and 2'8" x 6'8" six panel styles.

Specifications

Thickness: 1-3/4"

Door Widths:

Flush: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0"

Embossed: 2'6"(narrow format 6P), 2'8", 2'10", 3'0"

Door Heights: 6'8" (all),

7'0" (NA)

8'0" (6P only)

Custom Sizing:

Custom sizes available in both widths and heights.

Sidelite Widths:

Flush: 1'0", 1'2", 1'4", 1'6", 1'8"

Embossed: 1/2 lite: 1'0", 1'2"

Sidelite Heights: 6'8" only

Retro sizes available

Primed smooth surfaces.

Expanded polystyrene (EPS) core.

Machining options available.

20 minute fire-rated construction available in most sizes (up to 8'0") and panel designs.

All door widths are 1/4" prefit and door heights are 3/4" or 1" prefit

All sidelites are book width.



6 Panel



4 Panel Blanktop



True 4 Panel



2 Panel Roundtop Plank*



3 Panel Craftsman*
(utilizes 25" x 15-1/4" glass)



6 Panel Craftsman*
(utilizes 25" x 15-1/4" glass)

* Available in 3068 only

SIDELITE OPTIONS



Flush



1/2 Lite



Flush

OAK TEXTURED FIBERGLASS PAINT-GRADE DOORS



Traditional Appeal with Weather-Resistant Performance

Want a warmer, more traditional appearance than steel without sacrificing durability? Steves textured fiberglass doors are the answer. They're easy to paint and won't dent, ding or rust — providing low maintenance and energy efficiency.

- Varying designs are available in textured surfaces
- Closed-cell polystyrene core maintains U-factor and will not hold moisture
- 12" lock-block provides hardware reinforcement
- No cracking, splitting or warping
- Natural oak-grained surface
- PVC capped LVL stiles and top rail and composite bottom rail create an encapsulated product*
- 25 year limited warranty

*3'0" x 6'8" on all styles. Also on 2'8 x 6'8 flush and six panel styles.

3 Panel



Paintable oak-grained surface

Specifications

Thickness: 1-3/4"

Door Widths:

Flush: 2'0", 2'4", 2'6", 2'8",
2'10" and 3'0"
Embossed: 2'8", 2'10", 3'0"

Door Heights: 6'8" (all),
7'0" (NA)
8'0" (Flush and 6P only)

Custom Sizing:

Custom sizes available in both widths
and heights.

Sidelite Widths:

Flush: 1'0", 1'2", 1'4", 1'6", 1'8"
Embossed: 1/2 and 3/4 lite: 1'0", 1'2"

Sidelite Heights: 6'8" only

Retro sizes available

White oak-grained textured surfaces.

Expanded polystyrene (EPS) core.

Machining options available.

20 minute fire-rated construction
available in most sizes (up to 8'0")
and panel designs.

All door widths are 1/4" prefit and
door heights are 3/4" or 1" prefit

All sidelites are book width.



6 Panel



4 Panel Blanktop



True 4 Panel



3 Panel



Flush

SIDELITE OPTIONS



3/4 Lite



1/2 Lite



Flush

OAK TEXTURED FIBERGLASS STAIN-GRADE DOORS



Blend the Rich Look of Wood with Exceptional Dependability

The warm appearance of wood adds an elegant touch of curb appeal with these fiberglass doors from Steves & Sons. They can be stained to a rich finish or painted with no worries about cracking, splitting or warping. Weather-resistant stiles and rails and an insulating core also stand up to the harshest environmental conditions for years of low-maintenance beauty.

- Many varying designs are available in textured surfaces
- Detailed natural oak-graining
- Closed-cell polystyrene core maintains U-factor and will not hold moisture
- 12" lock-block provides ideal reinforcement for decorative hardware
- Will not dent, ding or rust
- PVC capped LVL stiles and top rail and composite bottom rail create an encapsulated product*
- 25 year limited warranty

3 Panel



Stainable oak-grained surface. (Shown stained with oak stain)

*3'0" x 6'8" on all styles. Also on 2'8 x 6'8 flush and six panel styles.

Note: All doors shown have been stained oak. Doors are furnished with beige-colored skins.

Specifications

Thickness: 1-3/4"

Door Widths:

Flush: 2'0", 2'4", 2'6", 2'8",
2'10" and 3'0"

Embossed: 2'6" (narrow format 6P),
2'8", 2'10", 3'0"

Door Heights: 6'8" (all),
7'0" (NA)

8'0" (Flush and 6P only)

Custom Sizing:

Custom sizes available in both widths
and heights.

Sidelite Widths:

Flush: 1'0", 1'2", 1'4", 1'6", 1'8"

Embossed: 1/2 and 3/4 lite: 1'0", 1'2"

Sidelite Heights: 6'8"
and 8'0" (flush only)

Retro sizes available

Beige pigmented oak-grained
textured surfaces.

Expanded polystyrene (EPS) core.
Machining options available.

20 minute fire-rated construction
available in most sizes (up to 8'0")
and panel designs.

All door widths are 1/4" prefit and
door heights are 3/4" or 1" prefit

All sidelites are book width.

* Available in 3068 only



8 Panel Center Arch
(utilizes 8" x 42" RT glass)



6 Panel



4 Panel Blanktop



True 4 Panel



6 Panel Craftsman*
(utilizes 25" x 15-1/4" glass)



3 Panel

SIDELITE OPTIONS



Flush



3/4 Lite



1/2 Lite



Flush

CHERRY, MAHOGANY, KNOTTY ALDER & FIR GRAINED PREMIUM FIBERGLASS DOORS



Real Wood Grain with Exceptional Dependability

These Premium fiberglass doors from Steves & Sons have been developed to simulate cherry, mahogany, knotty alder or fir grained wood. They can be stained to a rich finish with no worries about cracking, splitting or warping. Weather-resistant stiles and rails and an insulating core also stand up to the harshest environmental conditions for years of low-maintenance beauty.

- Many varying designs are available
- Detailed natural cherry, mahogany, knotty alder or fir graining
- Polyurethane foam filled core
- Full 4" lock stile provides ideal reinforcement for decorative hardware
- Will not dent, ding or rust
- LSL stiles with hardwood or composite cap and top & bottom composite rails
- 25 year limited warranty

3 Panel Craftsman
Fir Grained



Optional dentil shelf for the fir Craftsman door is molded into the glasslite frame



Cherry Grain



Mahogany Grain



Knotty Alder Grain



Fir Grain

Cherry Grained Fiberglass

Knotty Alder Fiberglass

Specifications

Thickness: 1-3/4"
Door Widths: 3' 0"
Door Heights: 6' 8"
Custom Sizing: Not available.
Sidelite Widths: 1'0", 1'2"
Sidelite Heights: 6' 8"

Retro sizes NOT available
 Knotty alder & fir textured surfaces are beige pigmented.
 Cherry & mahogany textured surfaces are pink pigmented.

Polyurethane core.

Fire rating not available.
 All door widths are 1/4" prefit and door heights are 1" prefit
 All sidelites are book width.



8 Panel Center Arch
(utilizes 8x42 glass)



6 Panel



2 Panel 3/4 Top
(utilizes 22x48 glass)



2 Panel Reversible Sidelite
(utilizes 8x36, 8x48 & 8x64 glass)



2 Panel Roundtop Plank
(utilizes 22x36 glass)



1 Lite Sidelite
(utilizes 8x64 glass)

Contemporary - Cherry Grained Fiberglass

Fir Grained Fiberglass



Hatch
C519



5 Panel
C501



5 Panel Stainless Steel
C605



Stainless Steel
C602



3 Panel Craftsman
(utilizes 23-3/4 x15 glass)



1 Panel Craftsman Sidelite
(utilizes 8x64 glass)

Mahogany Grained Fiberglass



4 Panel
Blanktop



2 Panel Reversible Sidelite



2 Panel Craftsman
(utilizes 25" x 15-1/4" glass)



3 Panel
(utilizes small oval & 22x48 glass)



2 Panel 3/4 Top
(utilizes 22x48 glass)



2 Panel Roundtop Plank
(also available in 8'0)



2 Panel Plank Reversible Sidelite

PREMIUM WOOD ENTRY DOORS



Blend the Rich Look of Wood with Exceptional Durability

A wood door is more than a door. It's a statement from warm to bold to elegant, creating a strong impression that carries into the room and throughout your home.

Steves & Sons builds doors in a wide selection of styles, so it's easy to choose exterior doors that achieve the look you want.

Founded in 1866, Steves & Sons commitment to quality continues. For superior craftsmanship and beautiful doors that will complement your home's décor, trust your style to Steves & Sons.

Note: All doors are full size (36" x 80") and square edge.

Two Wood Species from which to Choose

Unfinished Mahogany



Unfinished Knotty Alder



*Many Finishes are Available for each Wood Species**

Mahogany

Rosewood



Hickory



Rustic Hickory



Chestnut



Rustic Chestnut



Knotty Alder

Natural




Autumn Wheat



Rustic Autumn Wheat



PRIVACY RATING OF GLASS



*Due to variations in the printing process and finishing, actual door and finish may vary.

IRON GRILLE COLLECTION – Choice of backer glass



Full Lite
6001 CH
(shown with Charleston grille & rain glass backer)



3/4 Lite
6201 CH
(shown with Charleston grille & rain glass backer)



Full Sidelite
6011 CH
(shown with Charleston grille & rain glass backer)




Modern 3 Lite
6403
(shown with grille & rain glass)
Available with NO grille,
Clear(no bevel) & Diamond Glass



Full Sidelite
2211
(shown with grille & rain glass)
Available with NO grille,
Clear(no bevel) & Diamond Glass

Backer Glass



CLASSIC COLLECTION



3/4 Lite *
6201
(shown with rain glass)
Available in Clear(no bevel) & Rain Glass



6 Lite Savannah
6410
(shown with clear glass)
Available in Clear(no bevel) glass ONLY



4 Lite Ashville
4410
(shown with clear glass)
Available in Clear(no bevel) glass ONLY



9 Lite
3109
(shown with clear glass)
Available in Clear(no bevel) glass ONLY



24 Lite
6424
(shown with white laminated glass)
Available in White Laminated Glass ONLY



Full Sidelite
6011
(shown with rain glass)
Available in Clear, Clear Bevel & Rain Glass



Available in Clear Bevel ONLY
103010 CB

CRAFTSMAN COLLECTION



3 Lite
2203
(shown with clear bevel glass)
Available as prehung ONLY, stained chestnut and in primed jamb



3 Lite
2203
(shown with Amberton glass)
Available with Amberton or Clear Bevel glass



6 Lite
3306
(shown with clear bevel glass)
Available in Clear Bevel glass ONLY



3 Lite Arch
4153
(shown with clear bevel glass)
Available in Clear Bevel glass ONLY



4 Lite Cottage
6404
(shown with rain glass)
Available in Clear Bevel & Rain Glass



Full Sidelite
601



2 Lite Sidelite
2410



2 Lite Sidelite
2226



3 Lite Sidelite
3119

*Also Available in 96" Mahogany & Knotty Alder

PREMIUM WOOD ENTRY DOORS (continued)

RUSTIC COLLECTION



2 Panel Plank *
2250



2 Panel Speakeasy *
with Clavos
2250 SE



Full Sidelite
6011 PG



103010 RUSTIC

Optional Accessories



Speakeasy



Clavos



Strap Hinge

*Also Available in 96" Mahogany & Knotty Alder

OPTIONS & ACCESSORIES

More Interior Choices



HOLLOW CORE

Hollow core doors are lighter and generally less expensive, but still durable and dependable.



SOLID CORE PBC

PBC solid core doors feature a particle board core that provides excellent sound reduction and years of dependable service.



FIRE-RATED CORE

Fire-rated cores offer fire protection and added safety when used in combination with certified frames and hardware. Available on molded and flush doors in 20, 45 and 60 minute ratings. Flush also available in 90 minute rating.



STAVE CORE

Stave core doors offer excellent stability against warping and provide ideal durability for heavy use areas, such as medical offices and school rooms. Available in a variety of veneered, hardboard and pre-finished faces.



MIRRORED BACKS

Featuring a beveled mirror on one side of a textured molded door. Mirrored backs are a great choice for bathrooms, closets and bedrooms.



POCKET DOOR FRAME

Pocket doors slide into a "pocket" in the wall. This not only saves space, it allows for easy and efficient replacement of doors.

More Exterior Choices



20 MIN. FIRE-RATED STEEL DOORS

Our fire-rated manufacturing process offers fire protection and added safety when used in combination with certified frames and hardware.



20 MIN. FIRE-RATED FIBERGLASS DOORS

Fire-rated cores and construction process offer fire protection and added safety when used in combination with certified frames and hardware. Ideal for garage to home access or multi-family dwellings.



LOCK MACHINING & CUTOUT OPTIONS

Cutout options are available to fit a variety of glass sizes, designs, and patterns. Lock machining options are also available. *Mortise lock preps require the lock to be furnished to check for fit and function.*



WIND LOAD OPTION

Wind load configurations are available that meet building code requirements for Non-Impact and Impact ratings for many areas.

ENVIRONMENTAL RESPONSIBILITY

Living Green

Environmental responsibility is a hallmark of Steves & Sons. From the use of recycled materials and paperless procedures to membership in the Forestry Stewardship Council, the company is committed to "green" production processes and products. Plus, because doors from Steves & Sons are built to last, they reduce the strain on resources simply through durability and craftsmanship.

SIZE AVAILABILITY CHART - FLUSH & MOLDED DOORS



Steves Description	Trade Name	Available Door Sizes																Bifold Doors									
		1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/6	4/0	1/6	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0	
MOLDED PANELED DOORS																											
1P Shaker Smooth Square 6-8	Madison 6-8	X	X	X	X	X	X	√	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
1P Shaker Smooth Square 7-0	Madison 7-0	X	X	X	X	X	X	√	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
1P Shaker Smooth Square 8-0	Madison 8-0	NA	NA	NA	X	X	X	√	√	X	√	√	√	X	√	NA	NA	NA	NA	NA	NA	*	*	*	*	*	*
2P Shaker Smooth Square 6-8	Monroe 6-8	X	X	X	X	√	X	√	√	√	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Shaker Smooth Square 7-0	Monroe 7-0	X	X	X	X	√	X	√	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Shaker Smooth Square 8-0	Monroe 8-0	NA	NA	NA	X	√	X	√	√	X	√	√	√	X	√	NA	NA	NA	NA	NA	NA	*	*	*	*	*	*
2P Archtop Textured B/C 6-8	Camden 6-8	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	X	√	√	√	√	√
2P Archtop Textured B/C 7-0	Camden 7-0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	NA	NA	NA	*	*	*	*	*	*	*	*	*
2P Archtop Smooth B/C 6-8	Princeton 6-8	X	X	X	X	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Archtop Smooth B/C 7-0	Princeton 7-0	X	X	X	X	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	X	√	√	√	√	√	√	√
2P Archtop Smooth B/C 8-0	Princeton 8-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	*	*	*	*	*	*	*	*	*
2P Sq Top Smooth B/C 6-8	Carrara 6-8	X	X	X	X	X	X	√	X	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Sq Top Smooth B/C 7-0	Carrara 7-0	X	X	X	X	X	X	√	X	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Sq Top Smooth B/C 8-0	Carrara 8-0	X	X	X	X	X	X	√	X	√	√	√	√	X	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Sq Top Smooth Ovolo 6-8	Cambridge 6-8	X	X	X	X	X	X	√	X	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Sq Top Smooth Ovolo 7-0	Cambridge 7-0	X	X	X	X	X	X	√	X	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Sq Top Smooth Ovolo 8-0	Cambridge 8-0	X	X	X	X	X	X	√	X	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
2P Rd Top Smooth Ovolo 6-8	Continental 6-8	X	X	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Smooth Ovolo 7-0	Continental 7-0	X	X	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	*	*	*	*	*	*	*	*	*
2P Rd Top Smooth Ovolo 8-0	Continental 8-0	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	*	*	*	*	*	*	*	*	*
2P Rd Top Smooth B/C 6-8	Caiman 6-8	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Smooth B/C 7-0	Caiman 7-0	NA	NA	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	*	*	*	*	*	*	*	*	*
2P Rd Top Smooth B/C 8-0	Caiman 8-0	NA	NA	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	NA	NA	*	*	*	*	NA	*	*
2P Rd Top Plank Smooth Ovolo 6-8	Santa Fe 6-8	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Plank Smooth Ovolo 7-0	Santa Fe 7-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Plank Smooth Ovolo 8-0	Santa Fe 8-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	X	X	X	X	X	X	X	X	X
2P Rd Top Plank Smooth TriStep 6-8	Cashal 6-8	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Plank Smooth TriStep 7-0	Cashal 7-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Rd Top Plank Smooth TriStep 8-0	Cashal 8-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	X	X	X	X	X	X	X	X	X
2P Sq Top Plank Smooth B/C 6-8	Corvado 6-8	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Sq Top Plank Smooth B/C 7-0	Corvado 7-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
2P Sq Top Plank Smooth B/C 8-0	Corvado 8-0	X	X	X	√	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	X	X	X	X	X	X	X	X	X
3P Shaker Smooth Square 6-8	Craftsman III 6-8	X	X	X	X	X	X	√	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
3P Shaker Smooth Square 7-0	Craftsman III 7-0	X	X	X	X	X	X	√	√	X	√	√	√	X	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
3P Textured B/C 6-8	Avalon 6-8	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	√	√	√	√	√	√
3P Textured B/C 7-0	Avalon 7-0	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	√	√	√	√	√	√
4P Archtop Textured Ovolo 6-8	Provincial 6-8	X	X	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth B/C 6-8	Smooth Coventry 6-8	X	X	X	√	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth B/C 7-0	Smooth Coventry 7-0	X	X	X	X	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth B/C 8-0	Smooth Coventry 8-0	X	X	X	X	√	√	X	√	X	√	√	√	X	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth Ovolo 6-8	Atherton 6-8	NA	NA	NA	√	√	√	NA	√	NA	√	√	√	NA	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth Ovolo 7-0	Atherton 7-0	NA	NA	NA	NA	√	√	NA	√	NA	√	√	√	NA	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
4P Sq Top Smooth Ovolo 8-0	Atherton 8-0	NA	NA	NA	NA	√	√	NA	√	NA	√	√	√	NA	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
5P Smooth B/C 6-8	Rockport 6-8	X	X	X	X	X	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
5P Smooth B/C 7-0	Rockport 7-0	X	X	X	X	X	√	X	√	X	√	√	√	X	√	NA	NA	NA	NA	X	X	X	X	NA	X	X	√
5P Smooth B/C 8-0 (has six panels)	Rockport 8-0	NA	NA	NA	NA	X	√	X	√	X	√	√	√	X	√	NA	NA	NA	NA	*	*	*	*	NA	*	*	√
5P Shaker Smooth Step 6-8	Conmore 6-8	X	X	X	X	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
5P Shaker Smooth Step 7-0	Conmore 7-0	X	X	X	X	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	X	√	X	√	√	√	√	√
6P Textured Ovolo 6-8	Colonial 6-8	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Textured Ovolo 7-0	Colonial 7-0	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Textured Ovolo 8-0	Colonial 8-0	NA	NA	NA	NA	NA	NA	X	√	X	√	√	√	X	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Textured B/C 6-8	Colonist 6-8	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Textured B/C 7-0	Colonist 7-0	X	X	X	X	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Textured B/C 8-0	Colonist 8-0	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Smooth B/C 6-8	Smooth Colonist 6-8	X	X	X	√	√	√	X	√	√	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Smooth B/C 7-0	Smooth Colonist 7-0	X	X	X	√	X	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Smooth B/C 8-0	Smooth Colonist 8-0	X	X	X	√	√	√	X	√	X	√	√	√	√	√	NA	NA	NA	√	√	√	√	√	√	√	√	√
6P Commercial Smooth B/C 6-8	Commercial Colonist 6-8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FLUSH DOORS																											
Steves Description	Trade Name	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/6	4/0	1/6	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0	
Lauan (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Birch (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Ash (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Oak (Plain Sliced) (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Maple (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Hardboard (6-8, 7-0, 8-0)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	X	√	√	√	√	√	√	√	√	√	√	√
Embossed Hardboard (6-8)		√	√	√	√	√	√	X	√	√	√	√	√	√	√	NA	NA	√	√	√	√	√	√	√	√	√	√
Primed Hardboard (6-8, 7-0, 8-0)		√	√	√																							

SIZE AVAILABILITY CHART – WOOD STILE & RAIL DOORS

Steves Description	Available Door Sizes																Bifold Doors								
	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/6	4/0	1/6	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
WOOD STILE AND RAIL DOORS																									
CLEAR PINE																									
6 Panel Pine 6-8	√	√	√	√	√	√	NA	√	NA	√	√	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6 Panel Pine 8-0	NA	NA	NA	NA	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4 Panel Squaretop Pine 6-8	NA	NA	NA	√	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Louvered/Louvered 6-8	NA	NA	NA	NA	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	*	*	*	*	*	*	*	*	*
Louvered/Panel 6-8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
PRIMED																									
Primed Louvered/Louvered 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	NA	√	√	NA	√	NA	NA	*	*	*	*	*	*	*	*	*
Primed Louvered/Panel 6-8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
KNOTTY PINE																									
6 Panel Knotty Pine 6-8	NA	NA	NA	NA	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 Panel Squaretop Knotty Pine V-Groove 6-8	NA	NA	NA	NA	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 Panel Roundtop Knotty Pine V-Groove 6-8	NA	NA	NA	NA	√	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RED OAK																									
1 Panel Shaker 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Roundtop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Shaker 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
3 Panel Mission 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
4 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
6 Panel 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
RADIATA PINE																									
2 Panel Roundtop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
6 Panel 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
KNOTTY ALDER																									
2 Panel Roundtop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Roundtop V-Groove 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop V-Groove 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
3 Panel Mission 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
6 Panel 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
Barn Door 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
WHITE BIRCH																									
1 Panel Shaker 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Roundtop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Shaker 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
3 Panel Mission 6-8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
6 Panel 6-8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
YELLOW POPLAR																									
2 Panel Roundtop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
2 Panel Shaker 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
3 Panel Mission 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
3 Panel Equal 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
4 Panel Squaretop 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA
6 Panel 6-8	√	NA	√	√	√	√	√	√	√	√	√	√	√	√	NA	NA	NA	√	NA	√	NA	√	NA	NA	NA

NOTE: Items designated with a √ are available for order. NA for Not Available. Items with an * are non-stock special quote items.

SIZE AVAILABILITY CHARTS – GLASS PANEL DOORS, ULTRA HDF DOORS & STEEL DOORS

Steves Description	Available Door Sizes																Available Wood Species						
	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/6	4/0	Pine	Knotty Alder	Red Oak	White Birch	Yellow Poplar	Cherry	Primed
GLASS PANEL DOORS																							
1 Lite Rain 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Reeded 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Wheat 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Satin Etch 6-8	NA	NA	NA	NA	*	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Pantry 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Palmberg 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Creston 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
1 Lite Clear 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
3 Lite 3 Panel Equal 6-8 (white laminated or cross reeded glass)	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	√	NA	NA	NA
5 Lite 6-8	NA	NA	NA	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	*	*	*	*	*	*
6 Lite 8-0	NA	NA	NA	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	*	*	*	*	*	*
10 Lite 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
12 Lite 8-0	NA	NA	NA	NA	NA	NA	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	√	*	*	*	*	*	*
15 Lite 6-8	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	√	√	NA	√	NA	NA	√	√	√	√	√	√	√
18 Lite 8-0	NA	NA	NA	NA	NA	NA	NA	NA	*	√	√	NA	√	NA	NA	NA	√	*	*	*	*	*	*
9 Lite V-Groove 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	√	√	√	NA	√	√	√
10 Lite V-Groove 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	√	√	√	√	√	√	√
15 Lite V-Groove 6-8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	√	NA	√	NA	NA	√	√	√	√	√	√	√

NOTE: Items designated with a √ are available for order. NA for Not Available. Items with an * are non-stock special quote items.

Steves Description	Available Door Sizes																Bifold Doors									
	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/6	4/0	1/6	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0	
ULTRA HDF DOORS																										
1 Panel 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 Panel Squaretop Shaker 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 Panel Equal Shaker 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 Panel Craftsman Shaker 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5 Panel Shaker 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10 Lite 6-8	NA	NA	NA	NA	NA	NA	NA	√	NA	√	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
15 Lite 6-8	NA	NA	NA	NA	NA	NA	NA	*	NA	*	√	√	NA	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NOTE: Items designated with a √ are available for order. NA for Not Available. Items with an * are non-stock special quote items.

Steves Description	Available Door Sizes																		
	6'8"						7'0"						8'0"						
Door Size	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
STEEL DOORS																			
9 Panel	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
6 Panel	NA	NA	√	√	√	√	√	NA	NA	NA	√	√	√	NA	NA	NA	√	√	√
True 4 panel	NA	NA	NA	√	√	√	√	NA	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA
4 Panel Blanktop	NA	NA	NA	√	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 Panel	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 Panel Craftsman	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 Panel Square	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	√
2 Panel Roundtop	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2 Panel Roundtop Plank	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1 Panel	NA	NA	NA	√	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Flush	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
SIDELITE																			
3 Panel	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	√	√	NA	NA	NA	NA
2 Panel	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3/4 Lite	√	√	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Flush	√	√	√	√	√	√	NA	√	√	√	√	√	√	√	√	√	√	√	√



Steves Doors – Your One Source for Interior and Exterior Doors



Building Quality Doors Since 1866



Printed on recycled paper.

Corporate Office

P.O. Box 1866
San Antonio, TX 78297
Phone: 800-734-7461
Phone: 210-924-5111
Fax: 210-927-1621

San Antonio Division

203 Humble Ave.
San Antonio, TX 78225
Phone: 800-734-7461
Phone: 210-924-5111
Fax: 210-927-1621

Lebanon Division

301 Hartmann Dr.
Lebanon, TN 37087
Phone: 800-460-7699
Phone: 615-444-7693
Fax: 615-449-5232

Richmond Division

5640 Lewis Road
Sandston, VA 23150
Phone: 800-594-2004
Phone: 804-226-4034
Fax: 804-222-7457

Crest Exterior Division

157 Humble Ave.
San Antonio, TX 78225
Phone: 800-734-7461
Phone: 210-924-5111
Fax: 210-924-9057

© 2017 Steves & Sons. All rights reserved. Steves & Sons Inc. reserves the right to make changes to design, availability and specifications as we continue to strive for product excellence.