

OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

SECTION 1: PRODUCT AND COMPANY INDENTIFICATION

Product Name: GrabberGard EFC Product Code: GGEFC10, GGEFC20, GGEFC29, GGEFC5

Product Type: Endofhermic Sealant Use: Firestopping Sealant

Chemical Family: Organic/Inorganic

Supplier Address: Contact Information:
Grabber Construction Products Telephone: 800.810.1788

 205 Moson Circle
 MEDICAL EMERGENCY Phone: Poison Control Center

 Concord, CA 94520
 1-877-671-4608 (toll free) or 1-303-592-1711

 TRANSPORT EMERGENCY Phone: CHEMTREC

 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.firestop.com

SECTION 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Physical Hazards: None Oral: Not Classified Dermal: Not Classified Inhalation: Not Classified Skin Corrosion / Irritation: Not Classified Serious Eye Damage / Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified Germ Cell Mutagenicity: Not Classified Not Classified Carcinogenic: Not Classified Reproductive Toxicology: Target Organ System Toxicity -Not Classified Single Exposure: Target Organ System Toxicity -Not Classified Repeated Exposure: Aspiration Toxicity: Not Classified

ENVIRONMENTAL HAZARDS

Hazards to the Aquatic Environment:

Acute Aquatic Toxicity:

Not Classified

Chronic Aquatic Toxicity:

Not Classified

Bioaccumulation Potential:

Not Classified

Rapid Degradability:

Not Classified



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

Hazard Symbols:

None

Precautionary Statements:

P102 - Keep Out Of Reach of Children P264 - Wash Hands Throughly After Handling

POTENTIAL HEALTH EFFECTS:

Inhalation: May cause irritation to nose and throat.

Skin contact: May cause slight irritation to skin.

Eye contact: May cause slight irritation to eyes on contact.

Ingestion: Not expected to be harmful by ingestion. Ingestion of large amounts may produce

gastrointestinal disturbances including irritation, nausea, and diarrhea.

Existing conditions aggravated by exposure: None know

This product is consisted hazardous under 29 CFR 1910.1200 (Hazard Communication).

See Section 11 for additional toxicological information.

SECTION 3. COMPOSITION /INFORMATION ON INGREDIENTS

Hazardous Components	CAS Number	Precentage %*
Calcuim Carbonate	1314-65-3	< 50
Vinyl Acetate Polymers	Not disclosed	< 40
Water	7732-18-5	< 25
Auxiliary Chemicals	None known	< 5
Color Pigment	1309-37-1	< 0.5

^{*} Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protection.

SECTION 4. FIRST AID MEASURES

 Inhalation:
 Move to fresh air in case of accidential inhalation of vapours.

 Skin contact:
 Wash affected area immediately with soap and water.

Eye contact: Immediatel flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical attention.

Ingestion: Consult a physician if necessary.

Symptoms: See Section 11.

SECTION 5. FIRE FIGHTING MEASURES

Flash point:

Autoignition temperature:

Not available
Flammable / Explosive limits - lower:

Not available
Flammable / Explosive limits - upper:

Not available

Extinguishing media: All standard firefighting procedures

Special firefighting procedures:

Do not breathe combustion gases. Wear protective equipment

Unusual fire or explosion hazards: None known

Hazardous combustion products: Carbon Dioxide (CO₂), Carbon Monoxide (CO), Fragmented Hydrocarbons



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

SECTION 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Do not allow to enter drains, surface or ground water.

Clean-up methods: Wipe up spills to prevent footing hazard. Scrape up spilled material and place in a closed container for disposal. Wear appropriate

protective equipment and clothing during clean-up.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Keep out of the reach of children.

Storage: Store between 4°C (40°F) and below 32°C (90°F). Keep from freezing. Store in accordance with local regulations. Store in original

container protected from direct sunlight, in a cool, dry area. Keep containers closed when not in use. Do not store in unlabeled containers.

For information on product shelf life, please review labels on containers or check the Technical Data Sheet.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Calcuim Carbonate	10 mg/m³ TWA (total dust)	5 mg/m³ PEL (respirable fraction) 15 mg/m³ PEL (total dust)	None	None
Color Pigment	5 mg/m³ TWA (respirable fraction)	10 mg/m³ TWA (fume)	None	None

Engineering controls:

Use general ventilation and use local exhaust, where possible, in confined or enclosed space.

Respiratory protection:

Not normally required. Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

Eye / Face protection: Safety goggles or safety glasses with side shields.

Skin protection: Chemical resistant, impermeable gloves; Neoprene, Butyl-rubber, or Nitrile-rubber gloves.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Pasty
Color: Red

Odor: Mild, aromatic
Odor threshold: Not available
pH: 8.0 - 9.0Vapor pressure: 18.52 mm HgBoiling point/range: $> 100^{\circ}\text{C} (> 212^{\circ}\text{F})$

Melting point/range: Not available

Specific gravity: 1.40 - 1.50 at 25°C (77°F)

Vapor density: Heavier than air, (Air = 1)

Flash point:

Not applicable

Flammable / Explosive limits - lower:

Not applicable

Flammable / Explosive limits - upper:

Not applicable

Autoignition temperature:

Not applicable

Evaporation rate:

< 1

Solubility in water:

Not applicable

Partition coefficient (n-octanol/water):

Not applicable

VOC content:

32.5 g/l (calculated)



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: Not applicable

Hazardous decomposition products:

Carbon dioxide, carbon monoxide
Incompatible materials:

Strong alkalis, and mineral acids.

Reactivity: Not applicable
Conditions to avoid: Do not freeze

SECTION 11. TOXICOLOGICAL INFORMATION

Relevant Routes of Exposure: Inhalation, Skin Contact, Eyes, Ingestion

Potential Health Effects / Symptoms

 Inhalation:
 May cause irritation to nose and throat

 Skin contact:
 May cause slight irritation of skin.

Eye contact: May cause slight irritation to eyes on contact.

Ingestion: Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal distrubances including irritation, nausea and diarrhea.

Hazardous Components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Calcuim Carbonate	No	No	No
Color Pigment	No	No	No

Hazardous Components	Health Effects / Target Organs		
Calcuim Carbonate	No Data		
Color Pigment	No Data		

SECTION 12. ECOLOGICAL INFORMATION

Ecological information: Not applicable

SECTION 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only:

Recommend method of disposal: Dispose should be in accordance with applicable regional, national, Federal, State and local governmental regulations.

Waste disposal:

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. This material and its containers must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product should at all times must comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Hazardous waste number: It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria

of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

SECTION 14. TRANSPORT INFORMATION

Requlatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional Information
DOT Classification	Not regulated	-	-	-	-	-
TDG Classification	Not regulated	-	-	-	-	-
Mexico Classification	Not regulated	-	-	-	-	-
ADR / RID Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:
Hazard class or division:
Identification number:
None
Packing group:
None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Hazard class or division:

Identification number:

None

None

None

Water Transportation (IMO/IMDG)

Proper shipping name:

Hazard class or division:

Identification number:

None

None

None

SECTION 15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory

TSCA 12 (b) Export Notification:

CERCLA / SARA Section 302 EHS:

None above reporting de minimus

CERCLA / SARA Section 311/312: Immediate health

CERCLA / SARA 313: None above reporting de minimus

California Proposition 65: No California Proposition 65 listed chemicals are known to be present. No California Proposition 65 listed chemicals are known to be

present

Canada Regulatory Information

CEPA DSL / NDSL Status: All components are listed on or exempt from listing on the Canadian Domestic Substances List.

WHMIS hazard class: Not controlled



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

SECTION 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections:

Prepared by: Chemical Laboratory
Issue date: June 1, 2015

This information is provided in good faith and is correct to the best of Grabber Construction Products' knowledge as of the date hereof; however, Grabber makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. Grabber disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.