



| (0) K |
|-------|
| 750 |
| |

| Product: | Item# | Description | Unit Pack |
|--------------|--|--------------------|-----------|
| | 747 | GRABBER® Hangtite® | |
| Description: | Bonds paper, plastic, foam, metal High Performance Low soak In Uniform Mist Spray | | |



Submittal Sheet #747



SUBMITTAL APPROVALS:

JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by John Wagner Associates, Inc.: GRABBER

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.



Ye

Submittal Sheet #747

GRABBER Hangtite Spray Adhesive



Features:

Bonds paper, plastic, foam, metal High Performance Low soak In Uniform Mist Spray - White

| PRODUCT SPECIFICATIONS | |
|---|-----------------|
| 180° Peel Strength (PLI) | 6.25 |
| Color | 6.25Water White |
| Does Not Contain CFC's | Water WhiteYes |
| Green Shear Strength (PSI) | Yes1.3 |
| Max Temp | 1.3183 |
| Remains Pressure Sensitive | 183Yes |
| Shear Strength (PSI) | Yes63.1 |
| Temperature Resistance Min @ 160° F | 63.19 |
| Temporary or Permanent Bonds | 9Yes |
| Uniform Mist Spray | YesYes |