

Security

A complete line of Security Doors and Windows designed to protect your home and family.



Platinum
COLLECTION



Guardsman
COLLECTION



SecurePRO™
WINDOWS

Platinum Collection Pages 2-5

Secure Glass 449-04

Secure Screen 450-18

Guardsman Collection Pages 6-11

Zions 92055

Courtyard 92020

Garden View 92021

SoHo 93036

Orleans 92002

Mesa 92031

Round Top Doors: Fullview, Courtyard

Folding Gate 91548

SecurePRO Windows Pages 12-15

L92 Single-Hung Security Storm

L91 Single-Hung Security Screen

L62 Slider Security Storm

L61 Slider Security Screen

Warranty Program Page 16



Platinum COLLECTION

Relax, you got this!

No experience necessary to install these doors.

The Platinum Collection from LARSON® is the ultimate in storm door technology with all the features you've come to love, plus a sleeker profile, enhanced security, and effortless installation.

The Platinum Collection Secure Glass features factory-strengthened laminated security glass that withstands repeated blows. The Dominator™ woven .032 stainless steel wire screen has the strength of more than 1,000 lbs/in. Both are backed by a Break-In Protection Warranty. The multi-point lock adds another layer of security against forced entry.



Platinum Collection

Guide to measuring

The Platinum Collection features the industry's easiest storm door installation system. Refer to the guide below to ensure a perfect fit.

STANDARD DOOR SIZES	OPENING WIDTH RANGE	OPENING HEIGHT RANGE
32" width	31-7/8" to 32-3/8"	80" to 81"
36" width	35-7/8" to 36-3/8"	


RECORD YOUR MEASUREMENTS

A	WIDTH
B	WIDTH
C	WIDTH
D	HEIGHT



SURFACE MOUNT APPLICATION

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface.



WHEN ORDERING

Specify left-hinge or right-hinge as viewed from outside.






**Easy to install.
Tough to break through.**

Platinum Collection

No installation experience necessary with our pre-assembled security doors. Simply add your QuickFit™ handle, place frame on the opening, and secure in minutes.




Factory assembled for effortless installation. Out of box and on your home in minutes



Multi-point locking system secures door in three places for ultimate protection




Sleek built-in hidden closer with Click&Hold™ keeps the door open



When ordering, specify left-hinge or right-hinge as viewed from outside



White Linen



Black



Graphite



Pebblestone



Woodland

Model Shown: Platinum SCR


Platinum Collection



PLATINUM SG
449-04



Laminated security glass withstands repeated blows and keeps intruders out



PLATINUM SCR
450-18



Dominator™ woven .032 stainless steel black wire screen has the strength of more than 1,000 lbs/in

LARSON LIST

DOOR	SIZE	White Linen	Black	Graphite	Pebblestone	Woodland
Platinum SG 449-04	32" x 81" 36" x 81"	\$ 620.00	620.00	620.00	620.00	620.00
Platinum SCR 450-18	32" x 81" 36" x 81"	\$ 860.00	860.00	860.00	860.00	860.00
REGULAR CUSTOM*						
449-04	W: 24" – 36"	\$ 870.00	870.00	870.00	870.00	870.00
450-18	H: 75" – 85"	\$ 1000.00	1000.00	1000.00	1000.00	1000.00
OVERSIZE CUSTOM*						
449-04	W: 36 1/8" – 42"	\$ 980.00	980.00	980.00	980.00	980.00
450-18	H: 75" – 85"	\$ 1100.00	1100.00	1100.00	1100.00	1100.00
OVERSIZE PLUS CUSTOM*						
449-04	W: 24" – 42"	\$ 1090.00	1090.00	1090.00	1090.00	1090.00
450-18	H: 85 1/8" – 97"	\$ 1150.00	1150.00	1150.00	1150.00	1150.00

HANDLE	LARSON LIST
SINGLE EA. \$50.00	3-PACK** \$120.00
CURVED	
20297817 Brushed Nickel	
20297807 Brass	
20297857 Aged Bronze	
20297820 Antique Brass	
20297803 White	
20297809 Sandstone	
20297804 Brown	
STRAIGHT	
20298917 Brushed Nickel	
20298957 Aged Bronze	
20298953 Matte Black	

** Must order in increments of three (same finish)

NOTE: QuickFit™ handle sets fit only Platinum Collection, Elegant Selection™ and EasyVent™ storm doors.

* CUSTOM DOORS: Allow 3–5 weeks for delivery. Once placed, custom orders cannot be cancelled.

SURFACE MOUNT APPLICATION – REMEMBER TO SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE

Choose your handle

Sold Separately



Curved

QuickFit™
HANDLE SET



Straight





Guardsman COLLECTION

**Traditional comfort
that makes a statement.**

Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors built to protect what matters most.

The welded tubular steel frame provides superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection.




Guardsman Collection

Guide to measuring

Follow these simple measurement steps to ensure a perfect fit.

STANDARD DOOR SIZES	OPENING WIDTH RANGE	OPENING HEIGHT RANGE
32" width	31-7/8" to 32-3/8"	79-3/4" to 81"
36" width	35-7/8" to 36-3/8"	



Required: 1" wide x 1" deep mounting surface



RECESS MOUNT APPLICATION

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.

When ordering, specify left-hinge or right-hinge as viewed from outside.

LOCK BOX LOCATION



STANDARD: Hardware location for Guardsman doors are figured from the top of the opening down to the center of the lever/knob which is mounted in the top hole of the lock box. Based on a standard 81" door this measurement is 38".

CUSTOM: When ordering, indicate the distance from the top of the door opening to the center of the lock box.

Allowable location is center of the door based on the centered ordered opening height + or - 12".

Example: Opening Height: 83"
Center of door: 41-1/2"

Maximum Height: 53-1/2" ($41-1/2" + 12" = 53-1/2"$)

Minimum Height: 29-1/2" ($41-1/2" - 12" = 29-1/2"$)

FOLDING GATE

Sturdy construction with reinforced rivets. Adjusts to openings up to 52" wide. Hinged to swing out. Two-year warranty covers gate finish.

Accepts padlocks (not included).



LARSON LIST

Folding Security Gate 915-48	FITS OPENINGS	BLACK
	12" – 52" W 79" H	\$ 154.00



Model Shown: Courtyard


Guardsman Collection

Front door security does not mean a sacrifice in style. The Guardsman Collection features a 3-piece tempered safety glass system, pneumatic closer and wind chain.

Interchangeable insect screen available for seasonal venting. SOLD SEPARATELY



Welded tubular steel frame for superior strength



Anti-removal vault pin for reinforced protection



Heavy-duty 7" hinges for a secure mount



White



Black



Graphite



Sandstone



Brown



Got too many keys?

Provide your own hardware which enables you to key your prime and security doors alike.

Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.

GUARDSMAN COLLECTION



SINGLE DOOR STANDARD			LARSON LIST
	SIZE	White Black	Sandstone Brown Graphite
Zions 92055	32" x 81" 36" x 81"	\$ 520.00	580.00
Courtyard 92020		\$ 340.00	600.00
Garden View 92021		\$ 420.00	620.00
SoHo 92036		\$ 600.00	660.00
Mesa 92031		\$ 660.00	720.00
Orleans 92002		\$ 750.00	810.00

DOUBLE DOOR	W: 64" or 72" H: 80"
	White, Black
Orleans 92002	\$ 1620.00

REMEMBER TO SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE

CUSTOM DOORS*			LARSON LIST
SINGLE DOOR	REGULAR CUSTOM W: 30" – 36" H: 76" – 84"	OVERSIZE CUSTOM W: 36 1/8" – 42" H: 76" – 84"	OVERSIZE CUSTOM PLUS W: 30" – 42" H: 84 1/8" – 96"
Zions 92055	\$ 700.00	740.00	780.00
Courtyard 92020	\$ 720.00	760.00	800.00
Garden View 92021	\$ 740.00	780.00	820.00
SoHo 92036	\$ 780.00	820.00	900.00
Mesa 92031	\$ 840.00	880.00	960.00
Orleans 92002	NA	NA	NA
DOUBLE DOOR			
Zions 92055	\$ 1400.00	1480.00	1560.00
Courtyard 92020	\$ 1440.00	1520.00	1600.00
Garden View 92021	\$ 1480.00	1560.00	1640.00
SoHo 92036	\$ 1560.00	1640.00	1800.00
Mesa 92031	\$ 1680.00	1760.00	1920.00

OPTIONS**		LARSON LIST Add per Unit
Custom Lock Box Heights Provide measurements when ordering – see page 7	Order Custom Sizes	\$ 70.00
Mail Slot – Silver or Black Finish Double Doors: mail slot installed on active door	Order Custom Sizes	\$ 160.00
	Orleans – Standard Sizes only	\$ 160.00
Insect Screen Half screen fits top or bottom	White, Black – Standard Sizes (Single Door)	\$ 50.00
	Sandstone, Brown, Graphite (Single Door)	\$ 60.00
	Double Door – 2 screens	\$ 120.00

* CUSTOM DOORS: Allow 3–5 weeks for delivery. Once placed, custom orders cannot be cancelled.

** Door Options (excluding half screen) are non retrofittable and must be ordered with the door.



920SC Fullview


ROUND TOP DOORS

The Guardsman Collection features two styles in a round top configuration. These doors feature tempered safety glass and include pneumatic closer and wind chain. Installation is more complex on the rounded tops and therefore we recommend a professional installation be utilized.



Fullview

- Fixed glass panel
- Mortise style lock included



Double key lock cylinder standard. Thumb turn key optional with Brass and Antique Brass. Specify when ordering.



Courtyard

- Security bars with 3 fixed glass panels
- Reinforced lock box
- Bottom insect screen sold separately



EXTERIOR



INTERIOR

Got too many keys?

Provide your own hardware which enables you to key your prime and security doors alike.

Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.



White



Black



Graphite



Sandstone



Brown

W: 30" – 42"

H: 76" – 96"


DELIVERY 4–6 weeks from the day the order is placed and template approved.

INSTALLATION Framing includes three pieces and requires a professional install for on-site adjustments.



ROUND TOP GUIDELINES

For pricing, complete this form and email to quotes@LARSONdoors.com or FAX to 800-888-9006



DEALER _____
CONTACT _____
ADDRESS _____
EMAIL _____

1. Hinging:

as viewed from outside

☐ Left-Hinge

☐ Right-Hinge

2. Rough Opening Height (A/B):

3. Rough Opening Width (C/D):

4. Rough Opening Spring Line (E):

A squared 1"x1" brickmold is required for installation. Any shape other than a true half round will require an opening template.

NOTES:



SecurePRO™

Protecting your windows.

State-of-the-art, innovative and attractive security solutions. SecurePRO™ products add architectural appeal without compromising home design. Unlike traditional security bars and grills, our security screen allows for unobstructed views.

The Grizzly™ woven .028 stainless steel wire screen has the strength of more than 800 lbs/in.





SecurePRO™


Guide to measuring

To provide the most secure mounting application, SecurePRO screen windows are ordered by the opening size using the Overlap Application method. Blindstop (inside mount) application is not recommended.

Determine size by measuring your existing window opening as shown. Record opening width A and opening height B. Round down to the nearest 1/8".



Storm Window – Overlap Application



Screen Window – Overlap Application

ORDERING DETAILS

- Provide the Opening Size*
- Specify if Insect Screen is needed
- L62, L61: Specify emergency escape as viewed from the outside: Left side is standard.


* NOTE: For manufacturing purposes, the provided width is upsized by 1" and the provided height by 3/4" to fit overlap applications. An expander is provided to achieve the overall height.

EXAMPLES

47-1/8	x 28	48-1/8 x 27-3/4 + 1" Expander = 28-3/4"
47-1/4	x 28	48-1/4 x 27-3/4 + 1" Expander = 28-3/4"
47-3/8	x 28	48-3/8 x 27-3/4 + 1" Expander = 28-3/4"
47-13/16	x 28	48-3/4 x 27-3/4 + 1" Expander = 28-3/4"



L92 Single-Hung Glass & Screen
L91 Single-Hung Screen




L62 Slider Glass & Screen
L61 Slider Screen

SecurePRO™ WINDOWS

Window security does not mean a sacrifice in style. SecurePRO features a stainless steel wire screen and heavy-duty aluminum frame. The emergency escape release system keeps your family safe.

Compressed and secured with 15,000 pounds of force; meets highest level of SMA 6001-2002 industry impact force standard.



Grizzly™ woven .028 stainless steel black wire screen has the strength of more than 800 lbs/in.




Easy to operate and includes emergency release system



Installs over existing window (overlap mount)
Tamper-proof, 1-way installation screws provided




White



L92 Single-Hung Security Glass & Screen						LARSON LIST
HEIGHT	WIDTH					
	14"– 24"	24 1/8"– 34"	34 1/8"– 44"	44 1/8"– 48"	48 1/8"– 54"	
25 1/2"– 39"	\$ 170.00	194.00	220.00	234.00	250.00	
39 1/8"– 57"	\$ 200.00	234.00	270.00	284.00	310.00	
57 1/8"– 75"	\$ 230.00	274.00	320.00	334.00	360.00	
75 1/8"– 88"	\$ 250.00	304.00	350.00	374.00	400.00	
88 1/8"– 90"	\$ 268.00	322.00	368.00	392.00	418.00	

L62 Slider Security Glass & Screen						LARSON LIST
HEIGHT	WIDTH					
	25 1/2"– 39"	39 1/8"– 57"	57 1/8"– 75"	75 1/8"– 88"	88 1/8"– 90"	
14"– 24"	\$ 190.00	220.00	250.00	270.00	288.00	
24 1/8"– 34"	\$ 214.00	254.00	294.00	324.00	342.00	
34 1/8"– 44"	\$ 240.00	290.00	340.00	370.00	388.00	
44 1/8"– 48"	\$ 254.00	304.00	354.00	394.00	412.00	
48 1/8"– 54"	\$ 270.00	330.00	380.00	420.00	438.00	

Price includes double-strength glass



L91 Single-Hung Security Screen						LARSON LIST
HEIGHT	WIDTH					
	14"– 24"	24 1/8"– 34"	34 1/8"– 44"	44 1/8"– 48"	48 1/8"– 54"	
25 1/2"– 39"	\$ 140.00	164.00	190.00	194.00	210.00	
39 1/8"– 57"	\$ 164.00	194.00	230.00	244.00	260.00	
57 1/8"– 75"	\$ 194.00	234.00	270.00	284.00	310.00	
75 1/8"– 90"	\$ 214.00	264.00	300.00	324.00	350.00	

L61 Slider Security Screen					LARSON LIST
HEIGHT	WIDTH				
	25 1/2"– 39"	39 1/8"– 57"	57 1/8"– 75"	75 1/8"– 90"	
14"– 24"	\$ 160.00	184.00	214.00	234.00	
24 1/8"– 34"	\$ 184.00	214.00	254.00	284.00	
34 1/8"– 44"	\$ 210.00	250.00	290.00	320.00	
44 1/8"– 48"	\$ 254.00	264.00	304.00	344.00	
48 1/8"– 54"	\$ 284.00	280.00	330.00	370.00	

L62, L61: Specify Emergency Operating side as viewed from the outside: Left is standard

SECURITY OPTIONS	LARSON LIST add per unit	
	Double Strength Glass L92, L62	\$ 30.00
	Insect Screen (Fiberglass)	\$ 25.00
	Operating Side (L62, L61)	Price Included



Warranty PROGRAM

Platinum Collection Security Doors	LIMITED LIFETIME WARRANTY
Guardsman Collection Security Doors	LIMITED LIFETIME WARRANTY; TWO-YEAR WARRANTY (frame finish)
SecurePRO™ Security Windows	LIMITED LIFETIME WARRANTY
Folding Gates	TWO-YEAR WARRANTY (gate finish)

Warranty program applies to original homeowners of owner-occupied residential properties and covers manufacturer's defects only. During the life of the door or window product, Larson Manufacturing Company will warrant manufacturer's defects as listed below. A shipping and processing fee may apply.

Door Frame

LARSON® warrants the door frame and mounting rails to be free from defects in manufacturing, materials, paint adhesion, or workmanship, under normal use, for the life of the door or window product.

Components

LARSON warrants the components of the door or window product, including hardware, retainer strips, screw covers, closers, and locksets (mechanical operation and finish) to be free from defects in manufacturing, materials, tarnishing and workmanship for a period of one year from the date of the original retail purchase. Notwithstanding the foregoing, nothing contained herein shall cover damage to the glass or screen, such as cracks, scratching, or other items of normal wear and tear.

In the event of a defect in manufacturing, materials or workmanship within the limited warranty period, and upon written proof of purchase, LARSON, at its option, will provide a replacement component or provide a credit toward a replacement product, as long as the original purchaser owns the home in which the door was initially installed. Installation is not included.

Any implied warranty, including the implied warranty or fitness of a particular use or purpose and the implied warranty of merchantability, is limited in duration to the express warranty provided herein unless a shorter period is permitted by law. LARSON shall not be liable for incidental, indirect, or consequential damages to the building, its contents or its occupants, however arising. This Limited Warranty contains all the provisions of your remedies. Liability is limited to the provisions of this Limited Warranty, whether any claim against it is based on strict liability, negligence, breach of warranty, if this Limited Warranty shall fail its essential purpose or any other theory or cause of action.

Platinum Collection Break-In Protection

LARSON warrants, to the original purchaser of a Platinum Secure Glass or Platinum Secure Screen door that, for the life of the door, LARSON will reimburse the original purchaser 100% of the insurance deductible, up to a maximum of \$1,000, to the extent such loss arises out of a burglary due to an entry through failed laminated glass or steel screen of the Platinum Collection security door.

SecurePRO™ Security Window Detail

This warranty is effective for SecurePRO Windows manufactured on or after January 1, 2019 for use in the United States. Any previous warranties will continue to apply to products manufactured by LARSON prior to this date. For additional information, including care and maintenance instructions, installation instructions, and previous warranties, refer to LARSONdoors.com

Warranty Limitations

Warranty for LARSON Security Door and Window products shall not be liable for any losses resulting from the following:

- Acts of God
- Damage attributable to acts of nature (e.g. fire, hurricane, flood, earthquake), acts of third parties (e.g. civil disorder)
- Alterations made to the glass or frame after installation, including structural changes to the home, application of paint or caustic cleaning solutions, coatings or other modifications
- Normal wear and tear, including natural weathering of surfaces
- Damages resulting from improper installation or misuse, abuse or failure to properly provide maintenance
- Damages or breakage to screen or glass insert except as described in the Platinum Collection Break-In Protection provisions
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity (Note: wavy distortions in the glass (e.g. related to heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect)
- Damages caused by chemicals or other airborne pollutants, including, but not limited to, salt or acid rain
- Losses resulting from water and/or flooding damage
- Condensation or damage as a result of condensation (Note: most condensation problems are related to excessive humidity levels in a structure)
- Labor costs and other indirect costs of replacing components or door frame and hinges
- Incidental or consequential damage where applicable (Note: some states/provinces do not allow the exclusion or limitation of incidental or consequential damages)