★ 2018-2019 ★ LIST PRICE GUIDE

AAZE NAAZE NAU Building America one NAIL at a time



COLLATED NAILS

for Pneumatic Tools

1.800.435.5949 • mazenails.com



Division of W.H. MAZE COMPANY

100 Church Street • Peru, IL 61354 Phone (815) 223-8290 • Toll Free (800) 435-5949 • Fax (815) 223-7585 www.mazenails.com • info@mazenails.com



MAZE COLLATED NAIL INDEX

28°, 30°-34° COLLATED PAPER TAPE NAILS

Clipped Head 28° and 30°-34°......6, 7

20° COLLATED STICK NAILS

Composite Decking Nails -	
Stainless Steel 304 & 316	. 3
Composite Decking Nails - Hot-Dipped	. 3
Fiber Cement Siding Nails - Hot-Dipped	.5
Fiber Cement Siding Nails - Stainless Steel 304	. 5
Fiber Cement Siding Nails - Stainless Steel 316	.5
Framing Nails - Bright	
Post & Timber Frame	.6
PTL Decking Nails - Hot-Dipped3	, 6
PTL Decking Nails - Stainless Steel 304	.3
PTL Decking Nails - Stainless Steel 316	.3
Wood Siding Nails - Hot-Dipped	.4
Wood Siding Nails - Stainless Steel 304	.4
Wood Siding Nails - Stainless Steel 316	



The 2018 International Residential Code – Section R317.3.1 and the 2018 International Building Code – Section 2304.10.5.1 both state: "Fasteners in contact with preservativetreated wood shall be of Hot-Dipped Zinc-coated galvanized steel, stainless steel, silicon bronze or copper." Our coating weights for zinc-coated fasteners shall be in accordance with ASTM A-153. Stainless steel fasteners shall be in accordance with the material requirements of ASTM F1667. Maze STORMGUARD® Double Hot-Dipped, Zinc-Coated Galvanized Nails and Type 304 and Type 316 Stainless Steel Nails meet and exceed those criteria.

15° COIL-ATED® COIL NAILS

Aluminum Fencing	9
Cedar & Redwood Split-Less® Siding Nails	7
Cedar Shake & Shingle Nails	9
Fencing Nails	9
Fiber Cement Siding Nails - Hot-Dipped	3, 9, 10
Fiber Cement Siding Nails - Stainless Steel	9
PVC Molding & Trim Nails - Stainless Steel	8
Roofing Nails - Electro-Galvanized	10
Roofing Nails - Stainless Steel	10
Roofing Nails - Hot-Dipped	10
Slim-Jim® Wood Siding Nails - Stainless Steel	8
Wood Siding Nails - Hot-Dipped	7, 9

O° COIL-ATED® COIL NAILS

Aluminum Fencing Nails	11	
Bright Nails	11	
Decking Nails	11	
Fiber Cement Siding	11	

Color Matched Nails save BIG \$\$\$ in time and labor on prestained and prefinished jobs!

Please note: Painting Extra for collated stick and coil nails: Add \$28.50 per carton. PLEASE BE AWARE THAT DUE TO THE FORCE OF IMPACT OF THE PNEUMATIC TOOL DRIVER, PAINT CHIPPING ALWAYS OCCURS WHEN NAILS ARE DRIVEN.

• Toll-Free: 1-800-435-5949 • Fax: 1-815-223-7585 • Website: www.mazenails.com

FOR DECKING AND PRESSURE TREATED WOOD

20 DEGREE COLLATED STICK NAILS

DESIGNED TO	FIT THE FOLLOWING:	
AIRYABL-8290	BOSTITCH N95162	DUO-FAST
ATRORHS 921	BOSTITCHN95RHN	DUO-FAST
BERRY FAST 3000	BOSTITCH KN85PP-1	EASY FAST
BERRY FAST 3500	CAMPBELL HAUSFELD NS2090	EASY FAST
BERRY FAST 4100	CRAFTSMAN18365	FASCOF5
BERRY FAST 4500	CRAFTSMAN18465	FASCO
BOSTITCHN79RH	DEPOAN6C50/RN2290	FASCO R45
BOSTITCHN88RH	DEWALT D51844	GREX
BOSTITCHF21PL	DEWALT D51845	HALSTEAD
BOSTITCH N90RHN	DUO-FAST CN 350B-SH	HALSTEAD

	HALSTEAD
CN 350B	HALSTEAD
SNP 83	HALSTEAD
SRN 90	HAUBOLD
SRN 83	HILTIR
5C-RHN20-83	HITACHI
5C-RHN20-90	HITACHI
5C RHN20-90	HITACHI
SF9021	HOLZ-ER
HNS-24	HOLZ-ER
HNS-32	HOLZ-ER

HALSTEAD	HNS-39
HALSTEAD	HN-212
HALSTEAD	RN-90
HAUBOLD	RN 90 PII
HILTI	RHN 9020
HITACHI	NR-83A
HITACHI	NR-90AC
HITACHI	NR-90AE
HOLZ-ER	
HOLZ-ER	

.3544

HOLZ-ER		MAX
HOLZ-ER		MAX
INTERCHANGE	ICB-FN88	MAX
ISM	ISM-921	MAX
JAMERCO	JTNFH-90	MILWAUKEE.
JAMERCO	JTNFHC-90	PASLODE
JOE POAN	DPN-6C50	PORTER CABL
JOE POAN	DPN-6C54	PORTER CABL
MAKITA	AN922	RIDGID
MAKITA	AN-8300	SENCO
MAX	.GS683RH-EX	SENCO

SENCO	600 FRH
SENCO	602 FRH
SENCO	702 FRH
SENCO	752 FRH
SENCO	700XL FRH
SENCO	
SPOTNAIL	
UNICATCH	
ZNEX	FM-90

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NA



PTL nails are the type of galvanized nails recommended by wood treaters - and will last far longer and look much better than cheap "galv." nails that rust soon after application. LIFETIME WARRANTY!


For	The New Treated Lum	ıber

STOCK NUMBERS	LENGTH	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-T445	2"	.120"	9/ ₃₂ "	1,700	14	\$65.04
C-T447	2 ¹ / ₂ "	.120"	⁹ / ₃₂ "	1,400	14	\$61.59
C-T449	3"	.131"	9/ ₃₂ "	1,100	15	\$58.84
C-T4490	3 1/4"	.131"	9/ ₃₂ "	1,000	15	\$55.96
C-T4491	3 1/2"	.131"	%9/ ₃₂ "	1,000	16	\$58.38

STOCK NUMBERS RING SHANK	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
C-T445-A	2"	.120"	⁹ / ₃₂ "	1,700	14	\$68.49
C-T447-A	2 1/2"	.120"	9/ ₃₂ "	1,400	14	\$64.46
C-T449-A	3"	.131"	9/ ₃₂ "	1,100	15	\$61.14
C-T4490-A	3 ¹ /4"	.131"	⁹ / ₃₂ "	1,000	15	\$59.69
C-T4491-A	3 ¹ / ₂ "	.131"	⁹ / ₃₂ "	1,000	16	\$61.55
CT350148AZ	3 ¹ / ₂ "	.148"	5/16"	1,000	18	\$97.87

STOCK NUMBERS	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-T445-S	2"	.120"	9/ ₃₂ "	1,700	14	\$68.49
C-T447-S	2 1/2"	.120"	9/ ₃₂ "	1,400	14	\$63.89
C-T449-S	3"	.131"	⁹ / ₃₂ "	1,100	15	\$61.71
C-T4490-S	3 1/4"	.131"	⁹ / ₃₂ "	1,000	15	\$59.69
C-T4491-S	3 ¹ / ₂ "	.131"	9/ ₃₂ "	1,000	16	\$61.55

STAINLESS STEEL (304) SPIRAL SHANK DECKING NAILS



				LIFETIME WARRANTY! SPIRAL SHANK			
STOCK NUMBERS	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton	
C-XSSDK8 2 ¹ / ₂ " .113" 5			⁹ / ₃₂ "	1,500	13	\$174.03	



SN89RH SN883RH SN890RH SN90 7200-20 5350 SRH FR350 FR350**a** R350RHA SN 60

SN 65

Great for cedar, redwood and pressure treated lumber decks. Ideal for coastal applications. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 316 Stainless. Discontinued item ... while supplies last. LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK									
C-XSSDK8316	2 ¹ / ₂ "	.113"	⁹ / ₃₂ "	1,500	13	\$187.68			

DOUBLE HOT-DIPPED GALVANIZED BC **COMPOSITE DECKING NAILS**

Ideal for the popular composite decking such as Trex[®], ChoiceDek[®], TimberTech[®],

Fiberon[®] etc. The manufacturers of these deck products recommend and specify Hot-Dipped Galvanized or stainless

•	1.4			VARRAN	ITY!	
STOCK NUMBERS SPIRAL SHANK	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
C-T449-S	3"	.131"	⁹ / ₃₂ "	1,100	15	\$61.71
C-T4490-S	3 1/4"	.131"	9/ ₃₂ "	1,000	15	\$59.69
C-T4491-S	3 ¹ / ₂ "	.131"	⁹ / ₃₂ "	1,000	16	\$61.55

STICK NAILS PACKED 140 BOXES PER SKID.





BRIGHT FRAMING NAILS

These bright, full round head nails fit popular 20 degree tools. Plain shank. Made in the USA.

PLAIN SHANK

Handy "Job Pack" — 140 Cartons per Skid	11111
---	-------

Stock Numbers Plain Shank	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
CF447	2 ¹ / ₂ "	.120"	⁹ / ₃₂ "	1,400	12	\$46.85
CF4490	3 ¹ / ₄ "	.131"	⁹ / ₃₂ "	1,000	13	\$45.76

IBC

FOR CEDAR, REDWOOD & LP SMARTSIDE® SIDING

20 DEGREE COLLATED STICK NAILS

FULL ROUND HEAD - DOUBLE HOT-DIPPED GALVANIZED & STAINLESS STEEL

The full round head gives excellent bearing on the nailing surface – and ring and screw shanks give outstanding holding power. Maze collated nails use a carefully engineered plastic to greatly reduce the "flagging" of plastic pieces under the nail head that can occur with other collated fasteners. <u>100% MADE IN THE USA!</u>

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR SIDING

Fine nails for applying wood, hardboard and fiber cement siding. The full, round head gives excellent bearing surface.

5T		UARD [®]		LIFETIME PLAI Hot-Dippe	N SHA	NK
STOCK NUMBERS PLAIN SHANK	Length	GAUGE	HEAD	NAILS/CTN	Lbs/ctn	PRICE Per Carton
C-S205	2"	.113"	9/ ₃₂ "	1,800	13	\$68.94
C-S207	2 ¹ / ₂ "	.113"	°/ ₃₂ "	1,500	13	\$64.63
C-S209	3"	.113"	°/ ₃₂ "	1,200	13	\$56.86
C-S2091	3 1/2"	.120"	°/ ₃₂ "	1,100	15	\$63.44

Language Barry Barry

LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-S205-A	2"	.113"	9/ ₃₂ "	1,800	14	\$77.11
C-S207-A	2 ¹ / ₂ "	.113"	⁹ / ₃₂ "	1,500	14	\$71.36
C-S209-A	3"	.113"	⁹ / ₃₂ "	1,200	13	\$62.04
C-S2091-A	3 1/2"	.120"	⁹ / ₃₂ "	1,100	15	\$69.76

LIFETIME WARRANTY! SPIRAL SHANK

Stock Numbers Spiral Shank	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-S205-S	2"	.113"	⁹ / ₃₂ "	1,800	14	\$77.41
C-S207-S	2 ¹ / ₂ "	.113"	9/ ₃₂ "	1,500	14	\$71.36
C-S209-S	3"	.113"	⁹ / ₃₂ "	1,200	13	\$64.91
C-S2091-S	3 ¹ / ₂ "	.120"	⁹ / ₃₂ "	1,100	15	\$70.63



PAINTED NAILS - Simply add \$28.50 per case for pre-painted sticks!



STAINLESS STEEL (304) RING SHANK SIDING NAILS

Popular for cedar, redwood and fiber cement sidings. The ring shanks hold tighter than smooth nails, and the textured head holds paint and stain. Made from Type 304 Stainless Steel.

Note: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.

AND AND A	3000		LIFETIME WARRANTY!
C. DUCKNER	AND	ANTION COLOR	RING SHANK

STOCK NUMBERS RING SHANK	Length	GAUGE	HEAD	NAILS/CTN	Lbs/ctn	PRICE Per Carton
C-XSS6	2"	.113"	⁹ / ₃₂ "	1,800	13	\$125.06
C-XSS8	2 1/2"	.113"	9/ ₃₂ "	1,500	13	\$124.31
C-XSS10	3"	.113"	⁹ / ₃₂ "	1,200	12	\$120.88
C-XSS16	3 1/2"	.131"	⁹ / ₃₂ "	1,000	15	\$131.28

STICK NAILS PACKED 140 BOXES PER SKID.

STAINLESS STEEL (316) RING SHANK SIDING NAILS

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.

STOCK NUMBERS RING SHANK	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton			
C-XSS6316	2"	.113"	9/ ₃₂ "	1,800	13	\$198.70			
C-XSS8316	2 ¹ / ₂ "	.113"	⁹ / ₃₂ "	1,500	13	\$182.43			
C-X\$\$16316	3 1/2"	.135"	9/ ₃₂ "	1,000	15	\$197.00			

20-DEGREE STICK NAILS

- CONVENIENT JOB PACKS
- QUALITY-MADE IN USA
- HIGHLY CORROSION-RESISTANT





FOR FIBER CEMENT SIDING & TRIM

20 DEGREE COLLATED STICK NAILS

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR FIBER CEMENT SIDING

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura[™] and HardiPlank[®]. The **STORMGUARD[®]** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust

protection. For stainless steel fiber cement siding nails, see category at right.



(Labeled for HardiPlank[®] Lap Siding) **Plain Shank - Hot-Dipped Galvanized**



LIFETIME WARRANTY! PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-HD6	2"	.113"	9/ ₃₂ "	1,800	13	\$68.94
C-HD8	2 ¹ / ₂ "	.113"	9/ ₃₂ "	1,500	13	\$64.63
C-HD10	3"	.113"	⁹ / ₃₂ "	1,200	13	\$56.86

(Labeled for Fiber Cement Siding)

	LIFETIME WARRANTY! PLAIN SHANK					
STOCK NUMBERS PLAIN SHANK	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-CEM6	2"	.113"	⁹ / ₃₂ "	1,800	13	\$68.94
C-CEM8	2 ¹ / ₂ "	.113"	9/ ₃₂ "	1,500	13	\$64.63
C-CEM10	3"	.113"	9/ ₃₂ "	1,200	13	\$56.86

Ring Shank - Hot-Dipped Galvanized

			ETIME WARRANTY! RING SHANK				
Stock Numbers Ring Shank	Length	GAUGE	Head Nails/ctn Lbs/ctn PRIC				
C-S205-A	2"	.113"	⁹ / ₃₂ "	1,800	14	\$77.11	
C-S207-A	2 ¹ / ₂ "	.113"	9/ ₃₂ "	1,500	14	\$71.36	
C-S209-A	3"	.113"	9/ ₃₂ "	1,200	13	\$62.04	

All Collated Nails available painted. Simply add \$28.50 per carton!





STAINLESS STEEL (304) NAILS FOR FIBER CEMENT SIDING

Type 304 Stainless Steel Nails provide a high degree of corrosionresistance. (Labeled for HardiPlank® Lap Siding)

	LIFETIME WARRANTY! (Type 304) Plain Shank - Stainless Steel					
STOCK NUMBERS PLAIN SHANK	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
C-HDSS6	2"	.113"	⁹ / ₃₂ "	1,800	13	\$110.03
C-HDSS8	2 ¹ / ₂ "	.113"	9/ ₃₂ "	1,500	13	\$106.32
C-HDSS10	3"	.113"	⁹ / ₃₂ "	1,200	13	\$112.84

140 BOXES/SKID

STAINLESS STEEL (316) NAILS FOR FIBER CEMENT SIDING

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.

	LIFETIME WARRANTY! (Type 316) Siding nail for HardiPlank®						
Stock Number Plain Shank	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton	
C-HDSS6316	2"	.113"	9/ ₃₂ "	1,800	13	\$204.98	
140 BOXES/SKID							



BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

Call Toll-Free: 1-800-435-5949


FOR TIMBER & POST FRAME CONSTRUCTION

20 DEGREE COLLATED STICK NAILS

MAZE STORMGUARD® DOUBLE HOT-DIPPED GALVANIZED NAILS

Great for Post Frame and Timber Frame Construction, Bridge Building, Heavy Duty Crating and much more... The sharp ring shanks hold tight and resist pullout. These nails are specifically designed for use in the MAX HS 130 High Pressure PowerLite[™] Tool and Bostitch BRT 130.





DESIGNED TO FIT

FOR FRAMING & DECKING

28 DEGREE CLIPPED HEAD PAPER TAPE NAILS

28° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.





Handy "Job Pack" — 140 Cartons per Skid

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 28 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.

STOCK NUMBERS PLAIN SHANK LENGTH GAUGE NAILS/CTN LBS/CTN PRICE PER CARTON PCP28238120 2³/8" .120" 3,200 26 \$83.10 PCP282325131 3¹/4" .131" 1,820 23 \$66.60 DESIGNED TO FIT ALL 28° NAILERS AIRY ANB2883C CAMPBELL HAUSFELD .N5289000 GREX SF 9028 AIRO Helen 90 CRAFTSMAN .1820X B4320 SN80CH/28 SN802CH/28 ATRO CH5928 DEVILBISS SFN 6 SFN 6 RELIANT DD231 BASSO N905B EZ-FASTEN SRN 90/28 SRN 90/28 SRN 90/28	CLIP				IANK	AAA
PCP28325131 31/4" .131" 1,820 23 \$66.60 DESIGNED TO FIT ALL 28° NAILERS AIRY ANB2883C CAMPBELL HAUSFELD NS289000 GREX SF 9028 GRIP RITE GRPWCH350 AIRO Helen 90 ATRO 18430 CAFTSMAN 18430 GRIP RITE GRPWCH350 ATRO CH5902 CRAFTSMAN 18420X PRIME AIR SN805CH/28 BASSO N905B EVIBISS SFN 6 FLIANT DD231 FASTEIN SRN 90/28 TECH FORGE 1526B 1526B		Length	GAUGE	Nails/ctn	LBS/CTN	
DESIGNED TO FIT ALL 28° NAILERS AIRY ANB2883C CAMPBELL HAUSFELD NS289000 GREX SF 9028 AIRO Helen 90 CRAFTSMAN 18320 GRIP RITE GRPVCH350 ATRO CHS900 CRAFTSMAN 18420X MAX SN883CH ATRO CHS928 DEVILBISS SFN 6 FIT SN890CH/28 BASSO N905B EVILBISS SFN 6 ELANT DD231	PCP28238120	2 ³ /8"	.120"	3,200	26	\$83.10
AIRY ANB2883C CAMPBELL HAUSFELD NS289000 GREX SF 9028 ALFIT SF9028S CRAFTSMAN 18320 GRIP RITE GRPWCH350 ATRO Helen 90 CRAFTSMAN 18430 MAX SN883CH ATRO CH5900 CRAFTSMAN 18420X MAX SN890CH/28 ATRO CH5928 DEPOAN DPN-6C51/CN2890 PRIME AIR PWCH350 ATRO SN90SB EZ-FASTEN SFN 6 RELIANT DD231	PCP28325131	31/4"	.131"	1,820	23	\$66.60
BOSTITCHN80 SB FASCO	AIRY	CAMPBELL HA CRAFTSMAN CRAFTSMAN CRAFTSMAN DEPOAN DEVILBISS EZ-FASTEN FASCO	USFELDNS2 	89000 GREJ 18320 GRIF 18430 MAX 8420X MAX N2890 PRIN .SFN 6 RELL 90/28 TECH 20SSCT ULTE	(RITE IE AIR ANT I FORGE A APACHE	SF 9028 . GRPWCH350 SN883CH . SN890CH/28 PWCH350 DD231 D231

(Pneumatic tool names may be trademarks of their respective companies.)


Call Toll-Free: 1-800-435-5949

FOR FRAMING & DECKING

30-34 DEGREE CLIPPED HEAD PAPER TAPE NAILS

33° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.



Stock Numbers Ring Shank	Length	GAUGE	Nails/ctn	Lbs/ctn	PRICE Per Carton
PCP31238113AZ	2 ³ /8"	.120"	3,000	25	\$150.44
PCP31325120AZ	3 1/4"	.120"	2,010	23	\$113.04



Handy "Job Pack" 140 Cartons per Skid

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 30-34 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.

CLIPP			PLAIN S	HANK	
Stock Numbers Plain Shank	Length	GAUGE	Nails/ctn	Lbs/ctn	PRICE Per Carton
PCP31238120	2 ³ /8"	.120"	3,400	27	\$86.50
PCP31325131	3 1/4"	.131"	2,100	27	\$76.30

DESIGNED TO FIT ALL 30° TO 34° NAILERS (INCLUDING SENCO AND PASLODE)

AIRY AMB0546C	GRIP RITE GRPCH 350	PRIME AIRPCH 350
ALFIT BN3490S	HILTI CHN-9033	SENCO SN325, SN325 +
A-PLUS S-90E	HITACHI NR83AA, NR83AA2	SENCOSN2, SN2+, SN3, SN4
ATRO 933CH	HITACHI NR83AA3, NR90AA	SENCO SN70, Framepro 600E
BOSTITCHN90PT, F33PT	HITACHINR90AD	SENCO650E, 700XL, 700E-XL
CRAFTSMAN18422	MAXSN890/CH34	SENCO 750XL, 750E-XL
DEPOAN DPN-6C52/CN	MAXGS683CH-EX	STAN TECHSDN 11PT-1
DEWALT D51823	MAKITAAN942	SUPCOSNR90A, SDF-88
EZ-FASTENSCN-100	PASLODE 5300S, 5325S	TECH FORGE1521, 1524
FASCO F5CHHU31-90A SS(CT)	PASLODE 5350S, SK312	ULTRA APACH AN-9034AC
FASCO F5CHHN31-90A SS(CT)	PASLODEImpulse IM325	UNICATCHUN 350 P4
GREX SF9034	PASLODEImpulse IM350	WOODTECH 958-336
	PORTER CABLEFC350	

(Pneumatic tool names may be trademarks of their respective companies.)

FOR CEDAR SIDING & PVC TRIM

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH #N63CP*
BOSTITCH #N64CP*1
BOSTITCH #N65CP*
BOSTITCH #N66C-1
BOSTITCH #N75C-1
DEWALT DWE6C-1
FASCO #F45C
HITACHI #NV65AH
HITACHI #NV75AG
HITACHI #NV75AN

MAKITA #AN611 MAX #CN565 MAX #CN565S MAX #CN565S3 MAX #HN65 PORTER CABLE #COIL200 SENCO #SCN56¹ SENCO #SCN55S* STANTECH #SDCN14B*



(Pneumatic tool names may be trademarks of their respective companies.)
 *These tools have "switch pins" which enable conversion from wire to plastic collation. 'Must have conversion kit.

DOUBLE HOT-DIPPED SPLIT-LESS® WOOD SIDING NAILS

Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for cedar, redwood and other split-prone wood sidings. **STORMGUARD® Double Hot-Dipped** Galvanized. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our stainless steel **Slim-Jim®** nails on page 8. Compatible with most

15-degree plastic sheet coil siding tools. These very popular nails are "the right nails for the job"! 200 nails per coil. Available painted, add \$28.50 per carton.





LIFETIME WARRANTY! RING SHANK

Stock Numbers Ring Shank	Size	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLS222A	3d	11/4"	.095"	.219"	3,200	12	\$121.80
CLS223A	4d	11/2"	.095"	.219"	3,200	13	\$124.10
CLS224A	5d	1 ³ /4"	.095"	.219"	3,200	14	\$126.20
CLS225A	6d	2"	.095"	.219"	3,200	15	\$128.75
CLS226A	7d	2 ¹ / ₄ "	.095"	.219"	3,200	16	\$133.10
CLS227A	8d	2 ¹ / ₂ "	.095"	.219"	3,200	17	\$136.53
CLS229A*	10d	3"	.095"	.219"	2,400	16	\$135.24

*3″ length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

STAINLESS STEEL SLIM-JIM® (304) WOOD SIDING NAILS

Slim-Jim® Wood Siding Nails are the Type 304 **Stainless Steel** version of our very popular Split-Less® nails and fit most 15-degree plastic sheet coil siding tools. Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for jobs that will be left natural or treated with clear or semi-transparent tinishes. **200 nails per coil. 16 coils per carton.**



BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

SΔ

The California Redwood Association and the Western Red Cedar Lumber Association recommend stainless steel and domestic Hot-Dipped Galvanized nails for the application of their fine wood sidings. Both types of nails can react with the natural extractives in these species under some circumstances, resulting in unsightly staining. For sidings left natural or with transparent or semitransparent finishes, stainless steel nails are recommended. Type 316 stainless is recommended in sea-coastal applications. Available on page 9.

STAINLESS STEEL (304) CELLULAR PVC TRIMBOARD NAILS

Ideal for applying the popular cellular PVC trim such as KLEER[™], KOMA[®] and AZEK[®] trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. In sea-coastal areas, Type 316 stainless steel nails are recommended.





IFETIME WARRANTY! PLAIN SHANK

*Maze coil nails are available painted – just add \$28.50 per case.

* AVAILABLE PAINTED *

<u>Stock Numbers</u> Plain Shank	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
CLSSPVC6	2"	.099"	.219"	3,200	15	\$240.69
CLSSPVC8	2 ¹ / ₂ "	.099"	.219"	3,200	17	\$264.18
CLSSPVC10*	3"	.099"	.219"	2,400	16	\$220.40

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



FOR FIBER CEMENT & LP SMARTSIDE® SIDING

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for HardiPlank® and HardiPanel®)

Maze **STORMGUARD**[®] nails are specially made for applying HardiPlank[®], HardiPanel[®], HardiSoffit[®] and HardiTrim[®] fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are *"the right nails for the job"! 200 nails per coil.*





STOCK NUMBERS PLAIN SHANK	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLHD115	2"	.095"	.219 "	3,200	15	\$116.80
CLHD116	2 ¹ /4"	.095"	.219 "	3,200	16	\$120.70
CLHD117	2 ¹ / ₂ "	.095"	.219 "	3,200	17	\$123.53
CLHD119*	3"	.095"	.219 "	2,400	16	\$119.10

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

Available in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS[®] and LP SMARTSIDE[®] Siding and Trim.

FOR FIBER CEMENT & LP SMARTSIDE® SIDING

15 DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for Fiber Cement and untreated Cedar Shakes & Shingles) MAZE **STORMGUARD**[®] Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau for untreated shakes and shingles. These coil nails, along with Maze bulk & collated stick nails are *"the right nails for the job"! 200 nails per coil.*

				PLA	RRAN IANK	NTY!	
ocy N	NUMBERS	11111999	1999990000			PRICE	1

PLAIN SHANK	LENGTH	GAUGE	Head	NAILS/CTN	Lbs/ctn	PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$116.80
CLCEM116	2 ¹ / ₄ "	.095"	.219"	3,200	16	\$120.70
CLCEM117	2 ¹ / ₂ "	.095"	.219"	3,200	17	\$123.53
CLCEM119*	3"	.095"	.219"	2,400	16	\$119.10

*3″ length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

LIFETIME WARRANTY!

STO

RING SHANK

and the second								
Stock Numbers Ring Shank	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton		
CLCEM113A	1 1/2"	.095"	.219"	3,200	13	\$124.10		
CLCEM115A	2"	.095"	.219"	3,200	15	\$128.75		
CLCEM116A	2 1/4"	.095"	.219"	3,200	16	\$133.10		
CLCEM117A	2 ¹ / ₂ "	.095"	.219"	3,200	17	\$136.53		
CLCEM119A*	3"	.095"	.219"	2,400	16	\$135.24		

*3″ length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

Y Available in prefinished colors to match ALLURA™, JAMES HARDLE COLOR-PLUS[®] and LP SMARTSIDE[®] Siding and Trim.

FOR FENCING

ALUMINUM 15° COIL-ATED® FENCING & SIDING NAILS

Ideal for the quality application of cedar and redwood fencing. Spiral shank for good holding power!

		¥ ¥		252253 2525253	SPIR/	AL SHANK
<u>Stock Number</u> Spiral Shank	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
CLAWS188	1 <i>7</i> /8"	.099"	.219"	3,200	5	\$164.00
64 CART	ONS/SI	KID	1		T	
-Toll 1-800-4	Free: 35-59	49	1			2

STAINLESS STEEL TYPE 304 15° COIL-ATED® FIBER CEMENT NAILS

Long-lasting fiber cement siding deserves great nails. Maze Nails now has Stainless Steel Fiber Cement Siding Nails in coils to fit 14 popular coil nailers! Customers can have the excellent, long-term rust protection of Maze Stainless Steel nails...and the speed and convenience of pneumatic application! These, along with Maze bulk & collated stick nails, are *"the right*"

		nails fe	or the j		-	ARRANTY! AIN SHANK
Stock Number Plain Shank	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
CLSSHD115	2"	.099"	.219"	3,200	15	\$240.69
CLSSHD117	2 ¹ / ₂ "	.099"	.219"	3,200	17	\$264.18

LIFETIME WARRANTY!

RING	SHANK

Stock Number Ring Shank	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
CLSSCEM115A	2"	.099"	.219"	3,200	15	\$252.43
CLSSCEM117A	2 ¹ / ₂ "	.099"	.219"	3,200	17	\$276.02

1

Available in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.



STAINLESS STEEL (316) 15° COIL-ATED® CEDAR SHAKE AND SHINGLE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for

	a	lifetime	e of wor	ry-free ser		RRANTY!
THE PROPERTY AND THE	WW.				RIN	IG SHANK
Stock Number Ring Shank	LENGTH	GAUGE	HEAD	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLSSCEM113A316	11/2"	.099"	.219"	3,200	13	\$258.00
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$285.99
CLSSCEM117A316	2 ¹ / ₂ "	.099"	.219"	3,200	17	\$299.00

Xvailable in prefinished colors to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

FOR ROOFING AND BLIND NAILING FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® ROOFING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS: BOSTITCH #N12B DU BOSTITCH #RN45B DU BOSTITCH #RN46 GF CAMPBELL HAUSFELD #RN1545

DUOFAST #RN-175A DUOFAST #DRN-45 GRIP RITE GRTCR175 HILTI #RFC-134B HITACHI #NV45AB MAKITA #AN451 MAX #CN450R MAX #CN445R3 PORTER CABLE #134R

ORPORTER CABLE #RN1755R3RIDGID #R175RNABLE #134RSENCO #SCN40R

75 (Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED

Ideal for the quality application of Asphalt and Fiberglass Shingles, for blind-nailing Fiber Cement Siding, for attaching Backerboard,



for nailing felt. Packed in convenient job packs of 3,600 nails – in plain shank and ring shank. Wire weld collation. 120 nails per coil. 30 coils per carton. 40 cartons per pallet. LIFETIME WARRANTY!

LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
1"	.120"	³ /8"	3,600	16	\$115.77
1 ¼"	.120"	³ /8"	3,600	19	\$115.77
1 ¹ / ₂ "	.120"	³ /8"	3,600	22	\$121.87
1 ³ /4"	.120"	³ / ₈ "	3,600	24	\$130.87
Length	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE Per Carton
11/4"	.120"	³ /8"	3,600	19	\$135.37
1 ¹ / ₂ "	.120"	³ /8"	3,600	22	\$139.85
1 ³ /4"	.120"	³ /8"	3,600	24	\$144.70
	1" 1 ¹ /4" 1 ¹ /2" 1 ³ /4" LENGTH 1 ¹ /4" 1 ¹ /2"	1" .120" 1'/4" .120" 1'/2" .120" 1³/4" .120" 1³/4" .120" LENGTH GAUGE 1'/4" .120" 1'/4" .120" 1'/4" .120" 1'/4" .120" 1'/2" .120"	1" .120" 3/8" 1'/4" .120" 3/8" 1'/2" .120" 3/8" 1'/2" .120" 3/8" 13/4" .120" 3/8" 14/2" .120" 3/8" 11/2" .120" 3/8" 11/4" .120" 3/8" 11/4" .120" 3/8"	1" .120" 3/8" 3,600 1'/4" .120" 3/8" 3,600 1'/2" .120" 3/8" 3,600 1'/2" .120" 3/8" 3,600 13/4" .120" 3/8" 3,600 13/4" .120" 3/8" 3,600 Length Gauge Head Nails/ctn 11/4" .120" 3/8" 3,600 11/4" .120" 3/8" 3,600	1" .120" 3/8" 3,600 16 1'/4" .120" 3/8" 3,600 19 1'/2" .120" 3/8" 3,600 22 1'/2" .120" 3/8" 3,600 24 Length Gauge Head Nails/ctn Les/ctn 1'/4" .120" 3/8" 3,600 19 1'/4" .120" 3/8" 3,600 22

*1³/₄" length not able to be driven in all tools listed. Please refer to your Owners Manual.

E.G. (ELECTRO-GALVANIZED) COIL-ATED® ROOFING NAILS

Due to popular demand, Maze now makes e.g. (electrogalvanized) coil roofing nails. These roofing nails are 100% Made



in the USA, and meet the criteria of the "Buy American Act." Plain shank. **120 nails per coil. 30 coils per carton.**

STOCK NUMBERS PLAIN SHANK	Length	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWZPR102	1 1/4"	.120"	3/8"	3,600	18	\$78.64

STAINLESS STEEL (304) 15° COIL-ATED® ROOFING NAILS



These ring shank nails are made from Type 304 stainless steel for excellent rust protection. Wire weld collation. **120 nails per coil.**

30 coils per carton. LIFETIME WARRANTY!



			40	CARIVI	13/ SN	
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWSSRFG3A	11/4"	.120"	³ /8"	3,600	19	\$291.13
CLWSSRFG4A	1 1/2"	.120"	³ /8"	3,600	22	\$329.19



FOR FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® SIDING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS: BOSTITCH #N63CP* BOSTITCH #N64CP* BOSTITCH #N64CP* BOSTITCH #N65CP* BOSTITCH #N66C BOSTITCH #N66C

 #N75C-1
 HITACHI #NV65AH

 #N80CB
 HITACHI #NV75AG

 #DWE6C-1
 HITACHI #NV83A2

 45C
 MAKITA AN621

 MAX #CN565
 SEI

 MAX #CN565S
 SEI

 MAX #HN65
 ST/

 PORTER CABLE #COIL200

SENCO #SCN56 SENCO #SCN55S* STANTECH #SDCN14B*

*These tools have "switch pins" which enable conversion from wire to plastic collation. (Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT SIDING NAILS

MAZE **STORMGUARD**[®] Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are *"the right nails for the job"! 200 nails per coil.*





	LIFE	TIME W	ARRAN			
	++		RIN SHAN		H	
Stock Numbers Plain Shank	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLWHD115	2"	.095"	.219"	3,200	15	\$116.80
CLWHD116	2 ¹ / ₄ "	.095"	.219"	3,200	16	\$120.70
CLWHD117	2 ¹ / ₂ "	.095"	.219"	3,200	17	\$123.53
CLWHD119*	3"	.095"	.219"	3,000	19	\$138.06
*3″ length c	an only be c	driven with H	itachi NV75	AG and Bost	itch N75C	-1 tools.

STOCK NUMBERS RING SHANK	Length	GAUGE	Head	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLWHD115A	2"	.095"	.219"	3,200	15	\$128.75
CLWHD117A	2 ¹ / ₂ "	.095"	.219"	3,200	17	\$136.53

FOR FIBER CEMENT SIDING

FOR FENCING

O DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED O° COIL-ATED® SIDING NAILS

These nails are specially made for applying HardiPlank®, HardiPanel®, HardiSoffit® and HardiTrim® fiber cement products. Double Hot-Dipped Galvanized with a LIFETIME WARRANTY, these nails are "the right nails for the job"! 300 nails per coil. 12 coils per carton.



Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools

PLAIN SHANK

(DUO-FAST[®] is a registered trademark of Illinois Tool Works, Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

Stock Numbers Plain Shank	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
200HD	2"	.095"	.219"	3,600	18	\$142.84
225HD	2 ¹ / ₄ "	.095"	.219"	3,600	22	\$147.74
250HD*	2 ¹ / ₂ "	.095"	.219"	3,600	24	\$149.86

*2-1/2" length can only be driven with RCN70/275A tool.

Order your coil nails painted to match your siding. Only one carton minimum. \$28.50 per carton.

64 CARTONS/SKID

FOR BRIDGEWORK & DECKING

DOUBLE HOT-DIPPED GALVANIZED O° COIL-ATED® DECKING & BRIDGE NAILS

These top-quality Double Hot-Dipped Galvanized nails are designed for use in the popular multi-impact nailers by Max Tools. Great for special applications such as bridgework, decks, etc. where using a hand-driven nail is too difficult. Discontinued item ... while supplies last. 50 nails per coil. 18 coils per carton. LIFETIME WARRANTY!



- needoneo	110				> PLAI	N SHANK
Stock Numbers Plain Shank	Length	GAUGE	HEAD	Nails/ctn	Lbs/ctn	PRICE Per Carton
CL-400148Z	4"	.148"	⁵ / ₁₆ "	900	21	\$136.68
CL-500148Z	5"	.148"	⁵ / ₁₆ "	900	27	\$148.93
	M				> RIN	G SHANK
STOCK NUMBERS RING SHANK	Length	GAUGE	Head	Nails/ctn	Lbs/ctn	PRICE Per Carton
CL-500148AZ	5"	.148"	⁵ / ₁₆ "	900	27	\$172.23
		64 BO	XES/S	KID		•

Designed to fit MAX CNV400 & **CNV400A MULTI-IMPACT NAILERS**

ALUMINUM FENCING NAILS O° COIL-ATED®

Ideal for the quality application of cedar and redwood fencing . . . and for many other applications! Packed in convenient job packs — in spiral shank for good holding powerl 300 nails per coil 12 coils per carton

power	
101 Contraction	the states
U IIII MARANAN PUT	
	SPIRAL SHANK

<u>Stock Number</u> Spiral Shank	Length	GAUGE	HEAD	NAILS/CTN	Lbs/ctn	PRICE Per Carton
CLZAWS188	1 ⁷ /8"	.099"	.219"	3,600	6	\$184.65

BRIGHT O° COIL NAILS

Ideal for the packaging industry and for fastening large timbers together. Yellow coating improves holding power. 150 nails per coil. 12 coils per carton.

Duo-Fast® N500A





(DUO-FAST® is a registered trademark of Illinois Tool Works Inc. Maze Nails manufactures nails that are compatible with DUO-FAST[®] tools.)

- Million	and here a second s						
Stock Numbers Plain Shank	Length	GAUGE	HEAD	NAILS/CTN	Lbs/ctn	PRICE Per Carton	
CLD500148	3 5"	.148"	⁵ / ₁₆ "	1,800	50	\$184.13	

24 CARTONS/SKID



Toll-Free: 1-800-435-5949





We're Here to Serve You!

Pictured from left to right:

Lisa Martin, assistant sales manager (16 years) Len Kasperski, assistant sales manager (20 years) Kim Pohl, marketing director (24 years) Roelif M. Loveland, president and general manager (38 years) Jamie Kreiser, assistant sales manager (11 years) Kyle Loveland, assistant sales manager (9 years)

Our friendly, courteous inside team is ready and willing to help you with your fastener needs. The Maze Nail "experts" have more than 100 combined years of knowledge and experience. The Maze sales and order department is open Monday through Friday from 7:30 a.m. to 4:30 p.m. central standard time. Call us anytime on our toll free number 800-435-5949.

