



Maintaining Excellence

Phillips products are manufactured by the most highly developed processes available, using in-house research and extensive industry experience.

Phillips technicians and engineers are engaged in continuous analysis of manufacturing and quality control processes to ensure all products meet or exceed industry standards.



TAPE-ON PAPER FACED CORNER BEADS



METAL CORNER BEADS



VINYL CORNER BEADS & TRANSITION CAPS



TAPE-ON PAPER FACED CORNER BEADS




Phillips kwikSTIK® Paper Faced Products:

- ▶ Rust preventative fully galvanized coating to withstand elements and adverse drying conditions
- ▶ No edge cracking
- ▶ No nail pops
- ▶ High strength proprietary paper prevents balling when sanding



BULLNOSE 3/4" PAPER FACE SLOK TAPE

Phillips kwikSTIK® 3/4" SLOK bullnose corner bead provides a smooth, rounded finish to outside 90° corners. This product features approximately 20% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. Specially engineered paper provides superior mud and paint adhesion on all of Phillips paper faced products. No fasteners or nails are needed for installation with Phillips kwikSTIK® tape-on corner beads.




PART NO.	SIZE	DESCRIPTION
PBT14EGBNC8	8' x 3/4"	Bullnose paper face slok tape on CB
PBT14EGBNC9	9' x 3/4"	Bullnose paper face slok tape on CB
PBT14EGBNC10	10' x 3/4"	Bullnose paper face slok tape on CB
PBT14EGBNC12	12' x 3/4"	Bullnose paper face slok tape on CB



OUTSIDE PAPER FACE TAPE ON MICRO BEAD

Phillips kwikSTIK® P1 Micro Bead outside corner bead is manufactured with ease and speed of installation in mind. With its smaller bead and wider flanges, this product goes up fast and requires less mudding, saving both time and money. Phillips P1 Micro Bead features approximately 20% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. No fasteners or nails are needed for installation. Top quality paper provides superior mud and paint adhesion.



PART NO.	SIZE	DESCRIPTION
P1M14EGBNC8	8'	Outside paper face tape on micro bead
P1M14EGBNC9	9'	Outside paper face tape on micro bead
P1M14EGBNC10	10'	Outside paper face tape on micro bead
P1M14EGBNC12	12'	Outside paper face tape on micro bead



DELUXE 3/4" BULLNOSE PAPER FACE CB TAPE ON

Phillips kwikSTIK® Deluxe 3/4" bullnose paper face tape on bead features provides a smooth, rounded finish to outside 90° corners. No fasteners or nails are needed for installation, and specially engineered paper provides superior mud and paint adhesion.




PART NO.	SIZE	DESCRIPTION
PDT12EGBNC8	8' x 3/4"	Deluxe bullnose paper face slok tape on CB
PDT12EGBNC9	9' x 3/4"	Deluxe bullnose paper face slok tape on CB
PDT12EGBNC10	10' x 3/4"	Deluxe bullnose paper face slok tape on CB
PDT12EGBNC12	12' x 3/4"	Deluxe bullnose paper face slok tape on CB



DELUXE PAPER FACE TAPE ON CB

Phillips kwikSTIK® Deluxe Micro Bead outside corner bead is manufactured with ease and speed of installation in mind. With its smaller bead and wider flanges, this product goes up fast and requires less mudding, saving both time and money. This product meets ASTM standard C1047. No fasteners or nails are needed for installation. Top quality paper provides superior mud and paint adhesion.




PART NO.	SIZE	DESCRIPTION
PDW12EGBNC8	8'	Delux Micro Bead paper face tape on CB
PDW12EGBNC9	9'	Delux Micro Bead paper face tape on CB
PDW12EGBNC10	10'	Delux Micro Bead paper face tape on CB
PDW12EGBNC12	12'	Delux Micro Bead paper face tape on CB



SUPER WIDE PAPER FACE TAPE ON CB

Phillips kwikSTIK® P1 Super Wide outside corner bead features wider flanges for more complete coverage. This product is essentially the same product as P1 Deluxe Super Wide except P1 Super Wide utilizes slightly lighter steel gauge making it a more economical product.




PART NO.	SIZE	DESCRIPTION
PSW10EGBNC8	8'	Super wide paper face tape on CB
PSW10EGBNC9	9'	Super wide paper face tape on CB
PSW10EGBNC10	10'	Super wide paper face tape on CB
PSW10EGBNC12	12'	Super wide paper face tape on CB



EXTRA WIDE PAPER FACE TAPE ON CB

Phillips kwikSTIK® P1 XW EL outside corner bead can be used on 90° outside corners with any standard drywall thickness for a clean, professional finish. This product features approximately 20% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. P1 XW EL is tape-on, meaning no fasteners or nails are needed for installation. Specially engineered paper provides superior mud and paint adhesion.



PART NO.	SIZE	DESCRIPTION
PEW14EGBNC8	8'	Extra wide paper face tape on CB
PEW14EGBNC9	9'	Extra wide paper face tape on CB
PEW14EGBNC10	10'	Extra wide paper face tape on CB
PEW14EGBNC12	12'	Extra wide paper face tape on CB



METAL CORNER BEADS




Phillips klinchSTIK[®] Corner Beads:

- ▶ Strong, dent resistant corner and edge reinforcements
- ▶ Durable, economical and straighter corners
- ▶ Deeply knurled mud anchors on flanges




KLINCHSTIK CB 79 DEGREE

Phillips is the exclusive producer of klinchSTIK[®]. This corner bead is installed using standard industry practice with drywall nails, staples, screws or clinching tool and features deeply knurled mud anchors for perfect mud adhesion. klinchSTIK[®] is the ideal product for quick and easy installation with a clinching tool. Phillips klinchSTIK[®] corner bead features a grey galvanized surface coating.




PART NO.	SIZE	DESCRIPTION
CBK12EGB798	8'	Klinchstik CB 79 degree
CBK12EGB799	9'	Klinchstik CB 79 degree
CBK12EGB7910	10'	Klinchstik CB 79 degree
CBK12EGB7912	12'	Klinchstik CB 79 degree




KLINCHSTIK CB

Phillips is the exclusive producer of klinchSTIK[®]. This corner bead is installed using standard industry practice with drywall nails, staples, screws or clinching tool and features deeply knurled mud anchors for perfect mud adhesion. klinchSTIK[®] is the ideal product for quick and easy installation with a clinching tool. Phillips klinchSTIK[®] corner bead features a grey galvanized surface coating.




PART NO.	SIZE	DESCRIPTION
CWK12EGB8	8'	Klinchstik Nail-On Metal
CWK12EGB9	9'	Klinchstik Nail-On Metal
CWK12EGB10	10'	Klinchstik Nail-On Metal
CWK12EGB12	12'	Klinchstik Nail-On Metal



EXTRA WIDE DULL BULLNOSE 3/4"

This classic product features a grey galvanized surface coating to ensure consistent, high-quality finishing every time. Phillips bullnose metal corner bead is used for a smooth, rounded finish on exposed edges of wallboard. Like all Phillips corner beads, this bead features deeply knurled mud anchors to further ensure perfect mud adhesion.




PART NO.	SIZE	DESCRIPTION
BN7EGB8	8' x 3/4"	Extra wide dull bullnose
BN7EGB9	9' x 3/4"	Extra wide dull bullnose
BN7EGB10	10' x 3/4"	Extra wide dull bullnose
BN7EGB12	12' x 3/4"	Extra wide dull bullnose

VINYL CORNER BEADS




Phillips gripSTIK® Corner Beads:

- ▶ Perforated flanges for excellent joint compound adhesion as the joint compound penetrates through the bead to the drywall to support long-lasting adhesion
- ▶ Deeply knurled mud anchors on flanges enhance joint compound adhesion
- ▶ Works great for both drywall and interior veneer applications
- ▶ Proprietary paper composition promoting high wet and tear strength



VINYL BULLNOSE CB 3/4"

Phillips gripSTIK® bullnose corner beads create a smooth, rounded look to drywall corners and are easily installed using standard industry practice. Constructed of durable vinyl, the flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured which all greatly enhance paint and mud adhesion.




PART NO.	SIZE	DESCRIPTION
BN3VYL8	8' x 3/4"	Vinyl bullnose CB
BN3VYL9	9' x 3/4"	Vinyl bullnose CB
BN3VYL10	10' x 3/4"	Vinyl bullnose CB
BN3VYL12	12' x 3/4"	Vinyl bullnose CB



VINYL CORNER BEAD

Phillips gripSTIK® corner bead provides a rigid protection for the exposed edges of wallboard. This easy-to-install 90° corner support can be nailed, stapled or installed with Phillips gripSTIK® multipurpose high-tack spray adhesive (see page 21 for product details). Flanges feature many perforations and deeply knurled mud anchors for excellent joint compound adhesion. The entire product is specially textured to enhance paint and mud adhesion. The standard flange length for this product is 1-1/4".




PART NO.	SIZE	DESCRIPTION
CBRYVL8	8'	Vinyl Square CB
CBRYVL9	9'	Vinyl Square CB
CBRYVL10	10'	Vinyl Square CB
CBRYVL12	12'	Vinyl Square CB



VINYL L-TRIM

L-Trim provides a clean, sharp edge at door, window, ceiling and other terminations. Install using standard industry practice. The many perforations and raised shoulder enhance strong compound adhesion and provide for a flush finish. Its deeply knurled mud anchors and specially textured surface provide superior paint and mud adhesion. Phillips offers this product in 1/2" (LT5VYL) and 5/8" (LT6VYL).



PART NO.	SIZE	DESCRIPTION
PL114EGB8	8'	1/2" kwikSTIK P4 L-Trim
PL114EGB9	9'	1/2" kwikSTIK P4 L-Trim
PL114EGB10	10'	1/2" kwikSTIK P4 L-Trim
PL114EGB12	12'	1/2" kwikSTIK P4 L-Trim
PL514EGB8	8'	5/8" kwikSTIK P4 L-Trim
PL514EGB9	9'	5/8" kwikSTIK P4 L-Trim
PL514EGB10	10'	5/8" kwikSTIK P4 L-Trim
PL514EGB12	12'	5/8" kwikSTIK P4 L-Trim

VINYL CORNER AND TRANSITION CAPS



Phillips gripSTIK® Corner & Transition Caps:

- ▶ Over 50 different corner and transition caps available
- ▶ Works great with Phillips metal, vinyl or paper faced metal bullnose corner beads
- ▶ U.S. Patents: RE34,547; 6,691,476; D487,520; D487,156; D501,050 and D486,920



3/4" 3-WAY CORNER

Phillips gripSTIK® 3/4" 3-way corner is designed to easily finish three intersecting bullnose 90° outside corners. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1/2" (CAP345) and 1-1/2" (CAP387 - see below) radius. Packaging is 50 pieces per carton.

Part Number: CAP385



1- 1/2" 3-WAY CORNER

Phillips gripSTIK® 1-1/2" 3-way corner is designed to easily finish three intersecting bullnose 90° outside corners. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1/2" (CAP345) and 3/4" (CAP385 - see above) radius. Packaging is 50 pieces per carton.

Part Number: CAP387



3/4" 3-WAY SPLAY CORNER

Phillips gripSTIK® 3/4" 3-way splay corner is designed to easily finish where two 90° outside 3/4" bullnose corners intersect with one outside bullnose splay corner. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1-1/2" (CAP187 - see below) radius. Packaging is 50 pieces per carton.

Part Number: CAP135



1- 1/2" 3-WAY SPLAY CORNER

Phillips gripSTIK® 1-1/2" 3-way off-angle corner is designed to easily finish where two 90° outside 1-1/2" bullnose corners intersect with one outside bullnose splay corner. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 3/4" (CAP135 - see above) radius. Packaging is 50 pieces per carton.

Part Number: CAP187



3/4" 2-Way Corner

Part Number: CAP285



1-1/2" 2-Way Corner

Part Number: CAP285

2- WAY CORNER

Phillips gripSTIK® 2-way corners are designed to easily finish two intersecting 90° outside bullnose corners. This product works great to cap corners of windows, closets, doorways, skylights and other areas. Corner caps eliminate the need for mitering and corner filling, saving time and reducing waste. Perforated to enhance mud adhesion. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Available in 3/8" (Mini), 3/4" (CAP285) and 1-1/2" (CAP287). Packaging is 50 pieces




3/4" 2-Way Splay Corner

2- WAY SPLAY CORNER


Phillips gripSTIK® 2-way splay corners are designed to easily finish where two 90° outside bullnose corners intersect at angles greater than 90° or open angles. This product works great to corner cap windows, closets, doorways, skylights and other areas. Corner caps eliminate the need for mitering and corner filling, saving time and reducing waste. Perforated to enhance mud adhesion. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Available in 3/4" (CAP235). Packaging is 50 pieces per carton.

Part Number: CAP235



3/4" Transition Caps

Part Number: SEE TEXT



1-1/2" Transition Caps

Part Number: SEE TEXT

TRANSITION CAPS

Phillips gripSTIK® transition caps are designed to eliminate gaps between bullnose corner bead and baseboard or crown molding by transitioning bullnose corners to 90° corners. Phillips transition caps install quickly and easily using standard industry practice and can be used with Phillips metal, vinyl or paper faced corner beads. Perforated to enhance mud adhesion. Available in 3/4" Overlap Transition Cap (TRN790), 3/4" Transition Cap with Alignment Tab (TRN8590), 1-1/2" Overlap Transition Cap (TRN890) and 1-1/2" Transition Cap with Alignment Tab (TRN8790). Packaging is 50 pieces per carton.



Part Number: CAP390



Part Number: CAP190

MORE TRSITION CAPS ARE AVAILABLE

Phillips has over 50 different corner and transition caps available. Call your Grabber sales representative to find out more.




VINYL BULLNOSE CORNER BEADS		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL BULLNOSE		
3/8" Mini Bullnose Corner Bead 8'	35008	MBLVYL 8'
3/8" Mini Bullnose Corner Bead 9'	35009	MBLVYL 9'
3/8" Mini Bullnose Corner Bead 10'	35010	MBLVYL 10'
3/8" Mini Bullnose Corner Bead 12'	35012	MBLVYL 12'
3/4" Bullnose Corner Bead 8'	7008	BN3VYL 8'
3/4" Bullnose Corner Bead 9'	7009	BN3VYL 9'
3/4" Bullnose Corner Bead 10'	7010	BN3VYL 10'
3/4" Bullnose Corner Bead 12'	7012	BN3VYL 12'
1-1/2" Bullnose Corner Bead 8'	7098	BN5VYL 8'
1-1/2" Bullnose Corner Bead 9'		BN5VYL 9'
1-1/2" Bullnose Corner Bead 10'	7099	BN5VYL 10'
1-1/2" Bullnose Corner Bead 12'	7092	BN5VYL 12'

VINYL BULLNOSE SPLAY		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL BULLNOSE SPLAY		
3/8" Mini Bullnose Splay Corner 8'	35038	MBSVYL 8'
3/8" Mini Bullnose Splay Corner 9'		MBSVYL 9'
3/8" Mini Bullnose Splay Corner 10'	35030	MBSVYL 10'
3/8" Mini Bullnose Splay Corner 12'		MBSVYL 12'
3/4" Bullnose Splay Corner 8' 7308		BS3VYL 8'
3/4" Bullnose Splay Corner 9'	7309	BS3VYL 9'
3/4" Bullnose Splay Corner 10'	7310	BS3VYL 10'
3/4" Bullnose Splay Corner 12'		BS3VYL 12'
1-1/2" Bullnose Splay Corner 8'		BS5VYL 8'
1-1/2" Bullnose Splay Corner 9'		BS5VYL 9'
1-1/2" Bullnose Splay Corner 10'	7399	BS5VYL 10'
1-1/2" Bullnose Splay Corner 12'		BS5VYL 12'

VINYL BULLNOSE ARCHWAY		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL BULLNOSE ARCHWAY		
3/8" Mini Max-Flex® Bullnose Archway 8'	35028	MBAVYL 8'
3/8" Mini Max-Flex® Bullnose Archway 9'		MBAVYL 9'
3/8" Mini Max-Flex® Bullnose Arch 10'	35020	MBAVYL 10'
3/8" Mini Max-Flex® Bullnose Arch 12'		MBAVYL 12'
3/4" Max-Flex® Bullnose Archway 8'	7108	BA3VYL 8'
3/4" Max-Flex® Bullnose Archway 9'	7109	BA3VYL 9'
3/4" Max-Flex® Bullnose Archway 10'	7110	BA3VYL 10'
3/4" Max-Flex® Bullnose Archway 12'		BA3VYL 12'
1-1/2" Max-Flex® Bullnose Archway 8'	7198	BA5VYL 9'
1-1/2" Max-Flex® Bullnose Archway 9'		BA5VYL 9'
1-1/2" Max-Flex® Bullnose Archway 10'	7199	BA5VYL 10'
1-1/2" Max-Flex® Bullnose Archway 12'		BA5VYL 12'

VINYL BULLNOSE KERF		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL BULLNOSE KERF		
3/4" Bullnose Kerf 8'	7088T	BK3VYL 8'
3/4" Bullnose Kerf 10' 7080T		BK3VYL 10'
1-1/2" Bullnose Kerf 8'		BK5VYL 8'
1-1/2" Bullnose Kerf 10'		BK5VYL 10'



EASY TRIM-TEX® CONVERSION

VINYL CORNER AND TRANSITION CAPS		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL CORNER CAPS		
3/4" Vinyl 3-Way Bullnose Corner	904	CAP385
1-1/2" Vinyl 3-Way Bullnose Corner	914	CAP387
3/4" Vinyl 3-Way Off-Angle Bullnose Cnr	911	CAP135
1-1/2" Vinyl 3-Way Off-Angle Bullnose Cnr		CAP187
3/4" Vinyl 2-Way Bullnose Corner	903	CAP285
1-1/2" Vinyl 2-Way Bullnose Corner	913	CAP287
3/4" Vinyl 2-Way Off-Angle Bullnose Corner	912	CAP235

VINYL CORNER CAPS		
Product Description	Trim-Tex®	Phillips gripSTIK®
3/4" Bullnose Large Overlap Adaptor		TRN790
3/4" Bullnose Jumbo Adaptor	917	TRN8590
1-1/2" Bullnose Jumbo Adaptor	916	TRN8790



"ENGINEERED TO PERFORM"

PHILLIPS GRIPSTIK® VINYL BEADS AND TRIMS:

- ▶ Textured and knurled to enhance joint compound adhesion
- ▶ Durable, impact and corrosion resistant
- ▶ Perforated flanges for faster drying
- ▶ Tapered flanges for seamless finish work
- ▶ Use for both drywall and interior veneer application

EASY TRIM-TEX® CONVERSION

VINYL BULLNOSE CORNER BEADS		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL L-TRIM		
1/2" Vinyl L-Trim 8'	3208	LT5VYL 8'
1/2" Vinyl L-Trim 10'	3210	LT5VYL 10'
5/8" Vinyl L-Trim 8'	3308	LT6VYL 8'
5/8" Vinyl L-Trim 10'	3310	LT6VYL 10'
VINYL L-TEAR STRIP		
1/4" Vinyl L-Tear Strip 10'	9002	TS2VYL 10'
3/8" Vinyl L-Tear Strip 10'	9004	TS3VYL 10'
1/2" Vinyl L-Tear Strip 8'	9008	TSSVYL 8'
1/2" Vinyl L-Tear Strip 10'	9010	TSSVYL 10'
1/2" Vinyl L-Tear Strip 12'	9012	TSSVYL 12'
5/8" Vinyl L-Tear Strip 8'	9108	TS6VYL 8'
5/8" Vinyl L-Tear Strip 10'	9110	TS6VYL 10'
VINYL J-TRIM		
1/2" Vinyl J-Trim 8'	1108	JT5VYL 8'
1/2" Vinyl J-Trim 10'	1110	JT5VYL 10'
5/8" Vinyl J-Trim 8'	1208	JT6VYL 8'
5/8" Vinyl J-Trim 10'	1210	JT6VYL 10'
Flat L-Tear Strip 10'	9000	FTSVYL 10'
VINYL EXPANSION JOINT		
E-Z Strip Expansion Joint 10'	093V	EZSVYL
MULTI-PURPOSE SPRAY ADHESIVE		
Spray Adhesive	847	999SPRAY

VINYL CORNER BEADS		
Product Description	Trim-Tex®	Phillips gripSTIK®
VINYL CORNER BEAD, SPLAY AND ARCHWAY		
Vinyl Corner Bead 12'	4012	CBRVYL 12'
Extra Wide Vinyl Corner Bead 8'	RJ08	CBWVYL 8'
Extra Wide Vinyl Corner Bead 9'		CBWVYL 9'
Extra Wide Vinyl Corner Bead 10'	RJ10	CBWVYL 10'
Splay Corner Bead 8'	4208	CBSVYL 8'
Splay Corner Bead 9'	4209	CBSVYL 9'
Splay Corner Bead 10'	4210	CBSVYL 10'
MAX-Flex® Archway 8'	4108	CBAVYL 8'
MAX-Flex® Archway 9'		CBAVYL 9'
MAX-Flex® Archway 10'	4110	CBAVYL 10'
MAX-Flex® Archway 12'	4112	CBAVYL 12'
1/2" MAX-Flex® L-Trim Archway 10'	3299	LA5VYL 10'
5/8" MAX-Flex® L-Trim Archway 10'	3299	LA6VYL 10'
Inside Corner Adjustable 8'	4308	ICBVYL 8'
Inside Corner Adjustable 9'	4309	ICBVYL 9'
Inside Corner Adjustable 10'	4310	ICBVYL 10'

CertainTeed

SAINT-GOBAIN

Easy-to-apply, High Performance, Drywall Corner Solutions.

CertainTeed's line of structural laminate corners — combined with water-activated corners and automation technologies — save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.



NO-COAT®

The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

AquaBead®

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.

LEVELLINE®

LEVELLINE flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.





The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

SLAM Technology – A Breakthrough in Drywall Corner Finishing

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

NO-COAT SAVES LABOR

- Reduces installation time significantly
- Rolls and pre-cut lengths allow for fast application

A Radical Departure from Corner Bead

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it's the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

An Innovative Solution

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.

SLAM Technology integrates THREE KEY COMPONENTS providing the durability, flexibility, and strength that won't crack under pressure.

1. TAPERED HIGH STRENGTH COPOLYMER CORE withstands severe impacts. Won't rust. Requires less mud.

3. FORMULATED SURFACE PAPER eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2. JOINT TAPE permanently bonds corner to drywall with All Purpose mud.



The NO-COAT® Structural Laminate Drywall Corner System

FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325

FLEXIBLE CORNER 450



STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.

INSIDE 90

OUTSIDE 90

L-TRIM – 1/2", 5/8"

BULLNOSE - 3/8", 3/4"



ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"

OUTSIDE 90




TOOLS

Rollers and applicators allow for high speed installations and flawless results.



ROLLERS – Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER – Install off-angles, inside and outside 90s or bullnose, in record time.





NO-COAT

NO-COAT STICKS

NO-COAT mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.



NO-COAT INSIDE 90

Description

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

Features/Benefits


- Pre-cut to standard lengths so installations are fast and efficient
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

Product Details

8', 9', 10' stick lengths
(2.4 m, 2.7 m, 3 m)
50 sticks per box

Applications

- 90° inside corners



NO-COAT OUTSIDE 90

Description

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaran-teeed perfect results for all vertical outside corner applications.

Features/Benefits


- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks.

Product Details

8', 9', 10', 12' stick lengths
(2.4 m, 2.7 m, 3 m, 3.7 m)
50 sticks per box

Applications

- 90° outside corners



NO-COAT 1/2" L-TRIM

Description

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

Features/Benefits


- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

Product Details

10' (3 m) lengths Custom lengths available 50 sticks per box

Applications

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging



NO-COAT 5/8" L-TRIM

Description

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

Features/Benefits


- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks


Product Details

10' (3 m) lengths Custom lengths available 50 sticks per box

Applications

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging





NO-COAT 3/8" BULLNOSE

Description
NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

Features/Benefits

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

Product Details

8', 9', 10', 12' stick lengths
(2.4 m, 2.7 m, 3 m, 3.7 m)
50 sticks per box

Applications

- 90° outside corners



NO-COAT 3/4" BULLNOSE

Description
NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

Features/Benefits


- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks.

Product Details

8', 9', 10', 12' stick lengths
(2.4 m, 2.7 m, 3 m, 3.7 m)
50 sticks per box

Applications

- 90° outside corners



NO-COAT

FLEXIBLE CORNERS

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



FLEXIBLE CORNER 325

Description

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

Applications


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

Features/Benefits

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

Product Details

3.25" wide x 100' roll
(8.3 cm x 30.5 m)
10 rolls per carton



FLEXIBLE CORNER 450

Description

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

Applications


- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

Features/Benefits

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates

Product Details

4.5" wide x 100' roll
(11.4 cm x 30.5 m)
4 rolls per carton



NO-COAT

FLEXIBLE ARCHWAY

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



NO-COAT ARCH 3/4" BULLNOSE

Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

Applications


- 90° bullnose archways

Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength,

Product Details

10' (3 m) lengths
Custom lengths available
10 sticks per box



NO-COAT ARCH OUTSIDE 90

Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

Applications


- 90° outside archways

Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength,

Product Details

10' (3 m) lengths
Custom lengths available
10 sticks per box



The only self-forming ridgeless design available, provides perfect, smooth arches every time!





LEVELLINE FLEXIBLE CORNER

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



LEVELLINE FLEXIBLE CORNER

Description

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

Applications

- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

Features/Benefits

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

Product Details

2.75" wide x 100' roll
(7 cm x 30.5 m)
12 rolls per carton



REVOLUTIONIZING THE DRYWALL INDUSTRY. ONE CORNER AT A TIME.



AUTOPRO AUTOMATED CORNER

The AUTOPRO uses LEVELLINE PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.

Easy-to-use keypad simplifies operation and stores custom measurements



5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage


Powered by convenient 100 volts



Portable size is light-weight and easy to maneuver



INSIDE 90



OUTSIDE 90



OFF-ANGLES



AquaBead®

WATER ACTIVATED CORNERS

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.



AQUABEAD OUTSIDE 90

Description

AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.

Features/Benefits


- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

Product Details

8', 9', 10', 12' stick lengths
(2.4 m, 2.7 m, 3 m, 3.7 m)
50 sticks per box

Applications

- 90° outside corners



AQUABEAD 1/2" L-TRIM

Description

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

Features/Benefits



- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

Product Details

10' (3 m) lengths Custom lengths available 50 sticks per box

Applications

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging



Specially engineered nose does not require coating. Just fill the outside edges with joint compound to create the perfect corner.

Just Add Water



Water-activated adhesive provides a superior bond directly to drywall

Perforations allow compound to adhere to the drywall surface

- ✓ Water activated adhesive
- ✓ Simple to apply
- ✓ Superior bonding
- ✓ No nails, compound or spray glue required
- ✓ Easy to cut
- ✓ Won't rust or crack
- ✓ Lightweight for easy handling
- ✓ Impact resistant




AQUABEAD 5/8" L- TRIM

Description
AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

- Features/Benefits**
- Water activated adhesive
 - Simple to apply
 - Won't rust or crack
 - Impact resistant
 - Pre-cut to standard lengths

Product Details
10' (3 m) lengths Custom lengths available 50 sticks per box

- Applications**
- Window Returns
 - Door Enclosures
 - Drop Ceilings
 - Protective Edging




AQUABEAD BULLNOSE

Description
AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

- Features/Benefits**
- Water activated adhesive
 - Simple to apply
 - Won't rust or crack
 - Impact resistant
 - Pre-cut to standard lengths

Product Details
8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m) 50 sticks per box

- Applications**
- Outside corners





AQUABEAD TRIM

Description
AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

- Features/Benefits**
- Water activated adhesive
 - Simple to apply
 - Won't rust or crack
 - Impact resistant
 - Pre-cut to standard lengths

Product Details
8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks per box

- Applications**
- 90° outside corners



CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

Corner Application Matrix	Off Angles	Inside Corners	Outside Corners		Industrial	Large Gaps	Vaults, Soffits	Window Returns, Door Jambs, Drop Ceilings, etc.	Long Spans Over 10' (3 m)	Short Spans Under 10' (3 m)
NO-COAT										
Flexible Corner 325	■	■	■			■	■			■
Flexible Corner 450	■	■	■		■	■	■		■	
Inside 90	■	■								
Outside 90	■		■							
L-Trim – 1/2", 5/8"					■			■		
Bullnose – 3/8", 3/4"			■		■					
Arch – Outside 90 3/4" Bullnose			■	■						
AQUABEAD										
Outside 90	■		■							
L-Trim – 1/2", 5/8"								■		
Bullnose – 3/4"			■							
Outside 90 Trim	■		■							
LEVELLINE										
Flexible Corner	■	■	■			■	■			■
Levelline PRO Corner	■	■	■		■	■	■		■	



CERTAINTEED DOUBLE BARREL HOPPER

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.



DOUBLE BARREL HOPPER

Description

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part changeovers and reconfiguration.

Features/Benefits

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

Product Details

- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates

Applications

- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

High density polyurethane tank

High density polyurethane gate controllers

Heavy duty stainless steel construction

Stainless steel gates accommodate off-angles, inside 90s, bullnose, and outside 90s



CERTAINTEED ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Installations are faster and easier, delivering bottom-line savings on labor and mud.

NO-COAT INSIDE 90

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- NO-COAT Outside 90 corners

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



BULLNOSE ROLLER

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- NO-COAT and AquaBead Inside 90 corners and Flexible

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



INSIDE 90 ROLLER

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- NO-COAT 3/8" and 3/4" BULLNOSE corners

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



ONE-SIDED ROLLER

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable. Stainless steel components provide extreme corrosion resistance

Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



AQUABEAD OUTSIDE 90 ROLLER

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- AquaBead Outside 90 corners

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

Product Details

- Pliable red 90° roller wheels



AQUABEAD BULLNOSE ROLLER

Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

Applications

- AquaBead Bullnose corners

Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

Product Details

- Pliable blue roller wheels



Grabber Branch Locations

Northeast Region

GRABBER New England
120 Newberry Road
East Windsor, CONNECTICUT 06088
Phone: 860-623-3600

GRABBER Washington D.C
850 B Hampton Park Blvd
Capitol Heights, MARYLAND 20743-4917
Phone: 301-808-5100

GRABBER Frederick
5431 Yukon Ct., Suite G
Frederick, MARYLAND 21703-7300
Phone: 301-371-0701

GRABBER Northeast
1125 Thomas Busch Memorial Hwy
Pennsauken, NEW JERSEY 08110
Phone: 856-662-2525

GRABBER Virginia
14801 Willard Rd, Suite 700
Chantilly, VIRGINIA 20151
Phone: 703-631-8770

South Region

GRABBER Mid-South
8690 Hacks Cross Road
Olive Branch, MS 38654
Phone: 662-895-9300

GRABBER South Texas
2121 Brittmoore Rd, #1400
Houston, TEXAS 77043-2200
Phone: 713-545-6426

GRABBER Texas
10990 Petal Street, Ste 400
Dallas, TEXAS 75238-2487
Phone: 972-470-9044

Southeast Region

GRABBER Carolina
1136 industrial Dr SW,
Conover, NC 28613
Phone: 866-615-6245

GRABBER Atlanta
2605 North Berkeley Lake Road, Suite 500
Duluth, GEORGIA 30096
Phone: 770-813-1332

GRABBER Pompano Beach
1857 SW 3rd St.
Pompano Beach, FLORIDA 33069-3105
Phone: 954-971-4730

GRABBER Ft. Myers
12570 Metro Pkwy, Unit 1
Ft. Myers, FLORIDA 33966-8356
Phone: 239-278-1888

GRABBER Jacksonville
5913-7 Saint Augustine Road
Jacksonville, FLORIDA 32207
Phone: 904-739-2760

GRABBER Miami
5717 NW 158th St
Hialeah, FLORIDA 33014
Phone: 305-820-0975

GRABBER Orlando
3714 Silver Star Road
Orlando, FLORIDA 32808
Phone: 407-297-7278

GRABBER Tampa
5835 Barry Road
Tampa, FLORIDA 33634
Phone: 813-249-2281

Canada

GRABBER Canada
#1, 5563 - 268th St.
Langley, British Columbia V4W 3W1
604-856-1444
Toronto Warehouse: 905-738-3900

West Region

GRABBER Northwest
15009 NE Airport Way Ste# 300
Portland, OREGON 97230-8333
Phone: 503-467-5001

GRABBER Northern California
2241 Carion Ct.
Pittsburg, CA 94565
925-687-6606

GRABBER Los Angeles
8319 Allport Avenue
Santa Fe Springs, CALIFORNIA 90670
Phone: 562-696-5122

GRABBER San Diego
9466 Chesapeake Drive, Suite 702
San Diego, CALIFORNIA 92123
Phone: 858-292-6022

GRABBER Utah
4273 South 590 West
Murray, UTAH 84123-3615
Phone: 801-266-4151

Midwest Region

GRABBER Midwest
370 W. Dussel Dr., Suite 5
Maumee, OHIO 43537-1604
Phone: 419-794-8212

GRABBER Missouri
1805 Liberty St.
Kansas City, MISSOURI 64102
Phone: 816-931-8816

GRABBER Ohio
4325 Muhlhauser Rd., Suite 8
Fairfield, OHIO 45014
Phone: 513-874-9027

Corporate Offices

5255 West 11000 North
Highland, Utah 84003
Phone: 801-492-3880



The Complete Corners and Trims Solution



GRABBER CONSTRUCTION PRODUCTS INC.

5255 W 11000 N, STE 100

800-477-8876

www.GrabberPro.com



© Copyright Grabber Construction Products Inc., 2018
All rights reserved