



TITAN XT™



PREMIUM ARCHITECTURAL SHINGLES

WHERE INNOVATION MEETS EXTREME TECHNOLOGY™

RAPID FIRE ZONE™

Heritage Proline Titan XT™ features our largest defined nailing zone **EVER**. Designed for professional installers.

Contractors can install quickly and with ease due to a nailing zone up to five times larger than our standard Heritage® nailing area*, possible through our AnchorLock™ layer reinforcement of the common bond area.

* Compared with TAMKO's Heritage® shingles manufactured in Kansas, Maryland, Missouri and Texas.



OUR HIGHEST WIND PROTECTION EVER

The WINDGUARD™ WARRANTY – up to 160 MPH with only 4 nails in the expanded nailing zone.

Introducing an industry first — a high wind warranty with coverage up to **160 MPH**, with only four nails installed in the expanded nailing zone, when using TAMKO® Starter.† Inspired by the combined performance of our AnchorLock™ layer and Advanced Fusion™ sealants to help the shingle hold fast.



Titan XT™ shingles feature a reinforcing strip of polyester fabric on the back of the shingle to provide added anchoring for the expanded nailing zone.

† Please consult TAMKO's Limited Warranty and Application Instructions for any requirements or limitations.



TITAN XT™

WHERE INNOVATION MEETS EXTREME TECHNOLOGY™

Titan XT™ features some of the most advanced innovative technology in the industry. With powerful engineering, Titan XT shingles are designed to offer an advantage for both homeowners and contractors, combining in-demand product features into one *Extreme Technology* shingle designed to help weather extreme conditions.

RAPID FIRE ZONE™

Up to 5 TIMES LARGER than our standard nailing area*



OUR MOST ADVANCED SHINGLE EVER



Our Fastest Installation Ever

Five-times-larger Rapid Fire Zone™ nailing zone* allows for faster, easier installation.



Our High Performing Weathering Layer

Enhanced weathering layer helps resist ice and water, while preserving the sought-after aesthetics of premium architectural roofing shingles.†



Our Highest Wind Protection Ever

Proprietary AnchorLock™ layer reinforcement of the nailing zone and our most advanced shingle sealants enabled Titan XT to pass industry wind tests and inspired Titan XT's **160 MPH** wind warranty.†



Our Strongest Seal Ever

Specially engineered, our Advanced Fusion™ sealants and AnchorLock™ layer technology are designed to seal quickly, lock in nails, and help resist high winds.



Our Most Beautiful Look Ever

Heavier than classic Heritage® shingles, for a more beautiful wood shake look on your roof.



Our Most Popular Color Lineup

Inspired by the beauty of nature, Titan XT shingles feature colors from TAMKO's most popular product lines, including our high-contrast America's Natural Colors collection.

APEX COLOR™ TECHNOLOGY

Proprietary granule blends and a technologically-advanced color drop process creates superior color featuring more depth and better shadowtones for a more natural-looking roof.

RAPID FIRE ZONE™

A clearly defined expanded nailing zone for fast and easy installation. Contractors can install quickly and with ease due to a zone five times larger than our standard Heritage® shingles' nailing zone,* all with the reassurance that the entire nailing zone, including the common bond area of the Heritage Proline shingles, is reinforced, enabling this expanded zone.



ANCHORLOCK™ LAYER

A proprietary reinforcement that gives Heritage Proline™ shingles their enhanced wind performance. This unique poly-fabric reinforces the shingle for an added layer of protection and provides an anchor for the nails to embed in, locking them tightly to the deck to help reduce blow-offs.

UL Listed for:
Class A Fire Resistance

UL Classified:
Wind Resistance
ASTM D3462 and ICC-ES Acceptance Criteria AC438

UL Evaluation Reports:
UL Evaluation Report ER2919-01
UL Evaluation Report ER2919-02

Florida Building Code Product Approval
FL 18355
FL 35321

Miami-Dade County Product Control Approved

Tested in Compliance with:
UL 790/ASTM E 108, Class A
ASTM D3161, Class F
ASTM D7158, Class H
ASTM D3462
ICC-ES Acceptance Criteria AC438

ULTRAMAX WEATHERING™ LAYER

Proprietary engineering to increase top coating where it's needed most, for a weathering layer of asphalt designed for protection.

POWER CORE™

Fiberglass mat core engineered to help resist tearing and cracking.

ANTI-AGING GRANULES

An embedded layer of ceramic-fired granules offering both beauty and protection.

ADVANCED FUSION™ SEALANTS

A family of aggressive sealants, specifically designed to be sticky, even in cooler weather. Our Advanced Fusion™ sealants fuse the shingles quickly to the roof deck, and each other, to help hold fast.

Natural Timber
America's Natural Colors

Thunderstorm Grey
America's Natural Colors

Rustic Black
Classic Colors

Rustic Slate
Classic Colors

Weathered Wood
Classic Colors


* Compared with TAMKO's Heritage® shingles manufactured in Kansas, Maryland, Missouri and Texas.
† Please consult TAMKO's Limited Warranty and Application Instructions for any requirements or limitations.



1-800-641-4691
tamko.com

BUILDING PRODUCTS FOR THE PROFESSIONAL.

TAMKO Building Products LLC is a leading independent manufacturer of residential roofing shingles crafted with American pride for more than 75 years. At TAMKO, the popular Heritage® and Heritage Proline™ shingle series features the best roofing colors on the market that are backed by a brand name recognized for its rich history, core values of honesty and integrity, quality products and processes, authority with building professionals and support for its community. For more information about TAMKO, visit our website at www.tamko.com.



TAMKO WxtSHIELD ROOF SYSTEM™

TAMKO products are specifically designed to work together — building layer upon layer of protection, to help create a weather defense system that is as beautiful as it is functional.

- | | |
|---|--|
| 1 TAMKO TW SEAM TAPE | 4 TAMKO SHINGLE STARTER |
| 2 TAMKO ICE AND RAIN UNDERLAYMENTS | 5 TAMKO HERITAGE® OR HERITAGE PROLINE™ SHINGLES |
| 3 TAMKO SYNTHETIC UNDERLAYMENTS | 6 TAMKO CONTINUOUS RIDGE VENTILATION |
| | 7 TAMKO HIP & RIDGE SHINGLES |

PRIOR TO MAKING YOUR FINAL COLOR SELECTION, TAMKO RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION OF THE SAME SHINGLE COLOR AND MANUFACTURING PLANT YOU ARE CONSIDERING FOR THE FULL IMPACT OF COLOR BLENDING AND PATTERNS. AS COLORS VARY BY REGION, YOU MAY WANT TO VISIT WWW.TAMKO.COM AND VIEW COLORS AVAILABLE BY ZIP CODE. HOUSE PHOTOGRAPHY IN THIS SAMPLE MAY HAVE BEEN DIGITALLY MODIFIED OR CREATED USING PHOTOGRAPHS OF ACTUAL SHINGLES. PRINTED REPRODUCTION OF THE SHINGLE COLORS IS AS ACCURATE AS OUR PRINTING WILL PERMIT. PRIOR TO INSTALLING THE SHINGLES, OPEN A BUNDLE AND VIEW A FEW OF THE SHINGLES TO BE CERTAIN IT IS THE COLOR YOU SELECTED. TAMKO WILL NOT BE RESPONSIBLE FOR COLOR CLAIMS ONCE THE SHINGLES ARE INSTALLED ON A ROOF.

Certain colors and products may not be available in your area. Information included in this item was current at the time of printing. To obtain a copy of the most current version of this item, visit us online at tamko.com or call us at 1-800-641-4691.

SHINGLES BEGIN TO AGE AS SOON AS THEY ARE EXPOSED TO NATURE. BUILDINGS EXPERIENCE AGING FACTORS DIFFERENTLY, SO IT IS DIFFICULT TO PREDICT HOW LONG SHINGLES WILL LAST. TAMKO PROVIDES A LIMITED WARRANTY FOR MANY PRODUCTS, THAT INCLUDES A BINDING ARBITRATION CLAUSE AND OTHER TERMS AND CONDITIONS WHICH ARE INCORPORATED HEREIN BY REFERENCE. YOU MAY OBTAIN A COPY OF THE LIMITED WARRANTY AT TAMKO.COM OR BY CALLING 1-800-641-4691.