

The patented triple-layer Tam-Rail' Railing System is offered in convenient kits to help make installation fast and easy. To choose the right kits for your specific application, simply follow the detailed steps in this Kit Selection Guide.



#### Step One–Sketch the layout and dimensions of your deck

Use the graph paper on page 2 to determine measurements and the number of kits you will need.





#### Step Two—Select your straight and stair rail kits

Tam-Rail stair and straight rail kits are available with colonial or square balusters, in 6', 8' and 10' lengths and in 36" or 42" heights. Use the charts starting on page 3 to select the appropriate kits for your project. For stair rail applications, use the stair angle chart on page 2 to determine the appropriate stair kit you will need.



### Step Three—Select your post kits

Post sleeves are not included in the straight and stair rail kits. Use the chart on page 6 to determine the right post sleeves for your application.

The Tam-Rail system is designed to 1) cover a standard 4x4 wood post 2) attach to a wood/composite deck without a wood post or 3) mount in concrete applications. See page 6 to determine the right post mount kit for your project.



#### Step Four-Select your special angle kits

If your application requires special angle brackets, use the chart on page 6 to choose the appropriate kits.





### Step Five—Select your post caps and rings

Tam-Rail post caps and rings provide the perfect finishing touches. See page 7 for details.






#### Step Six—Place your order


Take this sheet to your local distributor or contact TAMKO $^{\circ}$  at 1-800-641-4691 to find a dealer in your area.



# Step One—Sketch the deck layout and determine your project's dimensions.



Please refer to the chart on the right to determine the appropriate stair kits.



## TAM-RAIL<sup>®</sup> Stair Angle Chart

RUN	(inches)										.a.,		<u> </u>					
	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	14.5	15
.5	28	27	25	24	22	21	20	19	18	18	17	16	16	15	15	14	14	13
4	32	30	28	27	25	24	23	22	21	20	19	18	18	17	17	16	15	15
5	35	33	31	29	28	27	25	24	23	22	21	21	20	19	18	18	17	17
5	38	36	34	32	30	29	28	27	25	24	23	23	22	21	20	20	19	18
.5	40	38	36	35	33	31	30	29	28	27	26	25	24	23	22	21	21	20
5	43	41	39	37	35	34	32	31	30	29	28	27	26	25	24	23	22	22
.5	45	43	41	39	37	36	34	33	32	31	29	28	27	27	26	25	24	23
7	47	45	43	41	39	38	36	35	34	32	31	30	29	28	27	27	26	25
.5	49	47	45	43	41	40	38	37	36	34	33	32	31	30	29	28	27	27
3	51	49	47	45	43	42	40	39	37	36	35	34	33	32	31	30	29	28
.5	53	51	49	47	45	43	42	40	39	38	36	35	34	33	32	31	30	30
9	54	52	50	48	47	45	43	42	41	39	38	37	36	35	34	33	32	31
.5	56	54	52	50	48	47	45	44	42	41	40	38	37	36	35	34	33	32
10	57	55	53	51	50	48	46	45	44	42	41	40	39	38	37	36	35	34



#### Step Two—Select one of three railing height/baluster design options.

Please note: 36" is the common height for meeting code requirements in residential applications and 42" is the common height for meeting code requirements in multifamily applications.



All straight rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers, stainless steel screws, a crush block and a bracket placement template.

All stair rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers and stainless steel screws. The 8' stair rail kit also includes a crush block.

**36" Kits with Colonial Balusters** Colonial balusters feature beveled curves that add distinction. Select your required number of kits in the desired rail length.

Straight Rails	Contents	Product #	Color	# of Kits
6' x 36" Straight Rail Kit	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Storial Balusters</li> <li>Bracket Covers</li> <li>Brack</li></ol>	31000974	White	
8' x 36" Straight Rail Kit	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Storaight Bottom Rail</li> <li>Covers</li> <li>Bottom Rail</li> <li>Covers</li> <li>Bracket Covers</li> <li>Top Rail Metal</li> <li>Covers</li> <li>Brackets</li> <li>Strainless Screws</li> <li>Bottom Rail Metal Brackets</li> <li>Crush Block</li> </ol>	31000316	White	
10' x 36" Straight Rail Kit	<ul> <li>(1) Straight Top Rail</li> <li>(2) Top Rail Bracket</li> <li>(1) Straight Bottom</li> <li>(2) Bottom Rail</li> <li>(2) Bottom Rail Metal</li> <li>(2) Bottom Rail Metal</li> <li>(2) Bottom Rail Metal</li> <li>(2) Bottom Rail Metal</li> <li>(2) Crush Block</li> <li>(2) Crush Block</li> </ul>	31000318	White	

Stair Rails	Contents	Product #	Color	# of Kits
6' x 36" Stair Rail Kit (30°-35°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Straight Bottom Rail</li> <li>Covers</li> <li>Bottom Rail</li> <li>Covers</li> <li>Bracket Covers</li> <li>Top Rail Balusters</li> <li>Bracket Covers</li> <li>Top Rail Metal Brackets</li> <li>Strainless Screws</li> <li>Brackets</li> </ol>	31000334	White	
8' x 36" Stair Rail Kit (30°-35°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Scolonial Balusters</li> <li>Colonial Balusters</li> <li>Top Rail Balusters</li> <li>Top Rail Metal</li> <li>Tot Rail</li> <li>Bracket Screws</li> <li>Strainless Screws</li> <li>Strainless Screws</li> <li>Strainless Screws</li> <li>Colonial Metal</li> <li>Courties</li> <li></li></ol>	31000338	White	
6' x 36" Stair Rail Kit (36°-41°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Storiaght Bottom Rail</li> <li>Covers</li> <li>Bottom Rail</li> <li>Covers</li> <li>Bracket Covers</li> <li>Top Rail Metal Brackets</li> <li>Stainless Screws</li> <li>Bottom Rail Metal Brackets</li> </ol>	31000335	White	
8' x 36" Stair Rail Kit (36°-41°)	<ul> <li>(1) Straight Top Rail</li> <li>(2) Top Rail Bracket</li> <li>(3) Straight Bottom</li> <li>(4) Straight Bottom</li> <li>(5) Colonial Balusters</li> <li>(2) Top Rail Metal</li> <li>(3) 2" Stainless Screws</li> <li>(2) Bottom Rail Metal</li> <li>(1) Crush Block</li> </ul>	31000339	White	

2

#### Step Two—Select one of three railing height/baluster design options. (Continued)

Please note: 36" is the common height for meeting code requirements in residential applications and 42" is the common height for meeting code requirements in multifamily applications.



All straight rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers, stainless steel screws, a crush block and a bracket placement template.

All stair rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers and stainless steel screws. The 8' stair rail kit also includes a crush block.

**36" Kits with Square Balusters** Square balusters create straight lines and a uniform appearance. Select your required number of kits in the desired rail length.

Straight Rails	Cont	tents	Product #	Color	# of Kits
6′ x 36″ Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(13) 1" Stainless Screws</li> <li>(13) 2" Stainless Screws</li> <li>(1) Crush Block</li> </ul>	31000313	White	
8' x 36" Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(13) 1" Stainless Screws</li> <li>(13) 2" Stainless Screws</li> <li>(1) Crush Block</li> </ul>	31000315	White	
10' x 36" Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(13) 1" Stainless Screws</li> <li>(13) 2" Stainless Screws</li> <li>(2) Crush Block</li> </ul>	31000975	White	

Stair Rails	Contents	Product #	Color	# of Kits
6' x 36" Stair Rail Kit (30°-35°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Square Balusters</li> <li>Top Rail Metal Brackets</li> <li>Bottom Rail</li> <li>Top Rail Metal Brackets</li> <li>Bottom Rail Metal Brackets</li> <li>Straight Bottom</li> <li>S</li></ol>	31000332	White	
8' x 36" Stair Rail Kit (30°-35°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Square Balusters</li> <li>Square Balusters</li> <li>Top Rail Metal</li> <li>Strackets</li> <li>Bottom Rail Metal</li> <li>Crush Block</li> <li>Crush Block</li> </ol>	31000336	White	
6' x 36" Stair Rail Kit (36°-41°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Square Balusters</li> <li>Top Rail Bracket (1) Square Balusters</li> <li>Top Rail Metal Brackets</li> <li>Top Rail Metal Brackets</li> <li>Stainless Screws</li> <li>Stainless Screws</li> </ol>	31000333	White	
8' x 36" Stair Rail Kit (36°-41°)	<ul> <li>(1) Straight Top Rail</li> <li>(2) Top Rail Bracket</li> <li>(3) Straight Bottom</li> <li>(4) Straight Bottom</li> <li>(5) Square Balusters</li> <li>(2) Top Rail Metal</li> <li>(13) 2" Stainless Screws</li> <li>(2) Bottom Rail Metal</li> <li>(13) 2" Stainless Screws</li> <li>(2) Bottom Rail Metal</li> <li>(1) Crush Block</li> <li>Brackets</li> </ul>	31000337	White	

2

#### Step Two—Select one of three railing height/baluster design options. (Continued)

Please note: 36" is the common height for meeting code requirements in residential applications and 42" is the common height for meeting code requirements in multifamily applications.



All straight rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers, stainless steel screws, a crush block and a bracket placement template.

All stair rail kits include top and bottom rails, square or colonial balusters, top and bottom metal brackets, top and bottom bracket covers and stainless steel screws. The 8' stair rail kit also includes a crush block.

**42" Kits with Square Balusters** 42" Rail Kits are available only with a square baluster design. Select your required number of kits in the desired rail length.

Straight Rails	Cont	ents	Product #	Color	# of Kits
6' x 42" Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(13) 1" Stainless Screws</li> <li>(13) 2" Stainless Screws</li> <li>(1) Crush Block</li> </ul>	31000319	White	
8' x 42" Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(13) 1" Stainless Screws</li> <li>(13) 2" Stainless Screws</li> <li>(1) Crush Block</li> </ul>	31000330	White	
10' x 42" Straight Rail Kit		<ul> <li>(2) Top Rail Bracket Covers</li> <li>(2) Bottom Rail Bracket Covers</li> <li>(3) 1" Stainless Screws</li> <li>(3) 2" Stainless Screws</li> <li>(2) Crush Block</li> </ul>	31000343	White	

Stair Rails	Contents	Product #	Color	# of Kits
6' x 42" Stair Rail Kit (30°-35°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Square Balusters</li> <li>Top Rail Metal Brackets</li> <li>Bottom Rail</li> <li>Top Rail Metal Brackets</li> <li>Bottom Rail Metal Brackets</li> <li>Stainless Screws</li> <li>Stainless Screws</li> </ol>	31000340	White	
8' x 42" Stair Rail Kit (30°-35°)	<ul> <li>(1) Straight Top Rail</li> <li>(1) Straight Bottom Rail</li> <li>(2) Top Rail Bracket</li> <li>(2) Bottom Rail</li> <li>(2) Bottom Rail</li> <li>(3) Bottom Rail Metal</li> <li>(1) Crush Block</li> <li>(2) Bottom Rail Metal</li> <li>(1) Crush Block</li> </ul>	31000342	White	
6' x 42" Stair Rail Kit (36°-41°)	<ol> <li>Straight Top Rail</li> <li>Straight Bottom Rail</li> <li>Square Balusters</li> <li>Top Rail Metal</li> <li>Top Rail Metal</li> <li>Straight Bottom</li> <li>Top Rail Metal</li> <li>Brackets</li> <li>Straight Bottom</li> <li>Straight Bottom</li> <li>Top Rail Metal</li> <li>Brackets</li> <li>Straight Bottom</li> <li>Straight Bott</li></ol>	31000341	White	
8′ x 42″ Stair Rail Kit (36°-41°)	<ul> <li>(1) Straight Top Rail</li> <li>(1) Straight Bottom</li> <li>Rail</li> <li>(15) Square Balusters</li> <li>(2) Bottom Rail</li> <li>(2) Bottom Rail Metal</li> <li>(3) 1" Stainless Screws</li> <li>(2) Bottom Rail Metal</li> <li>(1) Crush Block</li> </ul>	31000343	White	



**Step Three—Select your post kits.** Post sleeves are available to cover 4x4 wood posts and enhance the look of your railing system. Post mount options are also available for use on a wood/composite deck without a wood post or on concrete applications.

Post Sleeves	Contents	Product #	Color	# of Kits
4" x 4" x 38" Post Sleeve Kit		31000344	White	
4" x 4" x 48" Post Sleeve Kit	(1) Post sleeve	31000345	White	
4" x 4" x 116" Post Sleeve Kit		31000343	White	

Post Mount Kits	Contents	Product #	Color	# of Kits
4" x 4" x 38" Post Mount Concrete Kit	<ol> <li>Post Mount Member</li> <li>Guide Blocks</li> <li>Concrete Accessory Kit</li> </ol>	31000948	White	
4" x 4" x 44" Post Mount Concrete Kit		31000949	White	
4" x 4" x 38" Post Mount Wood Kit	(1) Post Mount Member	31000309	White	
4" x 4" x 44" Post Mount Wood Kit	<ul> <li>(2) Guide Blocks</li> <li>(1) Wood Accessory Kit</li> </ul>	31000350	White	



**Step Four—Select your special angle adapter kits.** If your application has unique horizontal angles, you will need to select the appropriate angle adapter kits.

Individual Angle Adapter Kits	Contents	Product #	Color	# of Kits
45° Center Fixed Angle Adapter Kit	<ol> <li>Top Rail Angle Adapter</li> <li>Bottom Rail Angle Adapter</li> </ol>	31000945	White	
22.5° Left Fixed Angle Adapter Kit	<ol> <li>Top Rail Angle Adapter</li> <li>Bottom Rail Angle Adapter</li> <li>Hardware Pack</li> </ol>	31000946	White	
22.5° Right Fixed Angle Adapter Kit	<ol> <li>Top Rail Angle Adapter</li> <li>Bottom Rail Angle Adapter</li> <li>Hardware Pack</li> </ol>	31000947	White	
Multi-angle Bracket Kit	<ol> <li>Top Rail Bracket</li> <li>Bottom Rail Bracket</li> <li>Hardware Pack</li> </ol>	31000354	White	

### Step Five—Select your post cap and rings.

Post caps and the New England-style post ring provide the perfect finishing touches.

Post Caps and Rings	Contents	Product #	Color	# of Kits
4" x 4" Pyramid Post Cap	(1) Pyramid Post Cap	31000355	White	
4" x 4" New England Post Cap	(1) New England Post Cap	31000356	White	
4" x 4" New England Post Ring	(1) New England Post Ring	31000358	White	



**Step Six—Place your order.** Take this sheet to your local distributor or contact TAMKO<sup>°</sup> at 1-800-641-4691 to find a dealer in your area.





tamko.com P.O. Box 1404 Joplin, MO 64802-1404 1-800-641-4691