


# OAKCRAFT® FLUSH TEXTURED 6'8"- 7'0"

MASONITE™ SPEC



8.9	Α	23-3/4"	
			2'0"
9			2
	Α	29-3/4"	
8.9			2'6"
9			7
	Α	31-3/4"	
8.9			2'8"
9			7
	Α	33-3/4"	_
8.9			0
9			2'10"
_	Α	35-3/4"	_
8.9			3'0"
9			m

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

#### Note:


- Overall Length and Width Dimensions are +/- 1/16 inch
   Available as 83" length.
- \*Available as Prem Spec

#### www.masonite.com



## OAKCRAFT® 3-PANEL ARCH TOP TEXTURED 6'8"

MASONITE™ SPEC



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2,
	Α	33-3/4"	
8.9	В	5-5/16"	2'10"
9			2'1
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3-
			-
			1
			1
		-	

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

## Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

\*Available as Prem Spec

www.masonite.com


© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-OAK-3P ARCH TP-TEX-68 002 Revision: B



## OAKCRAFT® 3-PANEL FLUSHED GLAZED ARCH TOP WITH 3/4 OVAL LITE TEXTURED 6'8" MASONITE™ SPEC



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2.
	Α	33-3/4"	
8.9	В	5-5/16"	0
9			2'10"
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3.
			_
			1
			1

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

#### Note:

Overall Length and Width Dimensions are +/- 1/16 inch

1. Available as Flush glazed/open - 16" x 40" x 3/4" insulated glass insert required in accordance with Speciality 304 series oval shape.


\*Available as Prem Spec

## www.masonite.com



## OAKCRAFT® 4-PANEL BLANK TOP TEXTURED 6'8"

MASONITE™ SPEC



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2'
	Α	33-3/4"	
8.9	В	5-5/16"	0
9			2'10"
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3
			<u> </u>
			1

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

## Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch


\*Available as Prem Spec

Section XX XX.X.X



# OAKCRAFT® 6-PANEL TEXTURED 6'8"

MASONITE™ SPEC



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2,
	Α	33-3/4"	
8.9	В	5-5/16"	2'10"
9			2'1
_	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3
			_
			1
			]

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

## Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

\*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-OAK-6P-TEX-68 005 Revision: B



# OAKCRAFT® 6-PANEL NARROW TEXTURED 6'8"

MASONITE™ SPEC



	Α	29-3/4"	
8.9	В	4-5/16"	2'6"
9			2

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

#### Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch


\*Available as Prem Spec

Filename: TM-OAK-6P NRW-68 006 Revision: B



# OAKCRAFT® 4-PANEL NEW ENGLAND TEXTURED 6'8"

MASONITE™ SPEC



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2
	Α	33-3/4"	_
1.8.9	В	5-5/16"	2'10"
9			2'.
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3
			1

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS

## Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

\*Available as Prem Spec


www.masonite.com

Filename: TM-OAK-4P NE-TEX-68 007 Revision: B



## OAKCRAFT® 4-PANEL NARROW NEW ENGLAND TEXTURED 6'8"-7'0"

MASONITE™ SPEC



	Α	29-3/4"	
8.9	В	4-5/16"	2'6"
9			2
	Α	31-3/4"	
1.8.9	В	5-5/16"	2'8"
9			2
L			l

## **Options:**

OAKCRAFT® WOOD-GRAIN TEXTURED FIBERGLASS

#### Note:


- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 5-5/8" top rail and 12-1/4" bottom rail.

\*Available as Prem Spec



# OAKCRAFT® FLUSH SIDELITE TEXTURED 6'8"-7'0"

MASONITE™ SPEC



	Α	10-3/8"	
= 0			10"
8.9			1(
	Α	11-7/8"	
1.8.9			12"
9			1
	^	12.7/0"	
=	Α	13-7/8"	- I
1.8.9			14"
			1
			1
			1
			-
			1

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS SIDELITE

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length

\*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved. Our continuing program of product improvement makes specifications, design and product detail subject to change without notice. Section XX XX.X.X


Filename: TM-FL SL-TEX-68 009 Revision: A

Date: 1-04-2016



## OAKCRAFT® 1-PANEL BLANK TOP TEXTURED SIDELITE 6'8"-7'0"

MASONITE™ SPEC



	Α	11-7/8"	
8.9	В	1-15/16"	12"
9			1,
	Α	13-7/8"	
8.9	В	2-15/16"	14"
9			1
			-
			-
			-
			]

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS SIDELITE test

#### Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83", 12-1/4" bottom panel.

\*Available as Prem Spec

www.masonite.com


© 2017 Masonite International Corporation. All Rights Reserved.
Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-OAK- 1P BLNK TP-TEX-68 010 Revision: B



## OAKCRAFT® 1-PANEL FLUSH GLAZED WITH 3/4 LITE SIDELITE 6'8"

MASONITE™ SPEC



	Α	11-7/8"	
8.9	В	1-7/16"	12"
9			1,
	Α	13-7/8"	
1.8.9	В	2-7/16"	14"
9			1

## **Options:**

OAKCRAFT® WOODGRAIN TEXTURED FIBERGLASS SIDELITE

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as flush glazed/open 8" x 48" 1" I.G. insert required.

  3. Available as knockout with 9" x 49" glass kit opening.
- \*Available as Prem Spec

#### www.masonite.com

Date: 9-28-18 Section XX XX.X.X